

Formulary Exception Criteria

EXPRESS SCRIPTS®			STANDARD FORMULARY EXCEPTION CRITERIA					
Therapy Class	Brand Name	Generic Name	Commercial FE Criteria	Approval Duration	2024 NPF Excluded Medication	Continuation of Therapy Required?	Date Last Reviewed	Utilizes Pref Alts to Operationalize Criteria
ACE-Inhibitor/CCB Combination Product	Lotrel	amlodipine/benazepril capsules	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Acne Vulgaris Agents (Topical)	Acanya Gel	benzoyl peroxide 2.5% and clindamycin phosphate 1.2% gel	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Acne Vulgaris Agents (Topical)	Atralin	tretinoin gel (0.05%)	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Acne Vulgaris Agents (Topical)	Clindagel 1% gel	clindamycin 1% gel	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Acne Vulgaris Agents (Topical)	Fabior and authorized generic	tazarotene 0.1% foam	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] . Other diagnoses (e.g., acne vulgaris). Approve if the patient meets the following (A and B): A. Patient has tried one of tazarotene cream (Tazorac cream, generics) or tazarotene gel (Tazorac gel, generics), if one is formulary. If none are formulary, approve; AND B. Patient has tried a topical tretinoin-containing product. Note: Examples of topical retinoid products include tretinoin cream (Retin-A cream, generics), tretinoin gel (Retin-A gel, generics). Psoriasis. Approve if the patient has tried one of tazarotene cream (Tazorac cream, generics) or tazarotene gel (Tazorac gel, generics), if one is formulary. If none are formulary, approve.	1 year	Yes		12/6/2023	No
Acne Vulgaris Agents (Topical)	Retin-A Micro 0.1% & 0.04% gel	tretinoin 0.1% & 0.04% gel	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Acne Vulgaris Agents (Topical)	Veltin	clindamycin phosphate and tretinoin gel	Approve if the patient has tried BOTH a clindamycin- AND a tretinoin- containing product. Examples include: Ziana, generic clindamycin/tretinoin, Retin-A, generic tretinoin, Cleocin-T, generic clindamycin.	1 year	Yes		6/28/2023	No
Acne Vulgaris Agents (Topical)	Winlevi	clascoterone cream 1%	Acne Vulgaris in a patient ≥ 12 years of age. Approve if the patient meets the following (A and B): A. Patient has tried at least one prescription topical retinoid [documentation required] ; AND Note: Examples of a prescription topical retinoid are adapalene, Aklief (trifarotene 0.005% cream), tazarotene (Tazorac 0.1% cream [generic], Tazorac 0.1% gel), and tretinoin. B. Patient has tried at least three other prescription topical acne therapies [documentation required] . Note: Examples of other prescription topical therapies for acne include: Aczone (dapson 7.5% gel; dapson 5% gel [generic]), Azelex (azelaic acid 20% cream), topical clindamycin, topical erythromycin, and topical minocycline (Amzeeq [minocycline 4% foam]).	1 year	Yes		3/3/2023	No
Actinic Keratosis Agents (Topical)	Carac and authorized generic 0.5%	fluorouracil 0.5% cream	Approve if the patient has tried one of the following products, if formulary: Tolak, Fluoroplex, fluorouracil 2% solution, fluorouracil 5% solution, or fluorouracil 5% cream (Efudex, generics). If none are formulary, approve.	1 year	Yes		9/1/2023	No
Actinic Keratosis Agents (Topical)	Kiisyri	tirbanibulin ointment 1%	Approve if the patient has tried two of the following products: diclofenac 3% gel (Solaraze, generics), a fluorouracil-containing product (e.g., fluorouracil cream, Carac, fluorouracil topical solution), or an imiquimod-containing product (e.g., imiquimod 5% cream, Aldara, Zyclara).	1 year	Yes		4/21/2023	No
Actinic Keratosis Agents (Topical)	Zyclara 2.5% and 3.75%	imiquimod 2.5% and 3.75% cream	Approve if the patient has tried imiquimod 5% cream (Aldara, generics), if formulary. If imiquimod 5% cream (Aldara, generics) is non-formulary, approve.	1 year	Yes		9/1/2023	No
Allergen Immunotherapy	Palforzia	peanut [Arachis hypogaea] allergen powder-dnfp for oral administration	See standard <i>Allergen Immunotherapy – Palforzia Prior Authorization Policy</i> criteria.	1 year	Yes		3/12/2023	No
Alpha and beta-blocker	Coreg	carvedilol tablet	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Alpha-2 Agonists	Lucomyra	lofexidine tablets	Approve if the patient has tried, and according to the prescriber, has experienced inadequate efficacy OR significant intolerance with clonidine.	1 year	Yes		1/27/2023	Yes
Alpha-adrenergic Agonist	Nexiclon XR and authorized generic	clonidine ER tablet and authorized generic	Approve if the patient tried and is unable to use both clonidine immediate-release tablets AND clonidine transdermal patches.	1 year	Yes		4/21/2023	No

Formulary Exception Criteria

Therapy Class	Brand Name	Generic Name	Commercial FE Criteria	Approval Duration	2024 NPF Excluded Medication	Continuation of Therapy Required?	Date Last Reviewed	Utilizes Pref Alts to Operationalize Criteria
Aluminum Chloride Agents	Drysol	aluminum chloride 20% topical solution	Hyperhidrosis in the axillae, palms, or soles. Approve if the patient has tried, for at least 4 weeks, and experienced inadequate efficacy with one over-the-counter aluminum-containing product (such as Certain Dri, Bromi-lotion) [documentation required] .	1 year	Yes		11/30/2023	No
Alzheimer's Agent - Amyloid beta-directed antibody	Aduhelm	aducanumab-avwa intravenous infusion	No exceptions are recommended. Due to the lack of clinical efficacy data and safety concerns, an exception is not recommended for Aduhelm. (NOTE: It is not appropriate to use standard global criteria for this medication; Denial reason is: No exceptions are recommended. There are lack of efficacy data and safety concerns with use of Aduhelm.)	N/A	Yes		11/30/2023	No
Alzheimer's Agent - Amyloid beta-directed antibody	Leqembi	lecanemab-irmb intravenous infusion	No exceptions are recommended. Due to safety concerns and the lack of clinically significant efficacy data, an exception is not recommended for Leqembi. (NOTE: It is not appropriate to use standard global criteria for this medication; Denial reason is: No exceptions are recommended. There are safety concerns and a lack of clinically significant efficacy data with use of Leqembi.)	N/A	Yes		1/27/2023	No
Alzheimer's Disease Agents	Namenda XR	memantine extended-release capsule	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Amyloidosis-associated Polyneuropathy Agents	Amvuttra	vturisiran subcutaneous injection	Approve if the patient meets the following criteria (A and B): A. Polyneuropathy of Hereditary Transthyretin-Mediated Amyloidosis (hATTR). Approve if the patient meets ALL of the following (i, ii, iii, iv, and v): i. Patient is ≥18 years of age; AND ii. Patient has a transthyretin (TTR) mutation as confirmed by genetic testing; AND iii. Patient has symptomatic polyneuropathy; AND Note: Examples of symptomatic polyneuropathy include reduced motor strength/coordination, and impaired sensation (e.g., pain, temperature, vibration, touch). Examples of assessments for symptomatic disease include history and clinical exam, electromyography, or nerve conduction velocity testing. iv. The patient does not have a history of liver transplantation; AND v. The medication is prescribed by or in consultation with a neurologist, geneticist, or a physician who specializes in the treatment of amyloidosis; AND B. The patient meets one of the following criteria (i, iii, or iv): i. Patient has tried Onpatro, if formulary; OR ii. Onpatro is non-formulary; OR iii. Patient is unable to obtain and/or maintain intravenous access; OR iv. Patient has already been started on therapy with Amvuttra.	1 year	Yes		8/28/2023	No
Amyloidosis-associated Polyneuropathy Agents	Onpatro	patisiran for intravenous use	Approve if the patient meets the following criteria (A and B): A. Polyneuropathy of Hereditary Transthyretin-Mediated Amyloidosis (hATTR). Approve if the patient meets ALL of the following (i, ii, iii, and iv): i. Patient is ≥18 years of age; AND ii. Patient has a transthyretin (TTR) mutation as confirmed by genetic testing; AND iii. Patient has symptomatic polyneuropathy; AND Note: Examples of symptomatic polyneuropathy include reduced motor strength/coordination, and impaired sensation (e.g., pain, temperature, vibration, touch). Examples of assessments for symptomatic disease include history and clinical exam, electromyography, or nerve conduction velocity testing. iv. The medication is prescribed by or in consultation with a neurologist, geneticist, or a physician who specializes in the treatment of amyloidosis; AND B. The patient meets one of the following criteria (i, iii, or iii): i. Patient has tried Amvuttra, if formulary; OR ii. Amvuttra is non-formulary; OR iii. Patient has already been started on Onpatro.	1 year	Yes	Yes	12/15/2023	No
Analgesics - Butalbital-Containing Products	Bupap tablet	butalbital 50 mg, acetaminophen 300 mg tablet	Approve if the patient has tried one other formulary butalbital-containing product, if one is formulary (e.g., butalbital/acetaminophen capsule or tablet, butalbital/acetaminophen/caffeine capsule or tablet, butalbital/acetaminophen/caffeine/codeine capsule, butalbital/aspirin/caffeine capsule or tablet, butalbital/aspirin/caffeine/codeine capsule). If none are formulary, approve.	1 year	Yes		6/7/2023	No
Angiotensin Converting Enzyme (ACE) Inhibitors	Epaned	enalapril maleate powder for oral solution, enalapril maleate oral solution	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	Yes
Angiotensin Converting Enzyme (ACE) Inhibitors	Qbrelis	lisinopril oral solution	1. Approve if the patients has tried lisinopril tablets (Prinivil, Zestril, generics), if formulary. If lisinopril tablets (Prinivil, Zestril, generics) are non-formulary, approve. 2. Approve if the patient cannot swallow or has difficulty swallowing tablets.	1 year	Yes		7/13/2023	Yes
Angiotensin Receptor Blockers	Valsartan oral solution (previously Prexxartan)	valsartan oral solution	1. Direct the patient to valsartan tablets. 2. Approve if the patient is unable to or has difficulty swallowing oral tablets.	1 year	Yes		7/19/2023	No
Angiotensin Receptor Blockers (ARBs) and Combination Products	Atacand	candesartan cilexetil tablets	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Angiotensin Receptor Blockers (ARBs) and Combination Products	Atacand HCT	candesartan/hydrochlorthiazide tablets	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No

Formulary Exception Criteria

Therapy Class	Brand Name	Generic Name	Commercial FE Criteria	Approval Duration	2024 NPF Excluded Medication	Continuation of Therapy Required?	Date Last Reviewed	Utilizes Pref Alts to Operationalize Criteria
Angiotensin Receptor Blockers (ARBs) and Combination Products	Avalide	irbesartan/hydrochlorothiazide tablets	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Angiotensin Receptor Blockers (ARBs) and Combination Products	Avapro	irbesartan tablets	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Angiotensin Receptor Blockers (ARBs) and Combination Products	AZOR	amlodipine besylate/olmesartan medoxomil tablets	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Angiotensin Receptor Blockers (ARBs) and Combination Products	Benicar	olmesartan medoxomil tablets	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Angiotensin Receptor Blockers (ARBs) and Combination Products	Benicar HCT	olmesartan/hydrochlorothiazide tablets	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Angiotensin Receptor Blockers (ARBs) and Combination Products	Cozaar	losartan tablet	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Angiotensin Receptor Blockers (ARBs) and Combination Products	Diovan	valsartan tablets	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Angiotensin Receptor Blockers (ARBs) and Combination Products	Diovan HCT	valsartan/hydrochlorothiazide tablets	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Angiotensin Receptor Blockers (ARBs) and Combination Products	Edarbi	azilsartan	1. Approve if the patient has tried five of the following, if five are formulary (or four if four are formulary or three if three are formulary or two if two are formulary; or one if only one is formulary): candesartan (Atacand, generics), irbesartan (Avapro, generics), olmesartan (Benicar, generics), losartan (Cozaar, generics), valsartan (Diovan, generics), telmisartan (Micardis, generics), or eprosartan. If none are formulary, approve. 2. Patients recently hospitalized (and discharged within 30 days) for a cardiovascular event (e.g., myocardial infarction [MI], hypertensive emergency) who has already been started and stabilized on Edarbi: approve.	1 year	Yes		1/27/2023	Yes
Angiotensin Receptor Blockers (ARBs) and Combination Products	Edarbyclor	azilsartan and chlorthalidone tablets	1. Approve if the patient has tried five of the following formulary angiotensin receptor blocker/diuretic combination products, if five are formulary, or four if four are formulary, or three if three are formulary, or two are formulary, or one if only one is formulary): candesartan-hydrochlorothiazide (Atacand HCT, generics), irbesartan-hydrochlorothiazide (Avalide, generics), losartan-hydrochlorothiazide (Hyzaar, generics), telmisartan-hydrochlorothiazide (Micardis HCT, generics), valsartan-hydrochlorothiazide (Diovan HCT, generics), olmesartan-hydrochlorothiazide (Benicar HCT, generics). 2. Approve if the patient has tried chlorthalidone AND Edarbi, if Edarbi is formulary. If Edarbi is non-formulary, approve if the patient has tried five of the following formulary angiotensin receptor blockers (ARBs), if five are formulary or four if four are formulary or three if three are formulary, or two if only two are formulary; or one if only one is formulary): candesartan (Atacand, generics), irbesartan (Avapro, generics), olmesartan (Benicar, generics), losartan (Cozaar, generics), valsartan (Diovan, generics), telmisartan (Micardis, generics), or eprosartan. If none are formulary, approve.	1 year	Yes		1/27/2023	No
Angiotensin Receptor Blockers (ARBs) and Combination Products	Exforge	valsartan/amlodipine tablets	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Angiotensin Receptor Blockers (ARBs) and Combination Products	Exforge HCT	valsartan/amlodipine/hydrochlorothiazide tablets	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No

Formulary Exception Criteria

Therapy Class	Brand Name	Generic Name	Commercial FE Criteria	Approval Duration	2024 NPF Excluded Medication	Continuation of Therapy Required?	Date Last Reviewed	Utilizes Pref Alts to Operationalize Criteria
Angiotensin Receptor Blockers (ARBs) and Combination Products	Hyzaar	losartan/hydrochlorothiazide tablets	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Angiotensin Receptor Blockers (ARBs) and Combination Products	Micardis	telmisartan tablets	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Angiotensin Receptor Blockers (ARBs) and Combination Products	Micardis HCT	telmisartan/hydrochlorothiazide tablets	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Angiotensin Receptor Blockers (ARBs) and Combination Products	Tribenzor	olmesartan/aclometopium/hydrochlorothiazide tablets	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Anti-arrhythmic agents	Norpace and disopyramide capsules	disopyramide phosphate capsules	1. Approve if the patient has tried two other anti-arrhythmic agents (e.g., amiodarone, quinidine, sotalol). 2. Approve if the patient has already been started on therapy with disopyramide (Norpace, generics) or Norpace CR.	1 year	Yes	Yes	8/22/2023	No
Anti-arrhythmic agents	Norpace CR	disopyramide extended-release capsule	1. Approve if the patient has tried two other anti-arrhythmic agents (e.g., amiodarone, quinidine, sotalol). 2. Approve if the patient has already been started on therapy with disopyramide (Norpace, generics) or Norpace CR.	1 year	Yes	Yes	8/22/2023	No
Antibiotics (Inhaled)	TOBI	tobramycin solution for inhalation	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Antibiotics (Oral)	Doryx 50 mg, 200 mg	doxycycline hyclate delayed-release tablets	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Antibiotics (Oral)	Doryx DR 80 mg and authorized generic	doxycycline hyclate delayed-release tablets	1. Direct patient to other doxycycline products. 2. Approve if, per the prescriber, the 80 mg tablet is required to meet the prescribed dosing requirement.	1 year	Yes		12/1/2023	No
Antibiotics (Oral)	Doryx MPC	doxycycline hyclate tablet, delayed-release	1. Direct patient to other doxycycline products. 2. Approve if, according to the prescriber, there is a significant clinical concern such that the patient is unable to use a generic doxycycline product.	1 year	Yes		12/1/2023	No
Antibiotics (Oral)	Firvanq and authorized generic vancomycin oral solution	vancomycin oral solution	1. Approve if the patient has tried vancomycin capsules (Vancocin oral capsule, generics) or vancomycin oral solution (Vancocin oral solution, generics), if formulary. If neither are formulary, approve. 2. If the patient is unable to swallow or has difficulty swallowing capsules, approve if the patient has tried vancomycin oral solution (Vancocin oral solution, generics), if formulary. If vancomycin oral solution is non-formulary, approve.	1 year	Yes		5/22/2023	No
Antibiotics (Oral)	Minolira and authorized generic	minocycline ER tablet	Approve if the patient has tried minocycline extended-release tablets (Solodyn, generics), if formulary. If none are formulary, approve.	1 year	Yes - Authorized generic		9/1/2023	No
Antibiotics (Oral)	Nitrofurantoin 50 mg/5 ml suspension (brand)	nitrofurantoin 50 mg/5 ml suspension	1. Direct to nitrofurantoin 25 mg/5 ml oral suspension. 2. Approve if, according to the prescriber, there is a significant clinical concern such that the patient is unable to use the nitrofurantoin 25 mg/5 ml oral suspension.	1 year	Yes		10/23/2023	No
Antibiotics (Oral)	Sivextro	tedizolid phosphate tablets	1. Approve if the patient has tried linezolid tablets or oral suspension (Zyvox, generics), if formulary. If none are formulary, approve. 2. Approve if the patient is currently taking a medication that interacts with linezolid (Zyvox, generics) [e.g., monoamine oxidase inhibitors (MAOIs) or selective serotonin reuptake inhibitors (SSRIs)]. 3. Approve if the patient is being treated for an organism that is resistant to linezolid (Zyvox, generics), but sensitive to Sivextro. 4. Approve if the patient has been started on a course of therapy with Sivextro (to allow for completion of a course of therapy).	1 year	Yes		1/26/2023	Yes
Antibiotics (Oral)	Ximino and authorized generic	minocycline ER capsule	Approve if the patient has tried minocycline extended-release tablets (Solodyn, generics), if formulary. If none are formulary, approve	1 year	Yes		9/1/2023	No
Anticoagulants (Oral)	Pradaxa	dabigatran etexilate mesylate capsules	1. Approve if the patient has tried one of dabigatran capsules, Eliquis, Savaysa, or Xarelto, if one is formulary [documentation required] . If none are formulary, approve. 2. Patient is less than (<) 18 years of age: approve if the patient has tried Xarelto (tablets or oral suspension) [documentation required] , if formulary. If neither are formulary, approve. 3. Patients currently receiving Pradaxa for treatment of thrombosis (e.g., deep vein thrombosis [DVT] or pulmonary embolism [PE]), approve. 4. Patients currently receiving Pradaxa for prophylaxis of DVT or PE after orthopedic surgery (e.g., hip or knee replacement surgery), approve.	1 year	Yes		3/27/2023	No

Formulary Exception Criteria

Therapy Class	Brand Name	Generic Name	Commercial FE Criteria	Approval Duration	2024 NPF Excluded Medication	Continuation of Therapy Required?	Date Last Reviewed	Utilizes Pref Alts to Operationalize Criteria
Anticoagulants (Oral)	Pradaxa oral pellets	dabigatran oral pellets	1. Regardless of the patient's age, approve if the patient is currently receiving Pradaxa (oral pellets or tablets) for treatment of thrombosis (e.g., deep vein thrombosis [DVT] or pulmonary embolism [PE]). 2. Patient is ≥ 8 years of age and < 12 years of age, approve if the patient meets one of the following (A or B): A. Patient has tried dabigatran capsules (Pradaxa, generics) [documentation required], if formulary. If dabigatran capsules (Pradaxa, generics) are non-formulary, approve; OR B. Patient is not able to swallow capsules, approve if the patient has tried Xarelto (tablets or oral suspension) [documentation required], if formulary. If neither are formulary, approve. 3. Patient is < 8 years of age, approve if the patient has tried Xarelto (tablets or oral suspension) [documentation required], if formulary. If neither are formulary, approve.	1 year	Yes		3/27/2023	No
Anticoagulants (Oral)	Savaysa	edoxaban tablets	1. Approve if the patient has tried one of the following, if one is formulary: dabigatran (Pradaxa, generics), Xarelto, or Eliquis [documentation required]. If none are formulary, approve. 2. Patients currently receiving Savaysa for treatment of thrombosis (e.g., deep vein thrombosis [DVT] or pulmonary embolism [PE]), approve. 3. Patients using Savaysa for treatment of DVT or PE associated with cancer: approve if the patient has tried Eliquis [documentation required], if formulary. If Eliquis is non-formulary, approve. 4. Patients currently receiving Savaysa for prophylaxis of DVT or PE after orthopedic surgery (e.g., hip replacement surgery), approve.	1 year	Yes		3/27/2023	No
Antidepressants - Other	Aplenzin	bupropion hydrobromide extended-release tablets	Approve if the patient has tried one product from the following list: bupropion hydrochloride extended-release tablets (Wellbutrin XL, generics), if formulary. If bupropion hydrochloride extended-release tablets (Wellbutrin XL, generics) are non-formulary, approve.	1 year	Yes		11/20/2023	Yes
Antidepressants - Other	Auvelity	dextromethorphan hydrobromide and bupropion hydrochloride extended-release tablets	1. Approve if the patient has tried at least two different antidepressants, one of which must be bupropion and one additional antidepressant [documentation required]. Note: Examples of antidepressants include selective serotonin reuptake inhibitors (SSRIs), serotonin-norepinephrine reuptake inhibitors (SNRIs), tricyclic antidepressants (TCAs), mirtazapine, etc. 2. Suicidal ideation: approve. 3. Patient is currently taking or has taken Auvelity at any time in the past: approve.	1 year	Yes	Yes	12/22/2022	No
Antidepressants - Other	Forfivo XL and authorized generic	bupropion hydrochloride extended-release tablets	1. Patient is directed to bupropion hydrochloride XL 150 mg and/or 300 mg tablets (Wellbutrin XL, generics). 2. Approve if, according to the prescriber, there is a significant clinical concern such that the patient is unable to use the bupropion hydrochloride XL 150 mg and/or 300 mg tablets (Wellbutrin XL, generics).	1 year	Yes		12/1/2023	No
Antidepressants - Other	Wellbutrin SR	bupropion HCl tablets	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required].	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Antidepressants - Other	Wellbutrin XL	bupropion XL tablets	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required].	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Antiemetics - Serotonin Receptor Antagonists (Oral and Inejctable)	Akynzeo	netupitant/palonsetron capsules	1. Approve if the patient has tried two formulary 5-HT3 receptor antagonists from the following list (if two are formulary or one if one is formulary [if none are formulary, approve]): ondansetron (Zofran, generics), granisetron (generics), or Sancuso AND one of aprepitant capsules (Emend, generics) or Varubi tablets, if one is formulary. If neither are formulary, approve. 2. Approve if the patient has already started Akynzeo to complete all cycles in the current course of chemotherapy.	1 year	Yes		1/27/2023	Yes
Antiemetics - Serotonin Receptor Antagonists (Oral and Inejctable)	Anzemet tablets	dolasetron tablets	1. Approve if the patient has tried two of the following: oral granisetron (Kytrel, generics) or oral ondansetron (Zofran, Zofran ODT, Zuplenz, generics), if formulary (or only one if one is formulary). If none are formulary, approve. 2. Patient < 18 years of age, approve if the patient tried oral ondansetron (Zofran, Zofran ODT, generics), if formulary. If ondansetron (Zofran, Zofran ODT), generics) are non-formulary, approve. 3. Approve if the patient has already started Anzemet to complete all cycles in the current course of chemotherapy.	1 year	Yes		9/1/2023	No
Antiemetics and Antivertigo Agents	Bonjesta	doxylamine succinate and pyridoxine hydrochloride extended-release tablets	Approve if the patient has tried, and according to the prescriber, has experienced inadequate efficacy OR significant intolerance with doxylamine-pyridoxine (Diclegis, generics), if formulary. If doxylamine-pyridoxine (Diclegis, generics) are non-formulary, approve if the patient has tried doxylamine AND pyridoxine (Vitamin B6).	1 year	Yes		2/23/2023	Yes
Antiemetics and Antivertigo Agents	Emend capsules and Emend Trifold Pack	aprepitant oral capsules	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required].	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Antiemetics and Antivertigo Agents	Emend oral suspension	aprepitant oral suspension	1. Approve if the patient has tried one formulary alternative from the following list: aprepitant capsules (Emend, generics) or Varubi tablets. If none are formulary, approve. 2. Patients ≥ 12 and <18 years of age: approve if the patient has tried aprepitant capsules (Emend, generics), if formulary. If aprepitant capsules (Emend, generics) are non-formulary, approve. 3. Patients < 12 years of age: approve. 4. Patients who cannot swallow or have difficulty swallowing capsules, approve. 5. Approve if the patient has already started Emend oral suspension to complete all cycles in the current course of chemotherapy.	1 year	Yes		1/27/2023	Yes
Antifungals (Oral)	Noxafil tablets	posaconazole delayed-release tablets	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required].	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Antifungals (Oral)	Tolsura	itraconazole capsules	1. Approve if the patient has tried one of itraconazole capsules (Sporanox, generics) or itraconazole oral solution (Sporanox liquid, generics). NOTE: A trial of either the conventional itraconazole capsules or itraconazole solution would count toward meeting criteria regardless of the formulary status of the product. 2. Patient has been started on a current course of therapy with Tolsura (for a non-onychomycosis diagnosis): approve to complete the current course. 3. Deny: If the patient is requesting Tolsura for a diagnosis of onychomycosis. NOTE: If the patient is requesting Tolsura for a diagnosis of onychomycosis, the request should be denied regardless of what the patient has tried for the current condition or if the patient has already been started on the product.	1 year	Yes		10/4/2023	No

Formulary Exception Criteria

Therapy Class	Brand Name	Generic Name	Commercial FE Criteria	Approval Duration	2024 NPF Excluded Medication	Continuation of Therapy Required?	Date Last Reviewed	Utilizes Pref Alts to Operationalize Criteria
Antifungals (Topical)	Ecoza foam	econazole nitrate topical foam	1. Approve if the patient has tried and, according to the prescriber, has experienced inadequate efficacy OR a significant intolerance with four topical antifungals. 2. If the patient has an occluded fungal infection, such as intertrigo or erosio interdigitalis blastomycetica, approve if the patient has tried and, according to the prescriber has experienced inadequate efficacy OR a significant intolerance with two topical antifungals. Note: Examples of topical antifungals include: naftifine 1% or 2% cream or 1% gel (Naftin, generics), Naftin 2% gel, Lotrimin Ultra (over-the-counter [OTC]), clotrimazole 1% cream (OTC formulation), econazole 1% cream, ketoconazole 2% cream or foam (Extina, generics), Oxistat 1% lotion, oxiconazole 1% cream (Oxistat, generics), Ertaczo 2% cream, Exelderm 1% cream or solution, ciclopirox 0.77% cream or gel (generics), Mentax 1% cream, Xolegel 2% gel.	1 year	Yes		2/23/2023	Yes
Antifungals (Topical)	Ertaczo	sertaconazole nitrate 2% cream	1. Approve if the patient has tried and, according to the prescriber, has experienced inadequate efficacy OR a significant intolerance with four topical antifungals. 2. If the patient has an occluded fungal infection, such as intertrigo or erosio interdigitalis blastomycetica, approve if the patient has tried and, according to the prescriber has experienced inadequate efficacy OR a significant intolerance with two topical antifungals. Note: Examples of topical antifungals include: naftifine 1% or 2% cream or 1% gel (Naftin, generics), Naftin 2% gel, Lotrimin Ultra (over-the-counter [OTC]), clotrimazole 1% cream (OTC formulation), econazole 1% cream, ketoconazole 2% cream or foam (Extina, generics), Oxistat 1% lotion, oxiconazole 1% cream (Oxistat, generics), Ecoza foam, Exelderm 1% cream or solution, ciclopirox 0.77% cream or gel (generics), Mentax 1% cream, Xolegel 2% gel.	1 year	Yes		2/23/2023	No
Antifungals (Topical)	Exelderm and authorized generic (sulconazole nitrate 1%)	sulconazole nitrate 1% (cream and solution)	1. Approve if the patient has tried and, according to the prescriber, has experienced inadequate efficacy OR a significant intolerance with four topical antifungals. 2. If the patient has an occluded fungal infection, such as intertrigo or erosio interdigitalis blastomycetica, approve if the patient has tried and, according to the prescriber has experienced inadequate efficacy OR a significant intolerance with two topical antifungals. Note: Example of topical antifungals include: naftifine 1% or 2% cream or 1% gel (Naftin, generics), Naftin 2% gel, Lotrimin Ultra (over-the-counter [OTC]), clotrimazole 1% cream (OTC formulation), econazole 1% cream, Ecoza 1% foam, ketoconazole 2% cream or foam (Extina, generics), Oxistat 1% lotion, oxiconazole 1% cream (Oxistat, generics), Ertaczo 2% cream, ciclopirox 0.77% cream or gel (generics), Luzu 1% cream, Mentax 1% cream, Xolegel 2% gel.	1 year	Yes - Authorized generic only		2/23/2023	Yes
Antifungals (Topical)	Kerydin	tavaborole topical solution, 5%	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Antifungals (Topical)	Luzu and authorized generic (luliconazole 1% cream)	luliconazole 1% cream	1. Approve if the patient has tried and, according to the prescriber, has experienced inadequate efficacy OR a significant intolerance with four topical antifungals. 2. If the patient has an occluded fungal infection, such as intertrigo or erosio interdigitalis blastomycetica, approve if the patient has tried and, according to the prescriber has experienced inadequate efficacy OR a significant intolerance with two topical antifungals. Note: Examples of topical antifungals include: naftifine 1% or 2% cream or 1% gel (Naftin, generics), Naftin 2% gel, Lotrimin Ultra (over-the-counter [OTC]), clotrimazole 1% cream (OTC formulation), econazole 1% cream, Ecoza 1% foam, ketoconazole 2% cream or foam (Extina, generics), Oxistat 1% lotion, oxiconazole 1% cream (Oxistat, generics), Ertaczo 2% cream, Exelderm 1% cream or solution, ciclopirox 0.77% cream or gel (generics), Mentax 1% cream, Xolegel 2% gel.	1 year	Yes		2/23/2023	Yes
Antifungals (Topical)	Oxistat Cream	oxiconazole nitrate cream	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Antifungals (Topical)	Oxistat lotion	oxiconazole nitrate lotion	1. Approve if the patient has tried and, according to the prescriber, has experienced inadequate efficacy OR a significant intolerance with four topical antifungals. 2. If the patient has an occluded fungal infection, such as intertrigo or erosio interdigitalis blastomycetica, approve if the patient has tried and, according to the prescriber has experienced inadequate efficacy OR a significant intolerance with two topical antifungals. Note: Examples of topical antifungals include: naftifine 1% or 2% cream or 1% gel (Naftin, generics), Naftin 2% gel, Lotrimin Ultra (over-the-counter [OTC]), clotrimazole 1% cream (OTC formulation), econazole 1% cream, ketoconazole 2% cream or foam (Extina, generics), oxiconazole 1% cream (Oxistat, generics), Ertaczo 2% cream, Exelderm 1% cream or solution, ciclopirox 0.77% cream or gel (generics), Mentax 1% cream, Xolegel 2% gel.	1 year	Yes		2/23/2023	No
Antifungals (Topical)	Xolegel	ketoconazole 2% gel	1. Approve if the patient has tried and, according to the prescriber, has experienced inadequate efficacy OR a significant intolerance with four topical antifungals. 2. If the patient has an occluded fungal infection, such as intertrigo or erosio interdigitalis blastomycetica, approve if the patient has tried and, according to the prescriber has experienced inadequate efficacy OR a significant intolerance with two topical antifungals. Note: naftifine 1% or 2% cream or 1% gel (Naftin, generics), Naftin 2% gel, Lotrimin Ultra (over-the-counter [OTC]), clotrimazole 1% cream (OTC formulation), econazole 1% cream, Ecoza 1% foam, ketoconazole 2% cream or foam (Extina, generics), Oxistat 1% lotion, oxiconazole 1% cream (Oxistat, generics), Ertaczo 2% cream, Exelderm 1% cream or solution, ciclopirox 0.77% cream or gel (generics), Luzu 1% cream, Mentax 1% cream.	1 year	Yes		2/23/2023	Yes
Antimuscarinic Agents	Transderm-Scop	scopolamine patches	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Antiparkinson Drugs	Gocovri ER	amantadine extended-release capsules	Approve if the patient has tried one product from the following list: amantadine capsules, amantadine tablets, or amantadine oral solution AND meets one of the following (A or B): A. Patient derived benefit from immediate-release amantadine, but had intolerable adverse events, as determined by the prescriber [documentation required] ; OR B. Patient could not achieve a high enough dosage to gain adequate benefit, as determined by the prescriber [documentation required] .	1 year	Yes		11/16/2023	No
Antiparkinson Drugs	Osmolex ER	amantadine extended-release tablets	Approve if the patient has tried one product from the following list: amantadine capsules, amantadine tablets, or amantadine oral solution AND meets one of the following (A or B): A. Patient derived benefit from immediate-release amantadine, but had intolerable adverse events, as determined by the prescriber [documentation required] ; OR B. Patient could not achieve a high enough dosage to gain adequate benefit, as determined by the prescriber [documentation required] .	1 year	Yes		11/16/2023	No
Antiparkinson Drugs - Carbidopa and/or Levodopa Agents	Dhivy	carbidopa and levodopa immediate-release tablets	Approve if dose prescribed cannot be obtained with carbidopa-levodopa tablets (Sinemet, generics) or half-tablets. Note: Dhivy can be split into a ¼ of a tablet (i.e., 6.25 mg of carbidopa and 25 mg of levodopa).	N/A	Yes		9/1/2023	No
Antiparkinson Drugs - Catechol-O-Methyltransferase Inhibitors	Ongentys	opicapone capsules	1. Approve if the patient has tried and, according to the prescriber, has experienced inadequate efficacy OR significant intolerance with entacapone tablets (Comtan, generics). If entacapone tablets (Comtan, generics) are non-formulary, approve. 2. If the patient has been on Ongentys for more than one month, approve.	1 year	Yes	Yes	2/27/2023	Yes

Formulary Exception Criteria

Therapy Class	Brand Name	Generic Name	Commercial FE Criteria	Approval Duration	2024 NPF Excluded Medication	Continuation of Therapy Required?	Date Last Reviewed	Utilizes Pref Alts to Operationalize Criteria
Antiparkinson Drugs - Inhibitor of Monoamine Oxidase Type B Inhibitors	Xadago	safinamide tablets	1. Approve if the patient has tried two products from the following list, if formulary (or one if one is formulary): selegiline tablets/capsules, rasagiline tablets (Azilect, generics), or Zelapar. If none are formulary, approve. 2. Patients already started on Xadago, approve.	1 year	Yes	Yes	5/31/2023	Yes
Antiparkinson Drugs - Inhibitor of Monoamine Oxidase Type B Inhibitors	Zelapar	selegiline orally disintegrating tablets	1. Approve if the patient has tried one product from the following list, if formulary (or one if one is formulary): selegiline tablets/capsules, rasagiline tablets (Azilect, generics), or Xadago. If none are formulary, approve. 2. Approve if the patient cannot swallow or has difficulty swallowing selegiline tablets.	1 year	Yes		5/31/2023	Yes
Antiparkinson Drugs - Apomorphine products	Apokyn	apomorphine injection	See standard <i>Parkinsons Disease Apokyn Prior Authorization Policy</i> criteria	1 year	Yes		8/16/2023	No
Antiplatelet Agents	Plavix	clopidogrel bisulfate tablets	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Antiprotozoals (Oral)	Alinia tablets	nitazoxanide tablets	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Antipsychotics (Long-Acting Injectables) – Risperidone or Paliperidone Based	Invega Hafyera	paliperidone palmitate extended-release injectable suspension	1. Approve if the patient has been established on therapy with Invega Sustenna for ≥ 4 months OR Invega Trinza for ≥ one 3-month cycle AND the prescriber attests the patient requires an extended dosing interval due to a demonstrated significant concern for non-adherence with a 4-week or 3-month dosing interval. NOTE: Invega Sustenna/Invega Trinza Formulary Exception Criteria will apply. 2. Approve if the patient has already been started on therapy with Invega Hafyera.	1 year	Yes	Yes	6/5/2023	No
Antipsychotics (Long-Acting Injectables) – Risperidone or Paliperidone Based	Rykindo ER	risperidone extended-release intramuscular injection	1. Approve if the patient has tried one of Risperdal Consta, Invega Sustenna, Perseris ER, or Uzedy ER, if one is formulary. If none are formulary, approve. 2. Patients with Bipolar I disorder: approve if the patient has tried Risperdal Consta, if formulary. If Risperdal Consta is non-formulary, approve. 3. If the patient is currently taking oral risperidone (Risperdal), approve if the patient has tried one of Risperdal Consta, Perseris ER or Uzedy ER, if formulary. If neither are formulary, approve. 4. Approve if the patient has taken Rykindo ER at any time in the past. 5. Approve if the patient has already been started on Rykindo ER.	1 year	Yes	Yes	9/11/2023	No
Antipsychotics (Long-Acting Injectables) – Risperidone or Paliperidone Based	Uzedy ER	risperidone extended-release subcutaneous injection	1. Approve if the patient has tried one of Risperdal Consta, Invega Sustenna, Perseris ER, or Rykindo ER, if one is formulary. If none are formulary, approve. 2. If the patient is taking oral risperidone (Risperdal), approve if the patient has tried one of Risperdal Consta, Perseris ER, or Rykindo ER, if formulary. If none are formulary, approve. 3. Approve if the patient has taken Uzedy ER at any time in the past. 4. Approve if the patient has already been started on Uzedy ER.	1 year	Yes	Yes	9/11/2023	No
Antipsychotics (Oral)	Abilify	aripiprazole tablets and oral solution	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Antipsychotics (Oral)	Latuda	lurasidone tablets	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		10/18/2023	No
Antipsychotics (Oral)	Lybalvi	olanzapine and samidorphan tablets	1. Approve if the patient has tried two oral antipsychotics (e.g., olanzapine tablets, aripiprazole tablets [Abilify, generics], Fanapt tablets, ziprasidone capsules [Geodon, generics], paliperidone ER tablets [Invega, generics], risperidone tablets/orally disintegrating tablets [ODT] [Risperdal, generics], asenapine sublingual tablets [Saphris, generics], quetiapine tablets [Seroquel, generics], quetiapine extended-release tablets [Seroquel XR, generics], Rexulti tablets, Vraylar capsules, olanzapine tablets/ODT [Zyprexa/Zydis, generics], Caplyta, Latuda). 2. Approve if the patient is currently taking Lybalvi. 3. Approve if the patient has taken Lybalvi at any time in the past.	1 year	Yes	Yes	9/1/2023	Yes
Antipsychotics (Oral)	Quetiapine 150 mg tablets	quetiapine 150 mg tablet	1. Direct to quetiapine 50 mg and/or quetiapine 100 mg tablets. 2. Approve if, according to the prescriber, there is a significant clinical concern such that the patient is unable to use the quetiapine 50 mg and/or 100 mg tablet.	1 year	Yes		12/1/2023	No
Antipsychotics (Oral)	Saphris	asenapine sublingual tablets	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Antipsychotics (Oral)	Seroquel	quetiapine fumarate tablets	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Antipsychotics (Oral)	Seroquel XR	quetiapine fumarate extended-release tablets	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No

Formulary Exception Criteria

Therapy Class	Brand Name	Generic Name	Commercial FE Criteria	Approval Duration	2024 NPF Excluded Medication	Continuation of Therapy Required?	Date Last Reviewed	Utilizes Pref Alts to Operationalize Criteria
Antiseizure Medications	Banzel	rufinamide tablets and oral suspension	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Antiseizure Medications	Eprontia	topiramate oral solution	Approve if the patient has tried and cannot take topiramate sprinkle capsules (Topamax Sprinkle capsules), if formulary. If topiramate sprinkle capsules (Topamax Sprinkle capsules) are non-formulary, approve.	1 year	Yes		3/3/2023	No
Antiseizure Medications	Fintepla	fenfluramine oral solution	See standard <i>Antiepileptics – Fintepla Prior Authorization Policy</i> criteria.	1 year	Yes	Yes	6/9/2023	Yes
Antiseizure Medications	Keppra	levetiracetam tablets and solution	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Antiseizure Medications	Keppra XR	levetiracetam extended-release tablets	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Antiseizure Medications	Lamictal	lamotrigine tablets and chewable tablets	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Antiseizure Medications	Lamictal ODT	lamotrigine oral disintegrating tablets	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Antiseizure Medications	Lamictal XR	lamotrigine extended-release tablets	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Antiseizure Medications	Motpoly XR	lacosamide extended-release capsules	Approve if the patient is unable to use lacosamide immediate-release tablets (Vimpat tablets, generics), if formulary. If lacosamide immediate-release tablets (Vimpat tablets, generics) are non-formulary, approve.	1 year	Yes		10/11/2023	No
Antiseizure Medications	Onfi	clobazam tablets and suspension	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Antiseizure Medications	Primidone 125 mg (brand)	primidone 125 mg tablet	Approve if the patient's prescribed dose cannot be obtained with primidone 50 mg or 250 mg tablets. Note: The patient is NOT required to split the 250 mg tablets in half.	1 year	Yes		5/22/2023	No
Antiseizure Medications	Sabril	vigabatrin tablets and powder packet	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Antiseizure Medications	Topamax	topiramate tablets	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Antiseizure Medications	Trileptal	oxcarbazepine tablets and suspension	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Antiseizure Medications	Vimpat	lacosamide tablets and oral solution and vials	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Antiseizure Medications	Zonegran	zonisamide capsule	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Antiseizure Medications	Zonisade oral suspension	zonisamide oral suspension	Approve if the patient is unable to swallow or has difficulty swallowing zonisamide capsules. If zonisamide capsules are non-formulary, approve.	1 year	Yes		10/18/2023	No
Antivirals (Oral)	Sitavig	acyclovir buccal tablets	Approve if the patient has tried two of the following: acyclovir capsules/tablets, famciclovir tablets (generics), valacyclovir tablets (Valtrex, generics), Denavir 1% cream, Xerese 5%/1% cream, acyclovir 5% cream (Zovirax 5% cream, generics), or over-the-counter (OTC) Abreva 10% cream.	1 year	Yes		11/20/2023	No
Antivirals (Oral)	Valtrex	valacyclovir HCl caplets	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No

Formulary Exception Criteria

Therapy Class	Brand Name	Generic Name	Commercial FE Criteria	Approval Duration	2024 NPF Excluded Medication	Continuation of Therapy Required?	Date Last Reviewed	Utilizes Pref Alts to Operationalize Criteria
Antivirals (Topical)	Xerese	acyclovir and hydrocortisone cream, 5%/1%	Approve if the patient has tried two of the following: acyclovir capsules/tablets, famciclovir tablets (generics), valacyclovir tablets (Valtrex, generics), acyclovir 5% cream (Zovirax 5% cream, generics), Denavir 1% cream, Sitavig tablets, or over-the-counter (OTC) Abreva 10% cream.	1 year	Yes		11/20/2023	No
Antivirals (Topical)	Zovirax ointment	acyclovir 5% ointment	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Aromatase inhibitor	Arimidex	anastrozole tablets	Compliance with the Affordable Care Act, HRSA Guidelines, and PHS Act section 2713 is NOT required. NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] . OR Compliance with the Affordable Care Act, HRSA Guidelines, and PHS Act section 2713 is required. 1. For brand Arimidex requests, approve one of the following (A or B): A) The patient meets both of the following (i and ii): i. The requested brand non-formulary drug is being prescribed for the primary prevention of breast cancer for a post-menopausal patient aged 35 years or greater who is at increased risk of breast cancer and at low risk for adverse medication effects and who does NOT have a current or previous diagnosis of breast cancer or ductal carcinoma in situ (DCIS); AND ii. The patient meets one of the following (a or b): a. According to the prescriber, the brand product is being requested because the preferred bioequivalent generic product would not be as medically appropriate for the patient as the requested brand non-formulary drug; OR b. According to the prescriber, other formulary alternatives would not be as medically appropriate for the patient as the requested non-formulary drug.* B) The patient meets both of the following (i and ii): i. The requested brand non-formulary drug is being prescribed for a use OTHER THAN the primary prevention of breast cancer for a post-menopausal patient aged 35 years or greater who is at increased risk of breast cancer and at low risk for adverse medication effects and who does NOT have a current or previous diagnosis of breast cancer or ductal carcinoma in situ (DCIS); AND ii. The Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] . 2. For generic anastrozole requests,** approve if the requested non-formulary drug is being prescribed for the primary prevention of breast cancer for a post-menopausal patient aged 35 years or greater who is at increased risk of breast cancer and at low risk for adverse medication effects and who does NOT have a current or previous diagnosis of breast cancer or ductal carcinoma in situ (DCIS) AND, according to the prescriber, other formulary alternatives would not be as medically appropriate for the patient as the requested non-formulary drug. *Applicable for clients who are not using Multi-Source Brand criteria. **Note: When compliance with the Affordable Care Act, HRSA Guidelines, and PHS Act section 2713 is NOT required, these products would be reviewed under the Standard Commercial Default Criteria.	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Benign Prostatic Hyperplasia – Combination Agents	Entadfi	finasteride 5 mg and tadalafil 5 mg capsules	<u>Benign Prostatic Hyperplasia (BPH).</u> Approve if, according to the prescriber, the patient has a clinical reason they cannot take finasteride 5 mg and tadalafil 5 mg as separate agents.	1 year	Yes		9/1/2023	No
Benign Prostatic Hyperplasia (Alpha Blockers and 5-Alpha Reductase Inhibitors)	Avodart	dutasteride capsules	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Benign Prostatic Hyperplasia (Alpha Blockers and 5-Alpha Reductase Inhibitors)	Rapaflo	silosodin capsules	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Benign Prostatic Hyperplasia (Alpha Blockers and 5-Alpha Reductase Inhibitors)	Uroxatral	alfuzosin tablets	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Benzodiazepines	Klonopin	clonazepam tablets	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Benzodiazepines	Loreev XR	lorazepam extended-release capsules	1. Direct the patient to use lorazepam tablets. 2. Approve if, according to the prescriber, there is a significant clinical concern such that the patient is unable to use lorazepam immediate-release tablets.	1 year	Yes		12/1/2023	No
Benzodiazepines	Valium	diazepam tablets	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No

Formulary Exception Criteria

Therapy Class	Brand Name	Generic Name	Commercial FE Criteria	Approval Duration	2024 NPF Excluded Medication	Continuation of Therapy Required?	Date Last Reviewed	Utilizes Pref Alts to Operationalize Criteria
Benzodiazepines	Xanax	alprazolam tablets	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Benzodiazepines	Xanax XR	alprazolam extended-release tablets	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Benzodiazepines	Doral and authorized generic	quazepam tablets	Approve if the patient has tried estazolam or lorazepam, if formulary. If neither are formulary, approve.	1 year	Yes		10/4/2023	Yes
Benzodiazepines and Combination Products	Librax	chlordiazepoxide/clidinium bromide capsules	Approve if the patient has tried clidinium-chlordiazepoxide capsules. If clidinium-chlordiazepoxide capsules are non-formulary, approve.	1 year	Yes		4/3/2023	Yes
Beta-Blocker Products	Bystolic	nebivolol tablets	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Beta-Blocker and Beta-Blocker Combination Products	Hemangeol	propranolol hydrochloride 4.28 mg/mL oral solution	<u>Proliferating infantile hemangioma.</u> Approve if the patient has tried propranolol hydrochloride oral solution (20 mg/5mL) [NOT Hemangeol].	1 year	Yes		7/19/2023	No
Beta-Blocker and Beta-Blocker Combination Products	Inderal LA	propranolol HCl capsules	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Beta-Blocker and Beta-Blocker Combination Products	Inderal XL	propranolol hydrochloride capsule, extended release	1. Direct the patient to propranolol extended-release capsules. 2. Approve if, according to the prescriber, there is a significant clinical concern such that the patient is unable to use generic propranolol extended-release capsules.	1 year	Yes		12/27/2022	No
Beta-Blocker and Beta-Blocker Combination Products	Innopran XL	propranolol hydrochloride capsule, extended release	1. Direct the patient to propranolol extended-release capsules. 2. Approve if, according to the prescriber, there is a significant clinical concern such that the patient is unable to use generic propranolol extended-release capsules.	1 year	Yes		12/27/2022	No
Beta-Blocker and Beta-Blocker Combination Products	Kapsargo Sprinkle	metoprolol succinate extended-release capsules	1. Approve if the patient has tried metoprolol succinate extended-release tablets, if formulary. If non-formulary, approve. 2. If the patient requires a dosage form which can be opened and sprinkled for alternative administration (e.g., for patients unable to swallow capsules, for nasogastric tube administration), approve.	1 year	Yes		6/9/2023	Yes
Beta-Blocker and Beta-Blocker Combination Products	Toprol XL	metoprolol succinate extended-release tablets	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Bone Modifiers - Other	Evenity	romosozumab-aqqg injection for subcutaneous use	1. Approve if patient has tried and, according to the prescriber, has experienced inadequate efficacy OR significant intolerance with one of the following products: an oral bisphosphonate (e.g., alendronate [Fosamax, Fosamax Plus D, generics], ibandronate tablets [Boniva, generics], alendronate oral solution, Binosto, risedronate [Actonel, Atelvia, generics], a teriparatide product (i.e., Forteo, teriparatide), Tymlos, or Prolia. 2. Patient has already tried ibandronate injection (Boniva IV) or zoledronic acid injection (Reclast): approve. 3. Patients with severe renal impairment (e.g., creatinine clearance < 35 mL/min) or chronic kidney disease (CKD): approve. 4. Patients who have had an osteoporotic fracture or a fragility fracture: approve. 5. Patients who cannot swallow/have difficulty tablets, cannot remain in an upright position (post oral bisphosphonate administration), or have a history of a gastrointestinal medical condition (e.g., esophageal lesions, esophageal ulcers, or abnormalities of the esophagus that delay esophageal emptying [stricture, achalasia]): approve.	1 year	Yes		12/3/2023	Yes
Bone Modifiers - Other	Prolia	denosumab injection for subcutaneous use	1. Approve if patient has tried and, according to the prescriber, has experienced inadequate efficacy OR significant intolerance with one of the following products: an oral bisphosphonate (e.g., alendronate [Fosamax, Fosamax Plus D, generics], ibandronate tablets [Boniva, generics], alendronate oral solution, Binosto, risedronate [Actonel, Atelvia, generics], a teriparatide product (i.e., Forteo, teriparatide), Tymlos, or Evenity. 2. Patient has already tried ibandronate injection (Boniva IV) or zoledronic acid injection (Reclast): approve. 3. Patients with severe renal impairment (e.g., creatinine clearance < 35 mL/min) or chronic kidney disease (CKD): approve. 4. Patients who have had an osteoporotic fracture or a fragility fracture: approve. 5. Patients who cannot swallow/have difficulty tablets, cannot remain in an upright position (post oral bisphosphonate administration), or have a history of a gastrointestinal medical condition (e.g., esophageal lesions, esophageal ulcers, or abnormalities of the esophagus that delay esophageal emptying [stricture, achalasia]): approve. 6. Treatment of bone loss (to increase bone mass) in patients at high risk for fracture receiving androgen deprivation therapy (e.g., Lupron Depot [leuprolide for depot suspension], Eligard [leuprolide acetate for injectable suspension] or has undergone bilateral orchiectomy) for nonmetastatic prostate cancer: approve. 7. Treatment of bone loss (to increase bone mass) in patients at high risk for fracture receiving adjuvant aromatase inhibitor therapy (e.g., anastrozole [Arimidex, generics], letrozole [Femara, generics], and exemestane [Aromasin, generics]) for breast cancer: approve.	1 year	Yes		12/3/2023	Yes

Formulary Exception Criteria

Therapy Class	Brand Name	Generic Name	Commercial FE Criteria	Approval Duration	2024 NPF Excluded Medication	Continuation of Therapy Required?	Date Last Reviewed	Utilizes Pref Alts to Operationalize Criteria
Botulinum Toxin Products	Botox (NOT cosmetic) (1 of 2)	onabotulinumtoxinA for injection	<p><u>Hyperhidrosis, Primary Axillary, in a patient ≥ 18 years of age.</u> Approve if the patient has tried at least one topical agent for axillary hyperhidrosis. Note: Examples of topical agents for the treatment of axillary hyperhidrosis include topical aluminum chloride, Qbrexza (glycopyrronium cloth 2.4% for topical use).</p> <p><u>Hyperhidrosis, Palmar/Plantar and Facial, in a patient ≥ 18 years of age.</u> Approve if the patient has tried at least one topical agent for the treatment of hyperhidrosis (e.g., aluminum chloride).</p> <p><u>Migraine Headache Prevention in a patient ≥ 18 years of age.</u> 1. Approve if the patient has tried one of Aimovig, Ajovy, Emgality, Vyepti, or Qulipta [documentation required], if formulary. If none are formulary, approve. 2. Approve if the patient has already been started on therapy with Botox.</p> <p><u>Blepharospasm in a patient ≥ 12 years of age.</u> Note: This includes blepharospasm associated with dystonia, benign essential blepharospasm, seventh (VII) nerve disorders. 1. Approve if the patient has tried Xeomin, if formulary. If Xeomin is non-formulary, approve. 2. If the patient is < 18 years of age, approve. 3. Approve if the patient has already been started on therapy with Botox.</p> <p><u>Strabismus in a patient ≥ 12 years of age:</u> Approve.</p> <p><u>Cervical Dystonia in a patient ≥ 18 years of age.</u> Note: Cervical dystonia is also referred to as spasmodic or cervical torticollis. 1. Approve if the patient has tried one of Dysport, Xeomin, or Daxxify, if formulary. If none are formulary, approve. 2. Patient has a sensitivity or allergy to cow's milk protein, approve if the patient has tried one of Xeomin or Daxxify, if formulary. If neither are formulary, approve. 3. Approve if the patient has already been started on therapy with Botox.</p> <p><u>Spasticity, Limb, in a patient ≥ 2 years of age.</u> 1. Approve if the patient has tried one of Dysport or Xeomin, if formulary. If neither are formulary, approve. 2. Patients with lower limb spasticity, approve if the patient has tried Dysport. If Dysport is non-formulary, approve. a. Patient has a sensitivity or allergy to cow's milk protein, approve. 3. Patient has a sensitivity or allergy to cow's milk protein, approve if the patient has tried Xeomin, if formulary. If Xeomin is non-formulary, approve. 4. Approve if the patient has already been started on therapy with Botox.</p>	1 year	Yes	Yes	10/11/2023	No
Botulinum Toxin Products	Botox (NOT cosmetic) [2 of 2]	onabotulinumtoxinA for injection (continued)	<p><u>Sialorrhea, Chronic, in a patient ≥ 18 years of age.</u> 1. Approve if the patient has tried one of Dysport, Xeomin, or Myobloc, if formulary. If none are formulary, approve. 2. Patient has a sensitivity or allergy to cow's milk protein, approve if the patient has tried one of Xeomin or Myobloc, if formulary. If neither are formulary, approve. 3. Approve if the patient has already been started on therapy with Botox.</p> <p><u>Anal Fissure in a patient ≥ 18 years of age.</u> 1. Approve if the patient has tried Dysport, if formulary. If Dysport is non-formulary, approve. 2. Patient has a sensitivity or allergy to cow's milk protein, approve. 3. Approve if the patient has already been started on therapy with Botox.</p> <p><u>Hemifacial Spasm in a patient ≥ 18 years of age.</u> 1. Approve if the patient has tried Dysport, if formulary. If Dysport is non-formulary, approve. 2. Patient has a sensitivity or allergy to cow's milk protein, approve. 3. Approve if the patient has already been started on therapy with Botox.</p> <p>Neurogenic Detrusor Overactivity in patient ≥ 5 years of age; Overactive Bladder with Symptoms of Urge Urinary Incontinence, Urgency, and Frequency in a patient ≥ 18 years of age; Urinary Incontinence Associated with a Neurological Condition in a patient ≥ 18 years of age; Achalasia in a patient ≥ 18 years of age; Chronic Facial Pain/Pain Associated with Temporomandibular Dysfunction in a patient ≥ 18 years of age; Chronic Low Back Pain in a patient ≥ 18 years of age; Dystonia, other than Cervical in a patient ≥ 18 years of age; Essential Tremor in a patient ≥ 18 years of age; Hyperhidrosis, Gustatory (also referred to as Frey's Syndrome) in a patient ≥ 18 years of age; Myofascial Pain in a patient ≥ 18 years of age; Ophthalmic Disorders, other than Blepharospasm or Strabismus (including esotropia, exotropia, nystagmus, or facial nerve paresis) in a patient ≥ 18 years of age; Plantar Fasciitis in a patient ≥ 18 years of age: Approve.</p> <p>Botox is not covered in the following situations: Cosmetic Uses. Note: Examples of cosmetic uses include facial rhytides, frown lines, glabellar wrinkling, horizontal neck rhytides, mid and lower face and neck rejuvenation, platysmal bands, or rejuvenation of the periorbital region.</p>	1 year (continued)	Yes		10/11/2023 (continued)	No (continued)
Botulinum Toxin Products	Daxxify	daxibotulinumtoxinA-ianm for injection	<p><u>Cervical Dystonia in a patient ≥ 18 years of age.</u> Note: Cervical dystonia is also referred to as spasmodic or cervical torticollis. 1. Approve if the patient has tried ONE of Botox, Dysport, or Xeomin, if formulary. If none are formulary, approve. 2. Patient has a sensitivity or allergy to cow's milk protein, approve if the patient has tried one of Botox or Xeomin, if formulary. If neither are formulary, approve. 3. Approve if the patient has already been started on therapy with Daxxify.</p> <p>Daxxify is not covered in the following situations: Cosmetic Uses. Note: Examples of cosmetic uses include facial rhytides, frown lines, glabellar wrinkling, horizontal neck rhytides, mid and lower face and neck rejuvenation, platysmal bands, or rejuvenation of the periorbital region.</p>	1 year	Yes	Yes	10/11/2023	No

Formulary Exception Criteria

Therapy Class	Brand Name	Generic Name	Commercial FE Criteria	Approval Duration	2024 NPF Excluded Medication	Continuation of Therapy Required?	Date Last Reviewed	Utilizes Pref Alts to Operationalize Criteria
Botulinum Toxin Products	Xeomin	incobotulinumtoxinA for injection	<p><u>Blepharospasm in a patient ≥ 18 years of age.</u> <u>Note:</u> This includes blepharospasm associated with dystonia, benign essential blepharospasm, seventh (VII) nerve disorders. 1. Approve if the patient has tried Botox, if formulary. If Botox is non-formulary, approve. 2. Approve if the patient has already been started on therapy with Xeomin.</p> <p><u>Cervical Dystonia in a patient ≥ 18 years of age.</u> <u>Note:</u> Cervical dystonia is also referred to as spasmodic or cervical torticollis. 1. Approve if the patient has tried one of Botox, Dysport, or Daxxify, if formulary. If none are formulary, approve. 2. Patient has a sensitivity or allergy to cow's milk protein, approve if the patient has tried one of Botox or Daxxify, if formulary. If neither are formulary approve. 3. Approve if the patient has already been started on therapy with Xeomin.</p> <p><u>Spasticity, upper limb, in a patient ≥ 2 years of age.</u> 1. Approve if the patient has tried one of Botox or Dysport, if formulary. If neither are formulary, approve. 2. Patient has a sensitivity or allergy to cow's milk protein, approve if the patient has tried Botox, if formulary. If Botox is non-formulary approve. 3. Approve if the patient has already been started on therapy with Xeomin.</p> <p><u>Sialorrhea, Chronic, in a patient ≥ 2 years of age.</u> 1. Approve if the patient has tried Myobloc, if formulary. If Myobloc is non-formulary, approve. 2. Patient < 18 years of age, approve. 3. Approve if the patient has already been started on therapy with Xeomin.</p> <p>Xeomin is not covered in the following situations: Cosmetic Uses. <u>Note:</u> Examples of cosmetic uses include facial rhytides, frown lines, glabellar wrinkling, horizontal neck rhytides, mid and lower face and neck rejuvenation, platysmal bands, or rejuvenation of the periorbital region.</p>	1 year	Yes	Yes	10/11/2023	No
Bowel Evacuants – Low Volume – Polyethylene Glycol (PEG)-based Preparations	Moviprep	PEG-3350, sodium sulfate, sodium chloride, potassium chloride, sodium ascorbate, ascorbic acid	<p><u>Compliance with the Affordable Care Act, HRSA Guidelines, and PHS Act section 2713 is NOT required.</u> NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required].</p> <p>OR</p> <p><u>Compliance with the Affordable Care Act, HRSA Guidelines, and PHS Act section 2713 is required.</u> Approve one of the following (A or B): A. The patient meets both of the following (i and ii): i. The requested non-formulary drug is being prescribed for bowel preparation as part of a colorectal cancer screening procedure in a patient between the ages of 45 years and 75 years old; AND ii. According to the prescriber, the brand product is being requested because the preferred bioequivalent generic product would not be as medically appropriate for the patient as the requested brand non-formulary drug; OR B. The patient meets both of the following (i and ii): i. The requested non-formulary drug is being prescribed for a use OTHER THAN bowel preparation as part of a colorectal cancer screening procedure in a patient between the ages of 45 years and 75 years old; AND ii. The Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required].</p>	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Bowel Evacuants – Low Volume – Polyethylene Glycol (PEG)-based Preparations	Plenu	polyethylene glycol; electrolytes; ascorbic acid powder for solution	<p><u>Compliance with the Affordable Care Act, HRSA Guidelines, and PHS Act section 2713 is NOT required.</u> Approve if the patient meets one of the following criteria (i or ii): i. Patient has tried PEG3350/Ascorbic Acid powder packet (Moviprep, generics). If PEG3350/Ascorbic Acid powder packet (Moviprep, generics) are non-formulary, approve; OR ii. Patients with phenylketonuria.</p> <p>OR</p> <p><u>Compliance with the Affordable Care Act, HRSA Guidelines, and PHS Act section 2713 is required.</u> Approve if the patient meets one of the following criteria (i, ii, or iii): i. Patient has tried PEG3350/Ascorbic Acid powder packet (Moviprep, generics). If PEG3350/Ascorbic Acid powder packet (Moviprep, generics) are non-formulary, approve; OR ii. Patients with phenylketonuria; OR iii. Patient meets both of the following (a and b): a. The requested non-formulary drug is being prescribed for bowel preparation as part of a colorectal cancer screening procedure in a patient between the ages of 45 years and 75 years old; AND b. Other formulary alternative(s) would not be as medically appropriate for the patient as the requested non-formulary drug.</p>	1 month	Yes		8/14/2023	No

Formulary Exception Criteria

Therapy Class	Brand Name	Generic Name	Commercial FE Criteria	Approval Duration	2024 NPF Excluded Medication	Continuation of Therapy Required?	Date Last Reviewed	Utilizes Pref Alts to Operationalize Criteria
Bowel Evacuants – Low Volume – Sodium Phosphate Preparations	Osmoprep	sodium phosphate, monobasic, monohydrate, sodium phosphate, diabasic anhydrous tablet	<p><u>Compliance with the Affordable Care Act, HRSA Guidelines, and PHS Act section 2713 is NOT required.</u></p> <p>1. Approve if the patient has tried one of the following, if formulary: 1) PEG3350/Ascorbic Acid powder pack (Moviprep, generic) OR 2) Sod Sul-Potass Sul-Magnesium sol prep kit (Suprep, generic). If neither are formulary, approve.</p> <p>2. If only PEG3350/Ascorbic Acid powder (Moviprep, generic) is formulary, approve if the patient meets one of the following criteria (a, b, <u>or</u> c):</p> <p>a. Patient has tried PEG3350/Ascorbic Acid powder packet (Moviprep, generics). If PEG3350/Ascorbic Acid powder packet (Moviprep, generics) are non-formulary, approve; OR</p> <p>b. Patients with phenylketonuria; OR</p> <p>c. Patients with glucose-6-phosphate dehydrogenase deficiency.</p> <p>OR</p> <p><u>Compliance with the Affordable Care Act, HRSA Guidelines, and PHS Act section 2713 is required.</u></p> <p>1. Approve if the patient has tried one of the following, if formulary: 1) PEG3350/Ascorbic Acid powder pack (Moviprep, generic) OR 2) Sod Sul-Potass Sul-Magnesium sol prep kit (Suprep, generic). If neither are formulary, approve.</p> <p>2. If only PEG3350/Ascorbic Acid powder (Moviprep, generic) is formulary, approve if the patient meets one of the following criteria (a, b, <u>or</u> c):</p> <p>a. Patient has tried PEG3350/Ascorbic Acid powder packet (Moviprep, generics). If PEG3350/Ascorbic Acid powder packet (Moviprep, generics) are non-formulary, approve; OR</p> <p>b. Patients with phenylketonuria; OR</p> <p>c. Patients with glucose-6-phosphate dehydrogenase deficiency.</p> <p>3. Patient meets both of the following (a <u>and</u> b):</p> <p>a. The requested non-formulary drug is being prescribed for bowel preparation as part of a colorectal cancer screening procedure in a patient between the ages of 45 years and 75 years old; AND</p> <p>b. Other formulary alternative(s) would not be as medically appropriate for the patient as the requested non-formulary drug.</p>	1 month	Yes		8/14/2023	No
Bowel Evacuants – Low Volume – Sodium Picosulfate-based Preparations	Clenpiq	sodium picosulfate; magnesium oxide; anhydrous citric acid solution	<p><u>Compliance with the Affordable Care Act, HRSA Guidelines, and PHS Act section 2713 is NOT required.</u></p> <p>1. Approve if the patient meets one of the following (a <u>or</u> b):</p> <p>a. Patient has tried one of the following, if formulary: 1) PEG3350/Ascorbic Acid powder pack (Moviprep, generic) OR 2) Sod Sul-Potass Sul-Magnesium sol prep kit (Suprep, generic). If neither are formulary, approve; OR</p> <p>b. Patient is < 12 years of age.</p> <p>2. If only PEG3350/Ascorbic Acid powder (Moviprep, generic) is formulary, approve if the patient meets one of the following criteria (a, b, c, <u>or</u> d):</p> <p>a. Patient has tried PEG3350/Ascorbic Acid powder packet (Moviprep, generics). If PEG3350/Ascorbic Acid powder packet (Moviprep, generics) are non-formulary, approve; OR</p> <p>b. The patient is less than 18 years of age; OR</p> <p>c. Patients with phenylketonuria; OR</p> <p>d. Patients with glucose-6-phosphate dehydrogenase deficiency.</p> <p>OR</p> <p><u>Compliance with the Affordable Care Act, HRSA Guidelines, and PHS Act section 2713 is required.</u></p> <p>1. Approve if the patient meets one of the following (a <u>or</u> b):</p> <p>a. Patient has tried one of the following, if formulary: 1) PEG3350/Ascorbic Acid powder pack (Moviprep, generic) OR 2) Sod Sul-Potass Sul-Magnesium sol prep kit (Suprep, generic). If neither are formulary, approve; OR</p> <p>b. Patient is < 12 years of age.</p> <p>2. If only PEG3350/Ascorbic Acid powder (Moviprep, generic) is formulary, approve if the patient meets one of the following criteria (a, b, c, <u>or</u> d):</p> <p>a. Patient has tried PEG3350/Ascorbic Acid powder packet (Moviprep, generics). If PEG3350/Ascorbic Acid powder packet (Moviprep, generics) are non-formulary, approve; OR</p> <p>b. The patient is less than 18 years of age; OR</p> <p>c. Patients with phenylketonuria; OR</p> <p>d. Patients with glucose-6-phosphate dehydrogenase deficiency.</p> <p>3. Patient meets both of the following (a <u>and</u> b):</p> <p>a. The requested non-formulary drug is being prescribed for bowel preparation as part of a colorectal cancer screening procedure in a patient between the ages of 45 years and 75 years old; AND</p> <p>b. Other formulary alternative(s) would not be as medically appropriate for the patient as the requested non-formulary drug.</p>	1 month	Yes		8/14/2023	No
Bowel Evacuants – Low Volume – Sodium Sulfate-Based Preparations	Suprep	magnesium sulfate; potassium sulfate; sodium sulfate solution	<p><u>Compliance with the Affordable Care Act, HRSA Guidelines, and PHS Act section 2713 is NOT required.</u></p> <p>NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product.</p> <p>Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required].</p> <p>OR</p> <p><u>Compliance with the Affordable Care Act, HRSA Guidelines, and PHS Act section 2713 is required.</u></p> <p>Approve one of the following (A <u>or</u> B):</p> <p>A. The patient meets both of the following (i <u>and</u> ii):</p> <p>i. The requested non-formulary drug is being prescribed for bowel preparation as part of a colorectal cancer screening procedure in a patient between the ages of 45 years and 75 years old; AND</p> <p>ii. According to the prescriber, the brand product is being requested because the preferred bioequivalent generic product would not be as medically appropriate for the patient as the requested brand non-formulary drug; OR</p> <p>B. The patient meets both of the following (i <u>and</u> ii):</p> <p>i. The requested non-formulary drug is being prescribed for a use OTHER THAN bowel preparation as part of a colorectal cancer screening procedure in a patient between the ages of 45 years and 75 years old; AND</p> <p>ii. The Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required].</p>	1 year	MSB Exclusion *This criteria applies only to the NPF		8/14/2023	No

Formulary Exception Criteria

Therapy Class	Brand Name	Generic Name	Commercial FE Criteria	Approval Duration	2024 NPF Excluded Medication	Continuation of Therapy Required?	Date Last Reviewed	Utilizes Pref Alts to Operationalize Criteria
Bowel Evacuants – Low Volume – Polyethylene Glycol (PEG)-based Preparations	Suflave	polyethylene glycol 3350, sodium sulfate, potassium chloride, magnesium sulfate, and sodium chloride for oral solution	<p><u>Compliance with the Affordable Care Act, HRSA Guidelines, and PHS Act section 2713 is NOT required.</u></p> <p>1. Approve if the patient has tried one of the following, if formulary: 1) PEG3350/Ascorbic Acid powder pack (Moviprep, generic) OR 2) Sod Sul-Potass Sul-Magnesium sol prep kit (Suprep, generic). If neither are formulary, approve.</p> <p>2. If only PEG3350/Ascorbic Acid powder (Moviprep, generic) is formulary, approve if the patient meets one of the following criteria (a, b, or c):</p> <p>a. Patient has tried PEG3350/Ascorbic Acid powder packet (Moviprep, generics). If PEG3350/Ascorbic Acid powder packet (Moviprep, generics) are non-formulary, approve; OR</p> <p>b. Patients with phenylketonuria; OR</p> <p>c. Patients with glucose-6-phosphate dehydrogenase deficiency.</p> <p>OR</p> <p><u>Compliance with the Affordable Care Act, HRSA Guidelines, and PHS Act section 2713 is required.</u></p> <p>1. Approve if the patient has tried one of the following, if formulary: 1) PEG3350/Ascorbic Acid powder pack (Moviprep, generic) OR 2) Sod Sul-Potass Sul-Magnesium sol prep kit (Suprep, generic). If neither are formulary, approve.</p> <p>2. If only PEG3350/Ascorbic Acid powder (Moviprep, generic) is formulary, approve if the patient meets one of the following criteria (a, b, or c):</p> <p>a. Patient has tried PEG3350/Ascorbic Acid powder packet (Moviprep, generics). If PEG3350/Ascorbic Acid powder packet (Moviprep, generics) are non-formulary, approve; OR</p> <p>b. Patients with phenylketonuria; OR</p> <p>c. Patients with glucose-6-phosphate dehydrogenase deficiency.</p> <p>3. Patient meets both of the following (a and b):</p> <p>a. The requested non-formulary drug is being prescribed for bowel preparation as part of a colorectal cancer screening procedure in a patient between the ages of 45 years and 75 years old; AND</p> <p>b. Other formulary alternative(s) would not be as medically appropriate for the patient as the requested non-formulary drug.</p>	1 month	Yes		8/14/2023	No
Bowel Evacuants – Low Volume – Sodium Sulfate-based Preparations	Sutab	sodium sulfate, magnesium sulfate, and potassium chloride tablets	<p><u>Compliance with the Affordable Care Act, HRSA Guidelines, and PHS Act section 2713 is NOT required.</u></p> <p>1. Approve if the patient has tried one of the following, if formulary: 1) PEG3350/Ascorbic Acid powder pack (Moviprep, generic) OR 2) Sod Sul-Potass Sul-Magnesium sol prep kit (Suprep, generic). If neither are formulary, approve.</p> <p>2. If only PEG3350/Ascorbic Acid powder (Moviprep, generic) is formulary, approve if the patient meets one of the following criteria (a, b, or c):</p> <p>a. Patient has tried PEG3350/Ascorbic Acid powder packet (Moviprep, generics). If PEG3350/Ascorbic Acid powder packet (Moviprep, generics) are non-formulary, approve; OR</p> <p>b. Patients with phenylketonuria; OR</p> <p>c. Patients with glucose-6-phosphate dehydrogenase deficiency.</p> <p>OR</p> <p><u>Compliance with the Affordable Care Act, HRSA Guidelines, and PHS Act section 2713 is required.</u></p> <p>1. Approve if the patient has tried one of the following, if formulary: 1) PEG3350/Ascorbic Acid powder pack (Moviprep, generic) OR 2) Sod Sul-Potass Sul-Magnesium sol prep kit (Suprep, generic). If neither are formulary, approve.</p> <p>2. If only PEG3350/Ascorbic Acid powder (Moviprep, generic) is formulary, approve if the patient meets one of the following criteria (a, b, or c):</p> <p>a. Patient has tried PEG3350/Ascorbic Acid powder packet (Moviprep, generics). If PEG3350/Ascorbic Acid powder packet (Moviprep, generics) are non-formulary, approve; OR</p> <p>b. Patients with phenylketonuria; OR</p> <p>c. Patients with glucose-6-phosphate dehydrogenase deficiency.</p> <p>3. Patient meets both of the following (a and b):</p> <p>a. The requested non-formulary drug is being prescribed for bowel preparation as part of a colorectal cancer screening procedure in a patient between the ages of 45 years and 75 years old; AND</p> <p>b. Other formulary alternative(s) would not be as medically appropriate for the patient as the requested non-formulary drug.</p>	1 month	Yes		8/14/2023	No
Calcium Channel Blockers (CCBs)	Conjupri and levamlodipine	levamlodipine tablets	<p>1. Approve if the patient has tried and, according to the prescriber, has experienced inadequate efficacy OR a significant intolerance with four formulary products from the following list: amlodipine, felodipine, nifedipine LA, nisoldipine (if four are formulary, or three if three are formulary, or two if two are formulary, or one if one is formulary).</p> <p>2. If the patient is < 18 years of age, approve if the patient has tried amlodipine, if formulary. If amlodipine is non-formulary, approve.</p>	1 year	Yes		1/27/2023	Yes
Calcium Channel Blockers (CCBs)	Katerzia	amlodipine oral suspension	<p>1. Direct the patient to amlodipine tablets.</p> <p>2. If the patient is unable to swallow or has difficulty swallowing amlodipine tablets, approve if the patient has tried Norliqva oral solution, if formulary. If Norliqva oral solution is non-formulary, approve..</p>	1 year	Yes		7/13/2023	No
Calcium Channel Blockers (CCBs)	Norliqva	amlodipine oral solution	<p>1. Direct the patient to amlodipine tablets.</p> <p>2. If the patient is unable to swallow or has difficulty swallowing amlodipine tablets, approve if the patient has tried Katerzia oral suspension, if formulary. If Katerzia oral suspension is non-formulary, approve.</p>	1 year	Yes		7/13/2023	No
Calcium Channel Blockers (CCBs)	Norvasc	amlodipine tablets	<p>NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product.</p> <p>Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required].</p> <p>FLT3-ITD Mutation-positive Acute Myeloid Leukemia.</p> <p>1. Approve if the patient has tried Rydapt. If Rydapt is non-formulary, approve.</p> <p>2. If Vanflyta is being used in the maintenance setting, approve.</p> <p>Note: The maintenance setting is therapy after consolidation chemotherapy.</p> <p>3. If, according to the prescriber, the patient has or is at risk for pulmonary toxicity, approve.</p> <p>4. Approve if the patient has already been started on Vanflyta therapy.</p>	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Cancer (Oral) – FMS-Like Tyrosine Kinase 3 Inhibitors for AML	Vanflyta	quizartinib tablets	<p>Acute myeloid leukemia with isocitrate dehydrogenase-1 (IDH1) mutation positive disease in a patient ≥ 18 years of age.</p> <p>1. Approve if the patient has tried Tibsovo. If Tibsovo is non-formulary, approve.</p> <p>2. Approve if the patient has QTc prolongation OR is or will be taking medications that can prolong the QTc interval.</p> <p>3. Patients with Guillain-Barre, approve.</p> <p>4. Approve if the patient has already been started on Rezlidhia therapy.</p>	1 year	Yes	Yes	8/4/2023	No
Cancer (Oral) – Isocitrate Dehydrogenase-1 Inhibitors	Rezlidhia	olutasidenib capsules	<p>Acute myeloid leukemia with isocitrate dehydrogenase-1 (IDH1) mutation positive disease in a patient ≥ 18 years of age.</p> <p>1. Approve if the patient has tried Tibsovo. If Tibsovo is non-formulary, approve.</p> <p>2. Approve if the patient has QTc prolongation OR is or will be taking medications that can prolong the QTc interval.</p> <p>3. Patients with Guillain-Barre, approve.</p> <p>4. Approve if the patient has already been started on Rezlidhia therapy.</p>	1 year	Yes	Yes	12/1/2023	No

Formulary Exception Criteria

Therapy Class	Brand Name	Generic Name	Commercial FE Criteria	Approval Duration	2024 NPF Excluded Medication	Continuation of Therapy Required?	Date Last Reviewed	Utilizes Pref Alts to Operationalize Criteria
Cancer Agent – Multiple Myeloma Nuclear Export Inhibitor	Xpovio	selinexor tablets	<p>1. Multiple Myeloma: Approve if the patient meets one of the following (i, ii, or iii):</p> <ul style="list-style-type: none"> i. Patient has tried at least FOUR prior regimens for multiple myeloma; OR ii. Patient meets both of the following (a and b): <ul style="list-style-type: none"> a) Patient has tried at least ONE prior regimen for multiple myeloma; AND b) The medication will be taken in combination with bortezomib; OR iii. Patient meets both of the following (a and b): <ul style="list-style-type: none"> a) Patient has tried at least ONE prior regimen for multiple myeloma; AND b) The medication will be taken in combination with Darzalex (daratumumab infusion), Darzalex Faspro (daratumumab and hyaluronidase-fihj injection), Kyprolis, or Pomalyst (pomalidomide capsules). <p>Note: Examples of prior regimens include bortezomib/Revlimid (lenalidomide capsules)/dexamethasone, Kyprolis (carfilzomib infusion) / Revlimid/ dexamethasone, Darzalex (daratumumab injection)/bortezomib or Kyprolis/dexamethasone, or other regimens containing a proteasome inhibitor, immunomodulatory drug, and/or anti-CD38 monoclonal antibody.</p> <p>2. Diffuse Large B-Cell Lymphoma: approve if the patient has been treated with at least TWO prior systemic therapies. Note: This includes patients with histologic transformation of indolent lymphomas to diffuse large B-cell lymphoma.</p> <p>3. Multiple Myeloma, Diffuse Large B-Cell Lymphoma: If the patient has already been started on Xpovio, approve.</p> <p>NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required].</p>	1 year	Yes MSB Exclusion *This criteria applies only to the NPF	Yes	3/12/2023	No
Cancer Agent (Oral)	Targretin capsule	bexarotene capsule	<p>Acute Myeloid Leukemia: Approve if the patient meets the following (1, 2, OR 3):</p> <ul style="list-style-type: none"> 1. Patient is ≥ 18 years of age and using the medication for post-remission maintenance; OR 2. Patient is ≥ 18 years of age with intermediate- or poor/adverse-risk cytogenetics/disease; OR <p>Note: Examples of intermediate- and poor/adverse-risk cytogenetics/disease include the following genetic alterations: wild-type NPM1 without FLT3-ITD or with FLT3-ITDlow, MLLT3-KMT2A, DEK-NUP214, and KMT2A rearranged.</p> <ul style="list-style-type: none"> 3. The patient has been started on therapy with Onureg. 	1 year			N/A	No
Cancer Agents - Acute myeloid leukemia (AML) Agents	Onureg	azacitadine tablets	<p>Approve if the patient has tried and, according to the prescriber, has experienced inadequate efficacy OR a significant intolerance with one of Treanda, Bendeka, bendamustine hydrochloride injection, or Belrapzo. If none are formulary, approve.</p> <p>NOTE: A trial of the requested agent would NOT count toward this requirement.</p>	1 year	Yes	Yes	1/31/2023	No
Cancer Agents - Bevacizumab-containing Agents	AlymSYS	bevacizumab-maly injection for intravenous infusion	<p>1. Approve if the patient meets BOTH of the following (A and B):</p> <ul style="list-style-type: none"> A. The patient has tried three of the following: Avastin, Mvasi, Vegzelma, or Zirabev, if three are formulary (or two if two are formulary or one if one is formulary). If none are formulary, approve; AND B. Patient cannot continue to use each of the formulary alternative(s) due to a formulation difference in the inactive ingredient(s) [e.g., differences in stabilizing agent, buffering agent, and/or surfactant] which, according to the prescriber, would result in a significant allergy or serious adverse reaction. <p>2. Patient has already been started on therapy with AlymSYS: Approve.</p>	1 year	Yes	Yes	2/23/2023	No
Cancer Agents - Bevacizumab-containing Agents	Avastin	bevacizumab injection for intravenous use	<p>1. Approve if the patient meets BOTH of the following (A and B):</p> <ul style="list-style-type: none"> A. The patient has tried three of the following: AlymSYS, Mvasi, Vegzelma, or Zirabev, if three are formulary (or two if two are formulary or one if one is formulary). If none are formulary, approve; AND B. Patient cannot continue to use each of the formulary alternative(s) due to a formulation difference in the inactive ingredient(s) [e.g., differences in stabilizing agent, buffering agent, and/or surfactant] which, according to the prescriber, would result in a significant allergy or serious adverse reaction. <p>2. Patient has already been started on therapy with Avastin: Approve.</p>	1 year	Yes	Yes	2/23/2023	Yes
Cancer Agents - Bevacizumab-containing Agents	Vegzelma	bevacizumab-adcd intravenous infusion	<p>1. Approve if the patient meets BOTH of the following (A and B):</p> <ul style="list-style-type: none"> A. The patient has tried three of the following: AlymSYS, Avastin, Mvasi, or Zirabev, if three are formulary (or two if two are formulary or one if one is formulary). If none are formulary, approve; AND B. Patient cannot continue to use each of the formulary alternative(s) due to a formulation difference in the inactive ingredient(s) [e.g., differences in stabilizing agent, buffering agent, and/or surfactant] which, according to the prescriber, would result in a significant allergy or serious adverse reaction. <p>2. Patient has already been started on therapy with Vegzelma: Approve.</p>	1 year	Yes	Yes	2/23/2023	No
Cancer Agents –Bispecific CD20-directed CD3 T-cell Engager	Columnvi	glofitamab intravenous infusion	<p>Diffuse Large B-Cell Lymphoma. Note: Diffuse large B-cell lymphoma (DLBCL) includes DLBCL not otherwise specified and large B-cell lymphoma (LBCL) arising from follicular lymphoma (FL). Approve if the patient meets ONE of the following (1 or 2):</p> <ul style="list-style-type: none"> 1. The patient has tried at least TWO or more lines of therapy. Note: Examples of other lines of therapy include: Epkinly; Chimeric antigen receptor (CAR)-T-cell therapy (e.g., Abecma, Breyanzi, Carvykti, Kymriah, Tecartus, Yescarta); RCHOP (rituximab, cyclophosphamide, doxorubicin, vincristine, prednisone) and DHA (dexamethasone, cytarabine) + platinum (carboplatin, cisplatin, or oxaliplatin) ± rituximab. 2. The patient has already been started on Columvi. <p>Human Immunodeficiency Virus (HIV)-Related B-Cell Lymphomas Note: HIV-related B-cell lymphomas includes HIV-related diffuse large B-cell lymphoma (DLBCL), primary effusion lymphoma, and human herpes virus-8 (HHV8) positive DLBCL. Post-Transplant Lymphoproliferative Disorders: Approve.</p>	1 year	Yes	Yes	7/28/2023	No

Formulary Exception Criteria

Therapy Class	Brand Name	Generic Name	Commercial FE Criteria	Approval Duration	2024 NPF Excluded Medication	Continuation of Therapy Required?	Date Last Reviewed	Utilizes Pref Alts to Operationalize Criteria
Cancer Agents –Bispecific CD20-directed CD3 T-cell Engager	Epkinly	epcoritamab-bysp subcutaneous injection	<p><u>Diffuse Large B-Cell Lymphoma.</u> Note: Diffuse large B-cell lymphoma (DLBCL) includes DLBCL not otherwise specified, DLBCL arising from indolent lymphoma, and high-grade B-cell lymphoma. Approve if the patient meets ONE of the following: (1 or 2): 1. Patient has tried at least TWO or more lines of therapy. Note: Examples of other lines of therapy include: Columvi; Chimeric antigen receptor (CAR)-T-cell therapy (e.g., Abecma, Breyanzi, Carvykti, Kymriah, Tecartus, Yescarta); RCHOP (rituximab, cyclophosphamide, doxorubicin, vincristine, prednisone) and DHA (dexamethasone, cytarabine) + platinum (carboplatin, cisplatin, or oxaliplatin) ± rituximab. 2. Patient has already been started on Epkinly.</p> <p><u>Human Immunodeficiency Virus (HIV)-Related B-Cell Lymphomas</u> Note: HIV-related B-cell lymphomas includes HIV-related diffuse large B-cell lymphoma (DLBCL), primary effusion lymphoma, and human herpes virus-8 (HHV8) positive DLBCL. <u>Post-Transplant Lymphoproliferative Disorders:</u> Approve.</p>	1 year	Yes	Yes	7/28/2023	No
Cancer Agents – BRAF Inhibitors	Braftovi	encorafenib capsules	<p><u>BRAF V600 mutation-positive melanoma.</u> 1. Approve if the patient has tried one of Tafinlar or Zelboraf. If neither are formulary, approve. 2. Approve if the patient is unable to take Tafinlar/Mekinist or Zelboraf/Cotellic due to a concomitant condition, according to the prescriber. 3. Patients adding Braftovi to current Mektovi therapy: approve. 4. Patients already started on therapy with Braftovi: approve.</p> <p><u>BRAF V600E mutation-positive Non-small cell lung cancer.</u> 1. Approve if the patient has tried Tafinlar. If Tafinlar is non-formulary, approve. 2. Approve if the patient is unable to take Tafinlar/Mekinist due to a concomitant condition, according to the prescriber. 3. Patients adding Braftovi to current Mektovi therapy: approve. 4. Patients already started on therapy with Braftovi: approve.</p> <p><u>BRAF V600E mutation-positive colon or rectal cancer, approve.</u></p>	1 year	Yes	Yes	11/21/2023	No
Cancer Agents - Bruton Tyrosine Kinase Inhibitors	Jaypirca	pirtobrutinib tablets	<p><u>Mantle cell lymphoma.</u> 1. Approve if the patient has tried one of Brukinsa or Calquence. If neither are formulary, approve. 2. Patient has already been started on Jaypirca therapy, approve.</p> <p><u>Chronic Lymphocytic Leukemia, Small Lymphocytic Lymphoma, Richter's Transformation to Diffuse Large B-Cell Lymphoma.</u> Approve.</p>	1 year	Yes	Yes	1/3/2024	No
Cancer Agents - Cyclin-Dependent Kinase 4/6 Inhibitors	Ibrance	palbociclib capsules and tablets	<p><u>Breast Cancer:</u> 1. Approve if the patient has tried one product from the following list: Kisqali or Verzenio. If neither are formulary, approve. 2. For premenopausal patients using in combination with fulvestrant as subsequent therapy (not initial therapy), approve if the patient has tried Verzenio. If Verzenio is non-formulary, approve. 3. Patient has been started on therapy with Ibrance, approve.</p> <p><u>Liposarcoma:</u> Approve.</p>	1 year	Yes	Yes	1/9/2023	Yes
Cancer Agents - Kirsten rat sarcoma (KRAS) inhibitor	Krazati	adagrasib tablets	<p><u>KRAS G12C-mutated Non-Small Cell Lung Cancer.</u> 1. Approve if the patient has tried Lumakras. If Lumakras is non-formulary, approve. 2. Approve if the patient has already been started on therapy with Krazati.</p> <p><u>Colon or Rectal Cancer:</u> Approve.</p>	1 year	Yes	Yes	1/10/2024	No
Cancer Agents – MEK Inhibitors	Mektovi	binimetinib tablets	<p><u>BRAF V600 mutation-positive melanoma.</u> 1. Approve if the patient has tried one of Mekinist or Cotellic. If neither are formulary, approve. 2. Approve if the patient is unable to take Mekinist/Tafinlar or Zelboraf/Cotellic due to a concomitant condition, according to the prescriber. 3. Patients adding Mektovi to current Braftovi therapy: approve. 4. Patients already started on therapy with Mektovi: approve.</p> <p><u>BRAF V600E mutation-positive non-small cell lung cancer.</u> 1. Approve if the patient has tried Mekinist. If Mekinist is non-formulary, approve. 2. Approve if the patient is unable to take Mekinist/Tafinlar due to a concomitant condition, according to the prescriber. 3. Patients adding Mektovi to current Braftovi therapy: approve. 4. Patients already started on therapy with Mektovi: approve.</p> <p><u>Histiocytic Neoplasm,</u> approve.</p>	1 year	Yes	Yes	11/21/2023	No
Cancer Agents - Multiple Myeloma Agent	BlenRep	belantamab mafodotin for intravenous infusion	<p><u>Multiple Myeloma:</u> Approve if the patient has already been started on BlenRep.</p>	1 year	Yes	Yes	1/31/2023	No
Cancer Agents - NSCLC (Oral) -MET receptor tyrosine kinase inhibitor	Tepmetko	tepotinib tablets	<p><u>Non-Small Cell Lung Cancer (NSCLC) with mesenchymal-epithelial transition (MET) exon 14 skipping alterations or high-level MET amplification:</u> 1. Approve if the patient has tried Tabrecta. If Tabrecta is non-formulary, approve. 2. Approve if the patient has already been started on Tepmetko.</p>	1 year	Yes	Yes	8/22/2023	Yes

Formulary Exception Criteria

Therapy Class	Brand Name	Generic Name	Commercial FE Criteria	Approval Duration	2024 NPF Excluded Medication	Continuation of Therapy Required?	Date Last Reviewed	Utilizes Pref Alts to Operationalize Criteria
Cancer Agents - PARP inhibitor/Prostate Cancer Agent	Akeega	niraparib and abiraterone acetate tablets	BRCA-mutated Prostate Cancer. 1. Approve if the patient has tried ONE of the following: 1) Lynparza +/- abiraterone or 2) Talzenna plus Xtandi. Note: If either medication in the regimens above are non-formulary, then that regimen does not need to be tried. Note: If Lynparza is non-formulary, approve. 2. Approve if the patient has already been started on therapy with Akeega.	1 year	Yes	Yes	12/6/2023	No
Cancer Agents - Prostate Cancer (Oral)	Yonsa	abiraterone tablet (125 mg)	Prostate Cancer – Metastatic, Castration-Resistant. 1. Approve if the patient has tried abiraterone (Zytiga, generics). If abiraterone (Zytiga, generics) are non-formulary approve. 2. Approve if the patient has been started on therapy with Yonsa.	1 year	Yes	Yes	8/28/2023	Yes
Cancer Agents - Prostate Cancer (Oral)	Zytiga	abiraterone acetate tablets	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Cancer Agents - Renal Cell Carcinoma (Oral)	Afinitor Disperz	everolimus tablets for oral suspension	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Cancer Agents - Renal Cell Carcinoma (Oral)	Afinitor tablet	everolimus tablets	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Cancer Agents - Renal Cell Carcinoma (Oral)	Fotivda	tivozanib capsules	Renal Cell Carcinoma. Approve if the patient meets one of the following (1, 2, or 3): 1. Patient has tried one of Inlyta, Lenvima, or Cabometyx. If none are formulary, approve; OR 2. If there are toxicity concerns with a trial of Lenvima (and other concomitantly given medications), according to the prescriber, approve if the patient has tried Inlyta or Cabometyx. If neither are formulary, approve; OR 3. Patient has already been started on therapy with Fotivda.	1 year	Yes	Yes	8/28/2023	Yes
Cancer Agents - Trastuzumab-containing Agents	Herceptin	trastuzumab for intravenous injection	1. Approve if the patient meets BOTH of the following (a and b): a. Patient has tried three products from the following list (if three are formulary or two if two are formulary or one if one is formulary): Kanjinti, Trazimera, Ogivri, Ontruzant, or Herzuma; AND Note: If none are formulary, approve. b. Patient cannot continue to use each of the alternative(s) due to a formulation difference in the inactive ingredient(s) [e.g., differences in stabilizing agent, buffering agent, and/or surfactant] which, according to the prescriber, would result in a significant allergy or serious adverse reaction. 2. If the patient has already been started on therapy with Herceptin, approve.	1 year	Yes	Yes	7/18/2023	Yes
Cancer Agents - Trastuzumab-containing Agents	Herceptin Hylecta	trastuzumab and hyaluronidase-oysk for subcutaneous use	1. Approve if the patient has tried one product from the following list (if one is formulary): Herceptin intravenous, Kanjinti, Trazimera, Ogivri, Ontruzant, or Herzuma. If none are formulary, approve. 2. Approve if the patient is unable to obtain and/or maintain intravenous access. 3. If the patient has already been started on therapy with Herceptin Hylecta, approve.	1 year	Yes	Yes	7/18/2023	Yes
Cancer Agents - Trastuzumab-containing Agents	Herzuma	trastuzumab-pkrb for intravenous injection	1. Approve if patient meets BOTH of the following (a and b): a. Patient has tried three products from the following list (if three are formulary or two if two are formulary or one if one is formulary): Herceptin intravenous, Kanjinti, Ogivri, Ontruzant, or Trazimera; AND Note: If none are formulary, approve. b. Patient cannot continue to use each of the alternative(s) due to a formulation difference in the inactive ingredient(s) [e.g., differences in stabilizing agent, buffering agent, and/or surfactant] which, according to the prescriber, would result in a significant allergy or serious adverse reaction. 2. If the patient has already been started on therapy with Herzuma, approve.	1 year	Yes	Yes	7/18/2023	Yes
Cancer Agents - Trastuzumab-containing Agents	Ogivri	trastuzumab- dkst intravenous injection	1. Approve if the patient meets BOTH of the following (a and b): a. Patient has tried three products from the following list (if three are formulary or two if two are formulary or one if one is formulary): Herceptin intravenous, Trazimera, Kanjinti, Ontruzant, or Herzuma; AND Note: If none are formulary, approve. b. Patient cannot continue to use each of the alternative(s) due to a formulation difference in the inactive ingredient(s) [e.g., differences in stabilizing agent, buffering agent, and/or surfactant] which, according to the prescriber, would result in a significant allergy or serious adverse reaction. 2. If the patient has already been started on therapy with Ogivri, approve.	1 year	Yes	Yes	7/18/2023	Yes
Cancer Agents - Trastuzumab-containing Agents	Ontruzant	trastuzumab-dttb for intravenous injection	1. Approve if the patient meets BOTH of the following (a and b): a. Patient has tried three products from the following list (if three are formulary or two if two are formulary or one if one is formulary): Kanjinti, Trazimera, Ogivri, Herzuma, or Herceptin intravenous; AND Note: If none are formulary, approve. b. Patient cannot continue to use each of the alternative(s) due to a formulation difference in the inactive ingredient(s) [e.g., differences in stabilizing agent, buffering agent, and/or surfactant] which, according to the prescriber, would result in a significant allergy or serious adverse reaction. 2. If the patient has already been started on therapy with Ontruzant, approve.	1 year	Yes	Yes	7/18/2023	Yes
Cancer Agents - Tyrosine Kinase Inhibitors	Gleevec	imatinib tablets	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No

Formulary Exception Criteria

Therapy Class	Brand Name	Generic Name	Commercial FE Criteria	Approval Duration	2024 NPF Excluded Medication	Continuation of Therapy Required?	Date Last Reviewed	Utilizes Pref Alts to Operationalize Criteria
Cancer Agents - Tyrosine Kinase Inhibitors	Qinlock	ripiretinib tablets	<p><u>Gastrointestinal stromal tumor.</u></p> <p>1. Approve if the patient has been previously treated with at least two other kinase inhibitors. Note: Examples of kinase inhibitors are imatinib (Gleevec), Sunitinib, Stivarga, sorafenib (Nexavar), Votrient, Tasigna, Sprycel, Ayvakit.</p> <p>2. Approve if the patient has already been started on therapy with Qinlock.</p> <p><u>Melanoma, Cutaneous.</u></p> <p>1. Approve if the patient meets all of the following (A, B and C): A. Patient has metastatic or unresectable disease; AND B. Patient has an activating KIT mutation; AND C. Patient has tried at least one systemic regimen. Note: Examples of a systemic regimen include: Opdivo (nivolumab intravenous infusion) + Yervoy (ipilimumab intravenous infusion), Opdivo + Opdualag (nivolumab/relatlimab-rmbw intravenous infusion), Keytruda (pembrolizumab intravenous infusion), Opdivo, Tafinlar (dabrafenib capsules) + Mekinist (trametinib tablets), Zelboraf (vemurafenib tablets) + Cotellic (cobimetinib tablets), Brafvo (encorafenib capsules) + Mektovi (binimetinib tablets).</p> <p>2. Approve if the patient has already been started on therapy with Qinlock.</p>	1 year	Yes	Yes	6/16/2023	No
Carbonic Anhydrase Inhibitors	Keveyis	dichlorphenamide tablets	<p>Approve if the patient has tried dichlorphenamide tablets, if formulary.</p> <p>If dichlorphenamide tablets are non-formulary, or generic dichlorphenamide is being requested, approve if the patient meets one of the following (1 or 2):</p> <p>1. For the treatment of primary hyperkalemic periodic paralysis (HyperPP), primary hypokalemic periodic paralysis (HypoPP), and related variants: approve if the patient has tried one of acetazolamide tablets (generics) or acetazolamide ER capsules, if one is formulary. If neither are formulary, approve.</p> <p>2. For the treatment of primary hyperkalemic periodic paralysis (HyperPP), primary hypokalemic periodic paralysis (HypoPP), and related variants: approve if the patient has been started on therapy with Keveyis (dichlorphenamide).</p>	1 year	Yes - brand only	Yes	10/27/2023	No
Cardiovascular Medications - Other	Aspruzo Sprinkle	ranolazine extended-release granules	<p>1. Approve if the patient meets one of the following (A or B): A. Patient is unable to or has difficulty swallowing ranolazine extended-release tablets (Ranexa, generics); OR B. Patient requires administration by nasogastric or gastrostomy/gastric tube.</p> <p>2. If ranolazine extended-release tablets (Ranexa, generics) are non-formulary, approve if the patient meets one of the following (A, B, or C): A. Patient has tried two of the following: beta blockers, calcium-channel blockers, or nitrates; OR Note: Two products in the same class would satisfy this criterion. B. Patient has difficulty swallowing oral dosage forms and is unable to try a beta-blocker, calcium-channel blocker, or a nitrate; OR C. Patient has already been started on a ranolazine product (e.g., Ranexa, Aspruzo Sprinkle).</p>	1 year	Yes		1/13/2023	No
Cardiovascular Medications - Other	BiDil	isosorbide dinitrate and hydralazine tablets	<p>NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required].</p>	1 year	MSB Exclusion *This criteria applies only to the NPF		1/1/2024	No
Cardiovascular Medications - Other	Corlanor	ivabradine tablets and solution	<p>1. Approve if the patient has tried, or is currently taking a beta-blocker (e.g., bisoprolol, carvedilol, metoprolol) OR the patient has a contraindication to beta-blockers. 2. Heart failure due to dilated cardiomyopathy, approve if the patient is < 18 years of age. 3. Inappropriate sinus tachycardia: approve. 4. Approve if the patient has already been started on Corlanor.</p>	1 year	Yes	Yes	2/23/2023	No
Cardiovascular Medications - Other	Ranexa	ranolazine tablets	<p>NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required].</p>	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Cardiovascular Medications - Other	Tikosyn	dofetilide capsules	<p>NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required].</p>	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Central Nervous System Non-Stimulants	Intuniv	guanfacine HCl tablets	<p>NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required].</p>	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Central Nervous System Non-Stimulants	Strattera	atomoxetine HCl capsules	<p>NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required].</p>	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Central Nervous System Stimulants – Amphetamine Products	Adderall	dextroamphetamine/a mphetamine tablets	<p>NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required].</p>	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Central Nervous System Stimulants – Amphetamine Products	Adderall XR	dextroamphetamine/a mphetamine extended-release capsules	<p>NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required].</p>	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Central Nervous System Stimulants – Amphetamine Products	Dyanavel XR suspension	amphetamine extended-release oral suspension	<p>Approve if the patient has tried and, according to the prescriber, has experienced inadequate efficacy OR significant intolerance with three products (or two if two are formulary or one if one is formulary) from the following list: 1) amphetamine mixed extended-release (Er) capsules (Adderall XR, generics), or 2) Adzenys XR ODT tablets, or 3) lisdexamfetamine capsules (Vyvanse capsule, generics) or lisdexamfetamine chewable tablets (Vyvanse chewable tablet, generics). If none are formulary, approve.</p>	1 year	Yes		10/18/2023	No

Formulary Exception Criteria

Therapy Class	Brand Name	Generic Name	Commercial FE Criteria	Approval Duration	2024 NPF Excluded Medication	Continuation of Therapy Required?	Date Last Reviewed	Utilizes Pref Alts to Operationalize Criteria
Central Nervous System Stimulants – Amphetamine Products	Dyanavel XR tablets	amphetamine extended-release tablets	1. Approve if the patient has tried Dyanavel XR oral suspension, if formulary. 2. If Dyanavel XR oral suspension is non-formulary, approve if the patient has tried and, according to the prescriber, has experienced inadequate efficacy OR significant intolerance with three products (or two if two are formulary or one if one is formulary) from the following list: 1) amphetamine mixed extended-release (Er) capsules (Adderall XR, generics), or 2) Adzenys XR ODT tablets, or 3) lisdexamfetamine capsules (Vyvanse capsule, generics) or lisdexamfetamine chewable tablets (Vyvanse chewable tablet, generics). If none are formulary, approve.	1 year	Yes		10/18/2023	No
Central Nervous System Stimulants – Amphetamine Products	Evekeo	amphetamine sulfate tablet	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Central Nervous System Stimulants – Methylphenidate Products	Aptensio XR	methylphenidate hydrochloride XR capsule	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		7/1/2023	No
Central Nervous System Stimulants – Methylphenidate Products	Concerta	methylphenidate hcl extended-release tablets	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Central Nervous System Stimulants – Methylphenidate Products	Focalin and Focalin XR	dexmethylphenidate tablets and extended-release capsules	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Central Nervous System Stimulants – Methylphenidate Products	QuilliChew ER	methylphenidate HCl extended-release chewable tablets	Approve if the patient has tried Quillivant XR suspension, if formulary. If Quillivant XR suspension is non-formulary, approve if the patient has tried and, according to the prescriber, has experienced inadequate efficacy OR significant intolerance with four products (or three if three are formulary, or two if two are formulary, or one if one is formulary) from the following list: 1) dexmethylphenidate extended-release capsules (Focalin XR, generics), 2) methylphenidate extended-release capsules (Aptensio XR, generics), 3) Jornay PM, 4) Azstarys.	1 year	Yes		8/29/2023	No
Central Nervous System Stimulants – Methylphenidate Products	Quillivant XR	methylphenidate hydrochloride for extended-release oral suspension	Approve if the patient has tried QuilliChew ER tablets, if formulary. If QuilliChew ER tablets are non-formulary, approve if the patient has tried and, according to the prescriber, has experienced inadequate efficacy OR significant intolerance with four products (or three if three are formulary, or two if two are formulary, or one if one is formulary) from the following list: 1) dexmethylphenidate extended-release capsules (Focalin XR, generics), 2) methylphenidate extended-release capsules (Aptensio XR, generics), 3) Jornay PM, 4) Azstarys.	1 year	Yes		8/29/2023	No
Central Nervous System Stimulants – Methylphenidate Products	Relexxi and authorized generic	methylphenidate ER tablet	Approve if the patient has tried and, according to the prescriber, has experienced inadequate efficacy OR significant intolerance with five products (or four if four are formulary, or three if three are formulary, or two if two are formulary, or one if one is formulary) from the following list: 1) dexmethylphenidate extended-release capsules (Focalin XR, generics), 2) methylphenidate extended-release capsules (Aptensio XR, generics), 3) Jornay PM, or 4) Azstarys or 5) QuilliChew ER tablets or Quillivant XR suspension. Note: QuilliChew ER tablets and Quillivant XR suspension count as one alternative.	1 year	Yes		8/29/2023	No
Central Nervous System Stimulants – Methylphenidate Products	Ritalin	methylphenidate tablets	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Central Nervous System Stimulants – Methylphenidate Products	Ritalin LA	methylphenidate long-acting capsules	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Central Nervous System Stimulants –Amphetamine Products	Xelstrym	dextroamphetamine transdermal system	Approve if the patient has tried and, according to the prescriber, has experienced inadequate efficacy OR significant intolerance with three products, if formulary (or two if two are formulary or one if one is formulary) from the following list: 1) amphetamine mixed extended-release (Er) capsules (Adderall XR, generics), 2) Adzenys XR-ODT tablets, 3) lisdexamfetamine capsules (Vyvanse capsule, generics) or lisdexamfetamine chewable tablets (Vyvanse chewable tablet, generics) 4) Dyanavel XR oral suspension, or 5) dextroamphetamine extended-release capsules. If none are formulary, approve.	1 year	Yes		10/18/2023	No
Central Nervous System/Autonomic Drugs	Northera and generic droxidopa capsules	droxydopa capsules	Neurogenic Orthostatic Hypotension. Approve if the patient has tried two of the following products: 1) midodrine tablets, 2) fludrocortisone tablets, 3) dihydroergotamine injection/nasal spray, 4) indomethacin capsules/injection, 5) pyridostigmine tablets, or 6) atomoxetine.	1 year	Yes		12/8/2023	No
Central Nervous System/Autonomic Drugs	Sodium oxybate oral solution (AG to Xyrem) by AMNEAL	sodium oxybate oral solution	Cataplexy Treatment OR Excessive Daytime Sleepiness in Patients with Narcolepsy: Direct the patient to one of 1) Xyrem (brand) OR 2) sodium oxybate oral solution (by Hikma), if formulary. If neither are formulary, approve if the patient meets (1 or 2): 1. Patients ≥ 18 years of age: approve if the patient has tried and, according to the prescriber, has experienced inadequate efficacy OR a significant intolerance with one of Lumryz, Xywav, or Wakix, if formulary. If neither are formulary, approve. 2. Patients ≥ 7 years of age and < 18 years of age: approve if the patient has tried and, according to the prescriber, has experienced inadequate efficacy OR significant intolerance with Xywav, if formulary. If Xywav is non-formulary, approve.	1 year	Yes		9/1/2023	No
Central Nervous System/Autonomic Drugs	Xyrem (brand)	sodium oxybate oral solution	Cataplexy Treatment OR Excessive Daytime Sleepiness in Patients with Narcolepsy: Direct the patient to one of 1) sodium oxybate oral solution (authorized generic of Xyrem) [by Hikma] OR 2) sodium oxybate oral solution (authorized generic of Xyrem) [by Amneal], if formulary. If neither are formulary, approve if the patient meets (1 or 2): 1. Patients ≥ 18 years of age: approve if the patient has tried and, according to the prescriber, has experienced inadequate efficacy OR a significant intolerance with one of Lumryz, Xywav, or Wakix, if formulary. If none are formulary, approve. 2. Patients ≥ 7 years of age and < 18 years of age: approve if the patient has tried and, according to the prescriber, has experienced inadequate efficacy OR significant intolerance with Xywav, if formulary. If Xywav is non-formulary, approve.	1 year	Yes		9/1/2023	No
Chagas Disease Agents	Lampit	nifurtimox tablets	1. Approve if the patient has tried benznidazole, if formulary. If benznidazole is non-formulary, approve. 2. Approve if the patient is less than 2 years of age. 3. Approve if the patient has already started on therapy with Lampit.	1 year	Yes	Yes	1/26/2023	Yes

Formulary Exception Criteria

Therapy Class	Brand Name	Generic Name	Commercial FE Criteria	Approval Duration	2024 NPF Excluded Medication	Continuation of Therapy Required?	Date Last Reviewed	Utilizes Pref Alts to Operationalize Criteria
Chelating Agents	Exjade	deferasirox tablets for oral suspension	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Chelating Agents	Jadenu	deferasirox tablets	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Chelating Agents	Jadenu Sprinkles	deferasirox oral granules	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Chelating Agents - Wilson's Disease	Cuprimine	penicillamine capsules	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Chelating Agents - Wilson's Disease	trientine 500 mg capsules	trientine 500 mg capsules	Approve if the patient has tried generic trientine 250 mg capsules, if formulary. If generic trientine 250 mg capsules are non-formulary, approve if the patient meets one of the following: 1. Approve if the patient has tried one penicillamine product: penicillamine (Cuprimine, generics) or penicillamine (Depen, generics), if one is formulary. If neither are formulary, approve. 2. Approve if per the prescriber, the patient is intolerant to penicillamine or the patient has clinical features indicating the potential for intolerance to penicillamine (i.e., history of any renal disease, congestive splenomegaly causing severe thrombocytopenia, autoimmune tendency). 3. Approve if, per the prescriber, the patient has a contraindication to penicillamine. 4. Approve if the patient has neurological manifestations of Wilson's Disease. 5. Approve if the patient is pregnant. 6. Approve if the patient has been started on therapy with a trientine product.	1 year	Yes		11/6/2023	No
Chelating Agents - Wilson's Disease	Cuvrior	trientine tetrahydrochloride 300 mg tablets	Approve if the patient has tried trientine capsules (Syrine, generics), if formulary. If trientine capsules (Syrine, generics) are non-formulary, approve if the patient meets one of the following: 1. Approve if the patient has tried one penicillamine product: penicillamine (Cuprimine, generics) or penicillamine (Depen, generics), if one is formulary. If neither are formulary, approve. 2. Approve if per the prescriber, the patient is intolerant to penicillamine or the patient has clinical features indicating the potential for intolerance to penicillamine (i.e., history of any renal disease, congestive splenomegaly causing severe thrombocytopenia, autoimmune tendency). 3. Approve if, per the prescriber, the patient has a contraindication to penicillamine. 4. Approve if the patient has neurological manifestations of Wilson's Disease. 5. Approve if the patient is pregnant. 6. Approve if the patient has been started on therapy with a trientine product or Cuvrior.	1 year	Yes		11/6/2023	No
Colchicine Agents	Lodoco	colchicine 0.5 mg tablets	Approve if the patient meets ALL of the following (1, 2, 3, and 4): 1. Patient is ≥ 18 years of age; AND 2. Lodoco is being added onto a background regimen(s) of other atherosclerotic disease medication(s) [documentation required] ; AND Note: Examples of medications recommended in guideline-directed therapy for patients with atherosclerotic disease can include aspirin, antiplatelet agents (e.g., clopidogrel, Brilinta [ticagrelor tablets]), anticoagulants, lipid-lowering agents (e.g., statins such as atorvastatin and rosuvastatin), beta blockers, angiotensin-converting enzyme inhibitors, and/or angiotensin receptor blockers. 3. Patient has a creatinine clearance ≥ 50 mL/min; AND 4. Patient has tried colchicine 0.6 mg tablets or capsules [documentation required] .	1 year	Yes		10/11/2023	No
Colony Stimulating Factors	Rolvedon	eflapegrastim-xnst subcutaneous injection	Cancer in a Patient ≥ 18 Years of Age Receiving Myelosuppressive Chemotherapy. Approve if the patient has tried one pegfilgrastim product [documentation required] . Note: Pegfilgrastim products are Neulasta, Fulphila, Fylneta, Nyvepria, Udenyca, and Ziextenzo. Note: If no pegfilgrastim products are formulary, approve.	1 year	Yes		1/31/2023	No
Colony Stimulating Factors - Filgrastim	Granix	tbo-filgrastim subcutaneous injection	1. Approve if the patient meets BOTH of the following (a and b): a. Patient has tried four of the following products, if formulary (or three if three are formulary, or two if two are formulary, or one if one is formulary): Releuko, Neupogen, Nivestym, or Zarxio [documentation required] ; AND Note: If none are formulary, approve. b. Patient cannot continue to use each of the formulary alternative(s) due to a formulation difference in the inactive ingredient(s) [e.g., differences in stabilizing agent, buffering agent, and/or surfactant] which, according to the prescriber, would result in a significant allergy or serious adverse reaction. 2. Patients requiring a dose < 180 mcg: approve if the patient meets the following (a and b): a. Patient has tried one of Releuko, Neupogen, or Nivestym [documentation required] , if formulary; AND Note: If none are formulary, approve. b. Patient cannot continue to use each of the formulary alternative(s) due to a formulation difference in the inactive ingredient(s) [e.g., differences in stabilizing agent, buffering agent, and/or surfactant] which, according to the prescriber, would result in a significant allergy or serious adverse reaction. 3. Patients who initiated therapy with Granix and requires further medication to complete the current cycle of chemotherapy: approve for 30 days OR the length of the chemotherapy cycle. Note: A cycle is the time from the start of a round of chemotherapy until the next round of chemotherapy is started. Typically cycles are 21 or 28 days in length; however, they can be shorter or longer depending on the chemotherapy regimen.	1 year	Yes		11/21/2023	Yes

Formulary Exception Criteria

Therapy Class	Brand Name	Generic Name	Commercial FE Criteria	Approval Duration	2024 NPF Excluded Medication	Continuation of Therapy Required?	Date Last Reviewed	Utilizes Pref Alts to Operationalize Criteria
Colony Stimulating Factors - Filgrastim	Neupogen	filgrastim intravenous or subcutaneous injection	<p>1. Approve if the patient meets BOTH of the following (a and b):</p> <p>a. Patient has tried four of the following products, if formulary (or three if three are formulary, or two if two are formulary, or one if one is formulary): Releuko, Zarxio, Nivestym, or Granix [documentation required]; AND</p> <p><u>Note:</u> If none are formulary, approve.</p> <p>b. Patient cannot continue to use each of the formulary alternative(s) due to a formulation difference in the inactive ingredient(s) [e.g., differences in stabilizing agent, buffering agent, and/or surfactant] which, according to the prescriber, would result in a significant allergy or serious adverse reaction.</p> <p>2. Patients who require administration by intravenous infusion: approve if the patient meets the following (a and b):</p> <p>a. Patient has tried one of Releuko, Zarxio, or Nivestym [documentation required], if formulary; AND</p> <p><u>Note:</u> If none are formulary, approve.</p> <p>b. Patient cannot continue to use each of the formulary alternative(s) due to a formulation difference in the inactive ingredient(s) [e.g., differences in stabilizing agent, buffering agent, and/or surfactant] which, according to the prescriber, would result in a significant allergy or serious adverse reaction.</p> <p><u>Note:</u> If the only formulary alternative is Zarxio and the patient requires a dose of < 180 mcg, approve.</p> <p>3. Patients requiring a dose < 180 mcg: approve if the patient meets the following (a and b):</p> <p>a. Patient has tried one of Nivestym, Releuko, or Granix [documentation required]; AND</p> <p><u>Note:</u> If none are formulary, approve.</p> <p>b. Patient cannot continue to use each of the formulary alternative(s) due to a formulation difference in the inactive ingredient(s) [e.g., differences in stabilizing agent, buffering agent, and/or surfactant] which, according to the prescriber, would result in a significant allergy or serious adverse reaction.</p> <p><u>Note:</u> If the only formulary alternative is Granix and the patient requires intravenous administration, approve.</p> <p>4. Patients who initiated therapy with Neupogen and requires further medication to complete the current cycle of chemotherapy: approve for 30 days OR the length of the chemotherapy cycle.</p> <p><u>Note:</u> A cycle is the time from the start of a round of chemotherapy until the next round of chemotherapy is started. Typically cycles are 21 or 28 days in length; however, they can be shorter or longer depending on the chemotherapy regimen.</p>	1 year	Yes		11/21/2023	Yes
Colony Stimulating Factors - Filgrastim	Releuko	filgrastim-ayow subcutaneous or intravenous injection (biosimilar to Neupogen)	<p>1. Approve if the patient meets BOTH of the following (a and b):</p> <p>a. Patient has tried four of the following products, if formulary (or three if three are formulary, or two if two are formulary, or one if one is formulary): Nivestym, Neupogen, Granix, or Zarxio [documentation required]; AND</p> <p><u>Note:</u> If none are formulary, approve.</p> <p>b. Patient cannot continue to use each of the formulary alternative(s) due to a formulation difference in the inactive ingredient(s) [e.g., differences in stabilizing agent, buffering agent, and/or surfactant] which, according to the prescriber, would result in a significant allergy or serious adverse reaction.</p> <p>2. Patients who require administration by intravenous infusion: approve if the patient meets BOTH of the following (a and b):</p> <p>a. Patient has tried one of Nivestym, Neupogen, or Zarxio [documentation required], if formulary; AND</p> <p><u>Note:</u> If none are formulary, approve.</p> <p>b. Patient cannot continue to use each of the formulary alternative(s) due to a formulation difference in the inactive ingredient(s) [e.g., differences in stabilizing agent, buffering agent, and/or surfactant] which, according to the prescriber, would result in a significant allergy or serious adverse reaction.</p> <p><u>Note:</u> If the only formulary alternative is Zarxio and the patient requires a dose of < 180 mcg, approve.</p> <p>3. Patients requiring a dose of < 180 mcg: approve if the patient has meets the following (a and b):</p> <p>a. Patient has tried one of Neupogen, Nivestym, or Granix [documentation required], if formulary; AND</p> <p><u>Note:</u> If none are non-formulary, approve.</p> <p>b. Patient continue to use each of the formulary alternative(s) due to a formulation difference in the inactive ingredient(s) [e.g., differences in stabilizing agent, buffering agent, and/or surfactant] which, according to the prescriber, would result in a significant allergy or serious adverse reaction.</p> <p><u>Note:</u> If the only formulary alternative is Granix and the patient requires intravenous administration, approve.</p> <p>4. Patients who initiated therapy with Releuko and requires further medication to complete the current cycle of chemotherapy: approve for 30 days OR the length of the chemotherapy cycle.</p> <p><u>Note:</u> A cycle is the time from the start of a round of chemotherapy until the next round of chemotherapy is started. Typically cycles are 21 or 28 days in length; however, they can be shorter or longer depending on the chemotherapy regimen.</p>	1 year	Yes		11/21/2023	Yes
Colony Stimulating Factors - Filgrastim	Zarxio	filgrastim-sndz subcutaneous or intravenous injection (biosimilar to Neupogen)	<p>1. Approve if the patient meets BOTH of the following (a and b):</p> <p>a. The patient has tried four of the following products, if formulary (or three if three are formulary, or two if two are formulary, or one if one is formulary): Releuko, Neupogen, Nivestym, or Granix; AND</p> <p><u>Note:</u> If none are formulary, approve.</p> <p>b. Patient cannot continue to use each of the formulary alternative(s) due to a formulation difference in the inactive ingredient(s) [e.g., differences in stabilizing agent, buffering agent, and/or surfactant] which, according to the prescriber, would result in a significant allergy or serious adverse reaction.</p> <p>2. Patients who require administration by intravenous infusion: approve if the patient has meets the following (a and b):</p> <p>a. Patient has tried one of Releuko, Neupogen, or Nivestym, if formulary; AND</p> <p><u>Note:</u> If none are formulary, approve.</p> <p>b. Patient cannot continue to use each of the formulary alternative(s) due to a formulation difference in the inactive ingredient(s) [e.g., differences in stabilizing agent, buffering agent, and/or surfactant] which, according to the prescriber, would result in a significant allergy or serious adverse reaction.</p> <p>3. Patients who initiated therapy with Zarxio and requires further medication to complete the current cycle of chemotherapy: approve for 30 days OR the length of the chemotherapy cycle.</p> <p><u>Note:</u> A cycle is the time from the start of a round of chemotherapy until the next round of chemotherapy is started. Typically cycles are 21 or 28 days in length; however, they can be shorter or longer depending on the chemotherapy regimen.</p>	1 year	Yes		11/21/2023	Yes

Formulary Exception Criteria

Therapy Class	Brand Name	Generic Name	Commercial FE Criteria	Approval Duration	2024 NPF Excluded Medication	Continuation of Therapy Required?	Date Last Reviewed	Utilizes Pref Alts to Operationalize Criteria
Colony Stimulating Factors - Pegfilgrastim	Fylnetra	pegfilgrastim-pbbk subcutaneous injection	Approve if the patient meets BOTH of the following (a and b): a. The patient has tried five of the following, if five are formulary (or four if there are formulary or three if three are formulary or two if two are formulary or one if one is formulary): Neulasta, Fulphila, Udenyca, Ziextenzo, Nyvepria, or Stimufend [documentation required] ; AND Note: If none are formulary, approve. b. Patient cannot continue to use each of the formulary alternative(s) due to a formulation difference in the inactive ingredient(s) [e.g., differences in stabilizing agent, buffering agent, and/or surfactant] which, according to the prescriber, would result in a significant allergy or serious adverse reaction.	1 year	Yes		4/18/2023	Yes
Colony Stimulating Factors - Pegfilgrastim	Neulasta	pegfilgrastim subcutaneous injection	Approve if the patient meets BOTH of the following (a and b): a. The patient has tried five of the following, if five are formulary (or four if four are formulary or three if three are formulary or two if two are formulary or one if one is formulary): Fulphila, Udenyca, Ziextenzo, Nyvepria, Fylnetra, or Stimufend [documentation required] ; AND Note: If none are formulary, approve. b. Patient cannot continue to use each of the formulary alternative(s) due to a formulation difference in the inactive ingredient(s) [e.g., differences in stabilizing agent, buffering agent, and/or surfactant] which, according to the prescriber, would result in a significant allergy or serious adverse reaction.	1 year	Yes		4/18/2023	Yes
Colony Stimulating Factors - Pegfilgrastim	Nyvepria	pegfilgrastim-apgf subcutaneous injection	Approve if the patient meets BOTH of the following (a and b): a. The patient has tried five of the following, if five are formulary (or four if four are formulary or three if three are formulary or two if two are formulary or one if one is formulary): Neulasta, Fulphila, Udenyca, Ziextenzo, Fylnetra, or Stimufend [documentation required] ; AND Note: If none are formulary, approve. b. Patient cannot continue to use each of the formulary alternative(s) due to a formulation difference in the inactive ingredient(s) [e.g., differences in stabilizing agent, buffering agent, and/or surfactant] which, according to the prescriber, would result in a significant allergy or serious adverse reaction.	1 year	Yes		4/18/2023	Yes
Colony Stimulating Factors - Pegfilgrastim	Stimufend	pegfilgrastim-fpgk	Approve if the patient meets BOTH of the following (a and b): a. The patient has tried five of the following, if five are formulary (or four if four are formulary or three if three are formulary or two if two are formulary or one if one is formulary): Neulasta, Nyvepria, Fulphila, Udenyca, Ziextenzo, or Fylnetra [documentation required] ; AND Note: If none are formulary, approve. b. Patient cannot continue to use each of the formulary alternative(s) due to a formulation difference in the inactive ingredient(s) [e.g., differences in stabilizing agent, buffering agent, and/or surfactant] which, according to the prescriber, would result in a significant allergy or serious adverse reaction.	1 year	Yes		4/18/2023	No
Colony Stimulating Factors - Pegfilgrastim	Udenyca	pegfilgrastim-cbqv subcutaneous injection	Approve if the patient meets BOTH of the following (a and b): a. The patient has tried five of the following, if five are formulary (or four if four are formulary or three if three are formulary or two if two are formulary or one if one is formulary): Neulasta, Fulphila, Ziextenzo, Nyvepria, Fylnetra, or Stimufend [documentation required] ; AND Note: If none are formulary, approve. b. Patient cannot continue to use each of the formulary alternative(s) due to a formulation difference in the inactive ingredient(s) [e.g., differences in stabilizing agent, buffering agent, and/or surfactant] which, according to the prescriber, would result in a significant allergy or serious adverse reaction.	1 year	Yes		4/18/2023	Yes
Constipation Agents – Chronic Idiopathic Constipation Agents	Motegrity	prucalopride tablets	Patient ≥ 18 years of age. Approve if the patient has tried, and according to the prescriber, experienced inadequate efficacy OR significant intolerance with BOTH products from the following list: Linzess AND Trulance [documentation required] , if two are formulary or one if one is formulary. If neither are formulary, approve.	1 year	Yes		7/28/2023	No
Constipation Agents – Chronic Idiopathic Constipation Agents/Irritable Bowel Syndrome	Amitiza	lubiprostone capsules	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		2/24/2023	No
Constipation Agents – Irritable Bowel Syndrome	lbsrela	tenapanor tablets	Patient ≥ 18 years of age. Approve if the patient has tried, and according to the prescriber, experienced inadequate efficacy OR significant intolerance with BOTH products from the following list: Linzess AND Trulance, if two are formulary or one if one is formulary. If neither are formulary, approve.	1 year	Yes		7/28/2023	No
Constipation Agents – Irritable Bowel Syndrome	Zelnorm	tegaserod tablets	Patient ≥ 18 years of age. Approve if the patient has tried, and according to the prescriber, experienced inadequate efficacy OR significant intolerance with BOTH products from the following list: Linzess AND Trulance, if two are formulary or one if one is formulary. If neither are formulary, approve.	1 year	Yes		7/28/2023	No
Contraceptives	NuvaRing	etonogestrel/ethinyl estradiol vaginal ring	<u>Compliance with the Affordable Care Act, HRSA Guidelines, and PHS Act section 2713 is NOT required.</u> NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] . OR <u>Compliance with the Affordable Care Act, HRSA Guidelines, and PHS Act section 2713 is required.</u> Approve if the patient meets one of the following criteria (i or ii): i. The requested brand non-formulary drug is being prescribed primarily for the prevention of pregnancy AND, according to the prescriber, the brand product is being requested because the preferred bioequivalent generic product would not be as medically appropriate for the patient as the requested brand non-formulary drug; OR ii. The requested brand non-formulary drug is being prescribed for a use OTHER THAN primarily for the prevention of pregnancy AND the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		8/25/2023	No

Formulary Exception Criteria

Therapy Class	Brand Name	Generic Name	Commercial FE Criteria	Approval Duration	2024 NPF Excluded Medication	Continuation of Therapy Required?	Date Last Reviewed	Utilizes Pref Alts to Operationalize Criteria
Contraceptives	Phexxi	L-lactic acid, citric acid, and potassium bitartrate vaginal gel	<p>Compliance with the Affordable Care Act, HRSA Guidelines, and PHS Act section 2713 is NOT required.</p> <p>Approve if the patient has tried or is unable to tolerate THREE other barrier methods of contraception, such as diaphragms, condoms, spermicides (over-the-counter), or sponges.</p> <p>OR</p> <p>Compliance with the Affordable Care Act, HRSA Guidelines, and PHS Act section 2713 is required.</p> <p>Approve if the patient meets one of the following (i or ii):</p> <ul style="list-style-type: none"> i. Patient has tried or is unable to tolerate THREE other barrier methods of contraception, such as diaphragms, condoms, spermicides (over-the-counter), or sponges; OR ii. The requested non-formulary drug is being prescribed primarily for the prevention of pregnancy and other barrier methods of contraception would not be as medically appropriate for the patient as the requested non-formulary drug. 	1 year	Yes		8/25/2023	No
Contraceptives	Twirla	levonorgestrel and ethinyl estradiol transdermal system	<p>Compliance with the Affordable Care Act, HRSA Guidelines, and PHS Act section 2713 is NOT required.</p> <p>Approve if the patient has tried five other contraceptive agents (e.g., oral contraceptive tablets, Xulane [contraceptive patch], Anovera [contraceptive ring]), NuvaRing or generics [contraceptive ring]).</p> <p>Note: A trial of five different oral contraceptive agents would meet the requirement.</p> <p>OR</p> <p>Compliance with the Affordable Care Act, HRSA Guidelines, and PHS Act section 2713 is required.</p> <p>Approve if the patient meets one of the following (i or ii):</p> <ul style="list-style-type: none"> i. The patient has tried five other contraceptive agents (e.g., oral contraceptive tablets, Xulane [contraceptive patch], Anovera [contraceptive ring]), NuvaRing or generics [contraceptive ring]); OR ii. The requested non-formulary drug is being prescribed primarily for the prevention of pregnancy AND other contraceptive agents would not be as medically appropriate for the patient as the requested non-formulary drug. 	1 year	Yes		8/25/2023	No
Contraceptives – Oral	Balcoltra	ethinyl estradiol 0.02 mg; levonorgestrel 0.1 mg; ferrous bisglycinate tablet	<p>Compliance with the Affordable Care Act, HRSA Guidelines, and PHS Act section 2713 is NOT required.</p> <p>Approve if the patient has tried four other oral contraceptive agents.</p> <p>OR</p> <p>Compliance with the Affordable Care Act, HRSA Guidelines, and PHS Act section 2713 is required.</p> <p>Approve if the patient meets one of the following criteria (i or ii):</p> <ul style="list-style-type: none"> i. Patient has tried four other oral contraceptive agents; OR ii. The requested non-formulary drug is being prescribed primarily for the prevention of pregnancy and other oral contraceptive agents would not be as medically appropriate for the patient as the requested non-formulary drug. 	1 year	Yes		8/25/2023	No
Contraceptives – Oral	Lo Loestrin FE	ethinyl estradiol 0.01 mg; norethindrone acetate 1 mg; ferrous fumarate tablet	<p>Compliance with the Affordable Care Act, HRSA Guidelines, and PHS Act section 2713 is NOT required.</p> <p>Approve if the patient has tried two other oral contraceptive agents.</p> <p>OR</p> <p>Compliance with the Affordable Care Act, HRSA Guidelines, and PHS Act section 2713 is required.</p> <p>Approve if the patient meets one of the following criteria (i or ii):</p> <ul style="list-style-type: none"> i. Patient has tried two other oral contraceptive agents; OR ii. The requested non-formulary drug is being prescribed primarily for the prevention of pregnancy and other oral contraceptive agents would not be as medically appropriate for the patient as the requested non-formulary drug. 	1 year	Yes		8/25/2023	No
Contraceptives – Oral	Loestrin and Loestrin FE	ethinyl estradiol/norethindrone and ferrous fumarate tablets	<p>Compliance with the Affordable Care Act, HRSA Guidelines, and PHS Act section 2713 is NOT required.</p> <p>NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product.</p> <p>Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required].</p> <p>OR</p> <p>Compliance with the Affordable Care Act, HRSA Guidelines, and PHS Act section 2713 is required.</p> <p>Approve if the patient meets one of the following criteria (i or ii):</p> <ul style="list-style-type: none"> i. The requested brand non-formulary drug is being prescribed primarily for the prevention of pregnancy AND, according to the prescriber, the brand product is being requested because the preferred bioequivalent generic product would not be as medically appropriate for the patient as the requested brand non-formulary drug; OR ii. The requested brand non-formulary drug is being prescribed for a use OTHER THAN primarily for the prevention of pregnancy AND the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required]. 	1 year	MSB Exclusion *This criteria applies only to the NPF		8/25/2023	No

Formulary Exception Criteria

Therapy Class	Brand Name	Generic Name	Commercial FE Criteria	Approval Duration	2024 NPF Excluded Medication	Continuation of Therapy Required?	Date Last Reviewed	Utilizes Pref Alts to Operationalize Criteria
Contraceptives – Oral	Loseasonique	levonorgestrel/ethinyl estradiol and ethinyl estradiol tablets	<p>Compliance with the Affordable Care Act, HRSA Guidelines, and PHS Act section 2713 is NOT required.</p> <p>NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product.</p> <p>Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required].</p> <p>OR</p> <p>Compliance with the Affordable Care Act, HRSA Guidelines, and PHS Act section 2713 is required.</p> <p>Approve if the patient meets one of the following criteria (i or ii):</p> <p>i. The requested brand non-formulary drug is being prescribed primarily for the prevention of pregnancy AND, according to the prescriber, the brand product is being requested because the preferred bioequivalent generic product would not be as medically appropriate for the patient as the requested brand non-formulary drug; OR</p> <p>ii. The requested brand non-formulary drug is being prescribed for a use OTHER THAN primarily for the prevention of pregnancy AND the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required].</p>	1 year	MSB Exclusion *This criteria applies only to the NPF		8/25/2023	No
Contraceptives – Oral	Minastrin 24 FE	norethindrone - ethinyl estradiol - iron chewable tablets	<p>Compliance with the Affordable Care Act, HRSA Guidelines, and PHS Act section 2713 is NOT required.</p> <p>NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product.</p> <p>Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required].</p> <p>OR</p> <p>Compliance with the Affordable Care Act, HRSA Guidelines, and PHS Act section 2713 is required.</p> <p>Approve if the patient meets one of the following criteria (i or ii):</p> <p>i. The requested brand non-formulary drug is being prescribed primarily for the prevention of pregnancy AND, according to the prescriber, the brand product is being requested because the preferred bioequivalent generic product would not be as medically appropriate for the patient as the requested brand non-formulary drug; OR</p> <p>ii. The requested brand non-formulary drug is being prescribed for a use OTHER THAN primarily for the prevention of pregnancy AND the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required].</p>	1 year	MSB Exclusion *This criteria applies only to the NPF		8/25/2023	No
Contraceptives – Oral	Mircette	desogestrel - ethinyl estradiol and ethinyl estradiol tablets	<p>Compliance with the Affordable Care Act, HRSA Guidelines, and PHS Act section 2713 is NOT required.</p> <p>NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product.</p> <p>Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required].</p> <p>OR</p> <p>Compliance with the Affordable Care Act, HRSA Guidelines, and PHS Act section 2713 is required.</p> <p>Approve if the patient meets one of the following criteria (i or ii):</p> <p>i. The requested brand non-formulary drug is being prescribed primarily for the prevention of pregnancy AND, according to the prescriber, the brand product is being requested because the preferred bioequivalent generic product would not be as medically appropriate for the patient as the requested brand non-formulary drug; OR</p> <p>ii. The requested brand non-formulary drug is being prescribed for a use OTHER THAN primarily for the prevention of pregnancy AND the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required].</p>	1 year	MSB Exclusion *This criteria applies only to the NPF		8/25/2023	No
Contraceptives – Oral	Natazia	dienogest; estradiol valerate tablet	<p>Compliance with the Affordable Care Act, HRSA Guidelines, and PHS Act section 2713 is NOT required.</p> <p>Approve if the patient has tried four other oral contraceptive agents.</p> <p>OR</p> <p>Compliance with the Affordable Care Act, HRSA Guidelines, and PHS Act section 2713 is required.</p> <p>Approve if the patient meets one of the following criteria (i or ii):</p> <p>i. Patient has tried four other oral contraceptive agents; OR</p> <p>ii. The requested non-formulary drug is being prescribed primarily for the prevention of pregnancy and other oral contraceptive agents would not be as medically appropriate for the patient as the requested non-formulary drug.</p>	1 year	Yes		8/25/2023	No
Contraceptives – Oral	Nextstellis	estetrol and drospirenone tablets	<p>Compliance with the Affordable Care Act, HRSA Guidelines, and PHS Act section 2713 is NOT required.</p> <p>Approve if the patient has tried four other oral contraceptive agents.</p> <p>OR</p> <p>Compliance with the Affordable Care Act, HRSA Guidelines, and PHS Act section 2713 is required.</p> <p>Approve if the patient meets one of the following criteria (i or ii):</p> <p>i. Patient has tried four other oral contraceptive agents; OR</p> <p>ii. The requested non-formulary drug is being prescribed primarily for the prevention of pregnancy and other oral contraceptive agents would not be as medically appropriate for the patient as the requested non-formulary drug.</p>	1 year	Yes		8/25/2023	No

Formulary Exception Criteria

Therapy Class	Brand Name	Generic Name	Commercial FE Criteria	Approval Duration	2024 NPF Excluded Medication	Continuation of Therapy Required?	Date Last Reviewed	Utilizes Pref Alts to Operationalize Criteria
Contraceptives – Oral	Quartette	levonorgestrel-ethinyl estradiol and ethinyl estradiol tablets	<p>Compliance with the Affordable Care Act, HRSA Guidelines, and PHS Act section 2713 is NOT required.</p> <p>NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product.</p> <p>Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required].</p> <p>OR</p> <p>Compliance with the Affordable Care Act, HRSA Guidelines, and PHS Act section 2713 is required.</p> <p>Approve if the patient meets one of the following criteria (i or ii):</p> <p>i. The requested brand non-formulary drug is being prescribed primarily for the prevention of pregnancy AND, according to the prescriber, the brand product is being requested because the preferred bioequivalent generic product would not be as medically appropriate for the patient as the requested brand non-formulary drug; OR</p> <p>ii. The requested brand non-formulary drug is being prescribed for a use OTHER THAN primarily for the prevention of pregnancy AND the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required].</p>	1 year	MSB Exclusion *This criteria applies only to the NPF		8/25/2023	No
Contraceptives – Oral	Safyral	drospirenone/ethinyl levomefolate tablets	<p>Compliance with the Affordable Care Act, HRSA Guidelines, and PHS Act section 2713 is NOT required.</p> <p>NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product.</p> <p>Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required].</p> <p>OR</p> <p>Compliance with the Affordable Care Act, HRSA Guidelines, and PHS Act section 2713 is required.</p> <p>Approve if the patient meets one of the following criteria (i or ii):</p> <p>i. The requested brand non-formulary drug is being prescribed primarily for the prevention of pregnancy AND, according to the prescriber, the brand product is being requested because the preferred bioequivalent generic product would not be as medically appropriate for the patient as the requested brand non-formulary drug; OR</p> <p>ii. The requested brand non-formulary drug is being prescribed for a use OTHER THAN primarily for the prevention of pregnancy AND the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required].</p>	1 year	MSB Exclusion *This criteria applies only to the NPF		8/25/2023	No
Contraceptives – Oral	Seasonique	levonorgestrel-ethinyl estradiol and ethinyl estradiol tablets	<p>Compliance with the Affordable Care Act, HRSA Guidelines, and PHS Act section 2713 is NOT required.</p> <p>NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product.</p> <p>Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required].</p> <p>OR</p> <p>Compliance with the Affordable Care Act, HRSA Guidelines, and PHS Act section 2713 is required.</p> <p>Approve if the patient meets one of the following criteria (i or ii):</p> <p>i. The requested brand non-formulary drug is being prescribed primarily for the prevention of pregnancy AND, according to the prescriber, the brand product is being requested because the preferred bioequivalent generic product would not be as medically appropriate for the patient as the requested brand non-formulary drug; OR</p> <p>ii. The requested brand non-formulary drug is being prescribed for a use OTHER THAN primarily for the prevention of pregnancy AND the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required].</p>	1 year	MSB Exclusion *This criteria applies only to the NPF		8/25/2023	No
Contraceptives – Oral	Slynd	drospirenone tablet	<p>Compliance with the Affordable Care Act, HRSA Guidelines, and PHS Act section 2713 is NOT required.</p> <p>Approve if the patient has tried one progesterone-only contraceptive containing norethindrone.</p> <p>Note: Examples of progesterone-only contraceptives containing norethindrone include Ortho Micronor, Camila, Deblitane, Errin, Nora-BE, norethindrone, Heather, Jencycla, Lyza, Sharobel, Tulana, Norlyda, Lyleq, Incassia.</p> <p>OR</p> <p>Compliance with the Affordable Care Act, HRSA Guidelines, and PHS Act section 2713 is required.</p> <p>Approve if the patient meets one of the following criteria (i or ii):</p> <p>i. Patient has tried one progesterone-only contraceptive containing norethindrone; OR</p> <p>Note: Examples of progesterone-only contraceptives containing norethindrone include Ortho Micronor, Camila, Deblitane, Errin, Nora-BE, norethindrone, Heather, Jencycla, Lyza, Sharobel, Tulana, Norlyda, Lyleq, Incassia.</p> <p>ii. The requested non-formulary drug is being prescribed primarily for the prevention of pregnancy and other progesterone-only contraceptives containing norethindrone would not be as medically appropriate for the patient as the requested non-formulary drug.</p>	1 year	Yes		8/25/2023	No

Formulary Exception Criteria

Therapy Class	Brand Name	Generic Name	Commercial FE Criteria	Approval Duration	2024 NPF Excluded Medication	Continuation of Therapy Required?	Date Last Reviewed	Utilizes Pref Alts to Operationalize Criteria
Contraceptives – Oral	Taytulla	norethindrone and ethinyl estradiol and ferrous fumarate capsules	<p>Compliance with the Affordable Care Act, HRSA Guidelines, and PHS Act section 2713 is NOT required.</p> <p>NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required].</p> <p>OR</p> <p>Compliance with the Affordable Care Act, HRSA Guidelines, and PHS Act section 2713 is required.</p> <p>Approve if the patient meets one of the following criteria (i or ii):</p> <ul style="list-style-type: none"> i. The requested brand non-formulary drug is being prescribed primarily for the prevention of pregnancy AND, according to the prescriber, the brand product is being requested because the preferred bioequivalent generic product would not be as medically appropriate for the patient as the requested brand non-formulary drug; OR ii. The requested brand non-formulary drug is being prescribed for a use OTHER THAN primarily for the prevention of pregnancy AND the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required]. 	1 year	MSB Exclusion *This criteria applies only to the NPF		8/25/2023	No
Contraceptives – Oral	Tyblume	levonorgestrel 0.1 mg and ethinyl estradiol 0.02 mg tablets	<p>Compliance with the Affordable Care Act, HRSA Guidelines, and PHS Act section 2713 is NOT required.</p> <p>Approve if the patient has tried four other oral contraceptive agents.</p> <p>OR</p> <p>Compliance with the Affordable Care Act, HRSA Guidelines, and PHS Act section 2713 is required.</p> <p>Approve if the patient meets one of the following criteria (i or ii):</p> <ul style="list-style-type: none"> i. Patient has tried four other oral contraceptive agents; OR ii. The requested non-formulary drug is being prescribed primarily for the prevention of pregnancy and other oral contraceptive agents would not be as medically appropriate for the patient as the requested non-formulary drug. 	1 year	Yes		8/25/2023	No
Contraceptives – Oral	Yasmin	ethinyl estradiol/drospirenone tablets	<p>Compliance with the Affordable Care Act, HRSA Guidelines, and PHS Act section 2713 is NOT required.</p> <p>NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required].</p> <p>OR</p> <p>Compliance with the Affordable Care Act, HRSA Guidelines, and PHS Act section 2713 is required.</p> <p>Approve if the patient meets one of the following criteria (i or ii):</p> <ul style="list-style-type: none"> i. The requested brand non-formulary drug is being prescribed primarily for the prevention of pregnancy AND, according to the prescriber, the brand product is being requested because the preferred bioequivalent generic product would not be as medically appropriate for the patient as the requested brand non-formulary drug; OR ii. The requested brand non-formulary drug is being prescribed for a use OTHER THAN primarily for the prevention of pregnancy AND the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required]. 	1 year	MSB Exclusion *This criteria applies only to the NPF		8/25/2023	No
Corticosteroids (Oral)	Alkindi Sprinkle	hydrocortisone oral granules	<ol style="list-style-type: none"> 1. Approve if the patient has tried and cannot take hydrocortisone tablets. 2. Approve if the patient cannot swallow or has difficulty swallowing hydrocortisone tablets. 3. Approve if the patient's dose cannot be obtained using whole hydrocortisone tablets. 	1 year	Yes		4/5/2023	No
Corticosteroids (Oral)	Hemady	dexamethasone 20 mg tablets	Approve if the patient has tried generic dexamethasone tablets, if formulary. If dexamethasone tablets are non-formulary, approve.	1 year	Yes		7/19/2023	No
Corticosteroids (Rectal Formulations)	Anusol-HC suppository	hydrocortisone acetate suppository	Approve if the patient has tried hydrocortisone acetate suppositories. If hydrocortisone acetate suppositories are non-formulary, approve.	1 year	Yes		12/27/2022	No
Corticosteroids (Rectal Formulations)	Cortifoam	hydrocortisone acetate aerosol foam	<ol style="list-style-type: none"> 1. Approve if the patient has tried Uceris foam, if formulary. If Uceris foam is non-formulary, approve if the patient has tried one corticosteroid enema from the following list (if one is formulary): Cortenema or hydrocortisone enema. If none are formulary, approve. 2. Patients who are unable to retain a corticosteroid enema: approve if the patient has tried Uceris foam, if formulary. If Uceris foam is non-formulary, approve. 	1 year	Yes		12/27/2022	Yes
Corticosteroids (Rectal Formulations)	Hydrocortisone-pramoxine suppository	hydrocortisone-pramoxine suppository 25-18 mg	Approve if the patient has tried one of 1) hydrocortisone acetate suppositories or 2) a rectal topical product containing hydrocortisone and pramoxine (e.g., topical foam, topical cream).	1 year	Yes		12/27/2022	No
Corticosteroids (Rectal Formulations)	Proctofoam-HC	pramoxine hydrochloride hydrocortisone acetate aerosol, foam	Approve if the patient has tried and, according to the prescriber, has experienced inadequate efficacy OR a significant intolerance with pramoxine-hydrocortisone cream.	1 year	Yes		12/27/2022	No
Corticosteroids (Topical)	Anusol-HC cream	hydrocortisone acetate cream	<p>NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product.</p> <p>Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required].</p>	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Corticosteroids (Topical)	Cloderm cream (and authorized generic)	cloacortolone pivalate 0.1% cream	<p>Approve if the patient has tried and, according to the prescriber, has experienced inadequate efficacy OR significant intolerance with five unique, generic prescription-strength topical corticosteroid products.</p> <p>Note: Examples of topical steroid products include: betamethasone, fluocinolonone acetonide, hydrocortisone valerate, mometasone, triamcinolonone acetonide.</p> <p>NOTE: The five products must be chemically unique (i.e., a trial of betamethasone 0.1% and 0.05% would NOT fulfill the requirement).</p>	1 year	Yes - Authorized generic only		12/27/2022	No

Formulary Exception Criteria

Therapy Class	Brand Name	Generic Name	Commercial FE Criteria	Approval Duration	2024 NPF Excluded Medication	Continuation of Therapy Required?	Date Last Reviewed	Utilizes Pref Alts to Operationalize Criteria
Corticosteroids (Topical)	Impoyz	clobetasol propionate cream, 0.025%	Approve if the patient has tried and, according to the prescriber, has experienced inadequate efficacy OR significant intolerance with five unique, generic prescription-strength topical corticosteroid products. Note: Examples of topical steroid products include: desoximetasone, triamcinolone, betamethasone, clobetasol, flucocinonide, mometasone, halcinonide, diflorasone. NOTE: The products must be chemically unique.	1 year	Yes		12/27/2022	No
Corticosteroids (Topical)	Locoid	hydrocortisone butyrate cream, lotion, ointment, solution	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Corticosteroids (Topical)	Locoid Lipocream	hydrocortisone butyrate 0.1% cream	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Corticosteroids (Topical)	Servivo spray	betamethasone dipropionate spray 0.05%	Approve if the patient has tried and, according to the prescriber, has experienced inadequate efficacy OR significant intolerance with five unique, generic prescription-strength topical corticosteroid products. Note: Examples of topical steroid products include: desoximetasone, triamcinolone, betamethasone, clobetasol, flucocinonide, mometasone, halcinonide. NOTE: The five products must be chemically unique.	1 year	Yes		12/27/2022	No
Corticosteroids (Topical)	Topicort spray	desoximetasone spray	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Corticosteroids (Topical)	Vanos	flucocinonide 0.1% cream	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Corticosteroids (Topical)	Verdeso	desonide foam	Approve if the patient has tried and, according to the prescriber, has experienced inadequate efficacy OR significant intolerance with five unique, generic prescription-strength topical corticosteroid products. Note: Examples of topical steroid products include: desonide, alicometasone dipropionate, betamethasone valerate, flucocinonide acetone, triamcinolone, flurandrenolide, hydrocortisone butyrate. NOTE: The five products must be chemically unique (i.e., a trial of desoximetasone 0.05% and 0.25% would NOT fulfill the requirement).	1 year	Yes		12/27/2022	No
Cushing's - Cortisol Synthesis Inhibitor	Isturisa	osilodrostat tablets	<u>Cushing's Disease in a patient ≥ 18 years of age.</u> Approve if the patient meets one of the following (A or B): A. Patient has tried one of Signifor or Signifor LAR. If neither are formulary, approve; OR B. Patient has already been started on Isturisa. <u>Endogenous Cushing's Syndrome in a patient ≥ 18 years of age.</u> Approve if the patient meets one of the following (A or B): A. Patient has tried one of Signifor, Signifor LAR, ketoconazole, Metopirone (metyrapone capsules), Lysodren (mitotane tablets), Recorlev, or Korlym. If none are formulary, approve; OR B. Patient has already been started on Isturisa. Note: A trial of any of the products above would count toward meeting criteria regardless of the formulary status of the product.	1 year	Yes		6/9/2023	No
Cushing's - Cortisol Synthesis Inhibitor	Recorlev	levoketoconazole tablets	<u>Endogenous Cushing's Syndrome in a patient ≥ 18 years of age.</u> 1. Approve if the patient meets the following (A and B): A. Patient has tried ketoconazole; AND B. Patient has tried two of Isturisa, Metopirone (metyrapone), or Lysodren. If neither Isturisa nor Metopirone are formulary, approve if the patient has tried ketoconazole. If both or one of Isturisa or Metopirone (metyrapone) are formulary, then one of those agents AND ketoconazole would need to be tried. Note: A trial of any of the products above would count toward meeting criteria regardless of the formulary status of the product. 2. If the patient has already been started on Recorlev, approve if the patient has tried ketoconazole.	1 year	Yes		7/26/2023	No
Cushing's -Cortisol Receptor Blocker	Korlym	mifepristone 300 mg tablets	<u>Endogenous Cushing's Syndrome in a patient ≥ 18 years of age.</u> Approve in patients who meet the following criteria (A and B): A. Korlym is being used to control hyperglycemia secondary to hypercortisolism in patients who have type 2 diabetes mellitus or glucose intolerance; AND B. The patient meets ONE of the following (1 or 2): 1. Patients have tried one product from the following list : ketoconazole tablets, Recorlev, Isturisa, Metopirone capsules, Signifor/Signifor LAR injection, or Lysodren tablets. If none are formulary, approve; OR Note: A trial of any of the products above would count toward meeting criteria regardless of the formulary status of the product. 2. The patient has already been started on Korlym therapy.	1 year	Yes		6/9/2023	Yes
Cystinuria Agents	Thiola	tiopronin tablets	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Diabetes Agents - Dipeptidyl Peptidase-4 (DPP-4) Inhibitor Combination Products	Jentadueto	linagliptin and metformin tablets	1. Approve if the patient has tried three metformin-DPP-4 inhibitor combination products from the following list (if three are formulary, or two if two are formulary, or one if one is formulary): Jentadueto XR, alogliptin and metformin tablets, Janumet, Janumet XR, Kazano, or saxagliptin plus metformin extended-release tablets (Kombiglyze XR, generics). If none are formulary, approve if the patient has tried metformin (Glucophage, Glucophage ER, generics) AND two of the following, if two are formulary (or one if only one is formulary): alogliptin tablets (Nesina, authorized generics), Tradjenta, saxagliptin tablets (Onglyza, generics), or Januvia. If none are formulary, approve if the patient has tried metformin (Glucophage, Glucophage ER, generics). Note: Janumet and Janumet XR would count as one alternative. Alogliptin/metformin tablets and Kazano would count as one alternative. 2. Patients with a history of heart failure (HF) or renal impairment: approve if the patient has tried ONE of Jentadueto XR, Janumet or Janumet XR, if one is formulary. If none are formulary, approve if the patient has tried metformin (Glucophage, Glucophage ER, generics) AND one of the following, if one is formulary: Januvia or Tradjenta. If neither are formulary, approve if the patient has tried metformin (Glucophage, Glucophage ER, generics). Note: A brand product and its generic or authorized generic would count as one alternative.	1 year	Yes		10/2/2023	Yes

Formulary Exception Criteria

Therapy Class	Brand Name	Generic Name	Commercial FE Criteria	Approval Duration	2024 NPF Excluded Medication	Continuation of Therapy Required?	Date Last Reviewed	Utilizes Pref Alts to Operationalize Criteria
Diabetes Agents - Dipeptidyl Peptidase-4 (DPP-4) Inhibitor Combination Products	Jentadueto XR	linagliptin and metformin extended-release tablets	<p>1. Approve if the patient has tried three metformin-DPP-4 inhibitor combination products from the following list: (if three are formulary, or two if two are formulary, or one if one is formulary): Jentadueto (NOT XR), alogliptin and metformin tablets, Janumet, Janumet XR, Kazano, saxagliptin plus metformin extended-release tablets (Kombiglyze XR, generics). If none are formulary, approve if the patient has tried metformin (Glucophage, Glucophage ER, generics) AND two of the following, if two are formulary (or one if only one is formulary): alogliptin tablets (Nesina, authorized generics), Tradjenta, saxagliptin tablets (Onglyza, generics), or Januvia. If none are formulary, approve if the patient has tried metformin (Glucophage, Glucophage ER, generics).</p> <p>Note: Janumet and Janumet XR would count as one alternative. Alogliptin/metformin tablets and Kazano would count as one alternative.</p> <p>2. Patients with a history of heart failure or renal impairment: approve if the patient has tried one of Jentadueto (NOT XR), Janumet or Janumet XR, if formulary. If none are formulary, approve if the patient has tried metformin (Glucophage, Glucophage ER, generics) AND one of the following, if one is formulary: Januvia or Tradjenta. If neither are formulary, approve if the patient has tried metformin (Glucophage, Glucophage ER, generics).</p> <p>Note: A brand product and its generic or authorized generic would count as one alternative</p>	1 year	Yes		10/2/2023	Yes
Diabetes Agents - Dipeptidyl Peptidase-4 (DPP-4) Inhibitor Combination Products	Kazano and authorized generic	alogliptin and metformin tablets	<p>Approve if the patient has tried three metformin-DPP-4 inhibitor combination products from the following list (if three are formulary, or two if two are formulary, or one if one is formulary): Jentadueto, Jentadueto XR, Janumet, Janumet XR, or saxagliptin plus metformin extended-release tablets (Kombiglyze XR, generics). If none are formulary, approve if the patient has tried metformin (Glucophage, Glucophage ER, generics) AND two of the following, if two are formulary (or one if only one is formulary): saxagliptin tablets (Onglyza, generics), alogliptin tablets (Nesina, authorized generics), Tradjenta, or Januvia. If none are formulary, approve if the patient has tried metformin (Glucophage, Glucophage ER, generics).</p> <p>Note: Jentadueto and Jentadueto XR would count as one alternative. Janumet and Janumet XR would count as one alternative. A brand product and its generic or authorized generic would count as one alternative.</p>	1 year	Yes		10/2/2023	Yes
Diabetes Agents - Dipeptidyl Peptidase-4 (DPP-4) Inhibitor Combination Products	Kombiglyze XR	saxagliptin plus metformin extended-release tablets	<p>If requesting brand Kombiglyze XR: Approve if the patient has tried generic Kombiglyze XR tablets (saxagliptin plus metformin ER tablets), if formulary.</p> <p>If requesting brand Kombiglyze XR and generic Kombiglyze XR tablets (saxagliptin plus metformin ER tablets) are non-formulary (or if requesting generic Kombiglyze), approve if the patient has tried three metformin-DPP-4 inhibitor combination products from the following list (if three are formulary, or two if two are formulary, or one if one is formulary): alogliptin and metformin tablets, Jentadueto, Jentadueto XR, Kazano, Janumet, or Janumet XR. If none are formulary, approve if the patient has tried metformin (Glucophage, Glucophage ER, generics) AND two of the following, if two are formulary (or one if only one is formulary): alogliptin tablets (Nesina, authorized generics), saxagliptin tablets (Onglyza, generic), Tradjenta, or Januvia. If none are formulary, approve if the patient has tried metformin (Glucophage, Glucophage ER, generics).</p> <p>Note: Jentadueto and Jentadueto XR would count as one alternative. Alogliptin/metformin tablets and Kazano would count as one alternative. Janumet and Janumet XR would count as one alternative. A brand product and its generic or authorized generic would count as one alternative.</p>	1 year	Yes		10/2/2023	Yes
Diabetes Agents - Dipeptidyl Peptidase-4 (DPP-4) Inhibitor Combination Products	Oseni and authorized generic	alogliptin and pioglitazone tablets	<p>Approve if the patient has tried pioglitazone (Actos, generics) AND two of the following, if two are formulary (or one if only one is formulary): saxagliptin (Onglyza, generics), alogliptin tablets (Nesina, authorized generics), Tradjenta, or Januvia. If none are formulary, approve if the patient has tried pioglitazone (Actos, generics).</p> <p>Note: A brand product and its generic or authorized generic would count as one alternative.</p> <p>NOTE: A trial of Oseni or its authorized generic would not count toward this requirement.</p>	1 year	Yes - Authorized generic only		10/2/2023	No
Diabetes Agents - Dipeptidyl Peptidase-4 (DPP-4) Inhibitor/ Sodium Glucose Co-Transporter-2 (SGLT-2) Inhibitors	Steglujan	ertugliflozin/ sitagliptin tablets	<p>1. Approve if the patient has tried, and according to the prescriber, has experienced inadequate efficacy OR a significant intolerance with both Qtern and Glyxambi, if formulary [documentation required]. If one is formulary, try one, if neither are formulary, approve if the patient has tried and, according to the prescriber, has experienced inadequate efficacy OR a significant intolerance with three formulary SGLT-2 inhibitors (or two if two are formulary or one if one is formulary) [documentation required] AND three formulary DPP-4 inhibitors (or two if two are formulary or one if one is formulary) [documentation required].</p> <p>2. Patient with a history of heart failure or renal impairment: Approve if the patient has tried, and according to the prescriber, has experienced inadequate efficacy OR a significant intolerance with Glyxambi, if formulary [documentation required]. If Glyxambi is not formulary, approve if the patient has tried and, according to the prescriber, has experienced inadequate efficacy OR a significant intolerance with one of Farxiga or Jardiance, if formulary [documentation required], AND one of Tradjenta or Januvia, if formulary [documentation required]. If Farxiga and Jardiance are both non-formulary, approve. If Tradjenta and Januvia are both non-formulary, approve.</p> <p>Note: SGLT-2 inhibitors: Brenzavvy, Farxiga, Invokana, Jardiance, Steglatro. DPP-4 inhibitors: Januvia, Nesina (alogliptin), Onglyza (saxagliptin), Tradjenta. Note: If the patient has tried a combination product containing the DPP-4 inhibitor or the SGLT-2 inhibitor, this would count as a trial of the respective product. A trial of the request agent would NOT count toward this requirement.</p>	1 year	Yes		11/21/2023	No
Diabetes Agents - Dipeptidyl Peptidase-4 (DPP-4) Inhibitor/ Sodium Glucose Co-Transporter-2 (SGLT-2) Inhibitors	Qtern	dapagliflozin/ saxagliptin tablets	<p>Approve if the patient has tried, and according to the prescriber, has experienced inadequate efficacy OR a significant intolerance with both Glyxambi and Steglujan, if formulary. If one is formulary, try one, if neither are formulary, approve if the patient has tried and, according to the prescriber, has experienced inadequate efficacy OR a significant intolerance with three formulary SGLT-2 inhibitors (or two if two are formulary or one if one is formulary) AND three formulary DPP-4 inhibitors (or two if two are formulary or one if one is formulary).</p> <p>SGLT-2 inhibitors: Brenzavvy, Farxiga, Invokana, Jardiance, Steglatro. DPP-4 inhibitors: Januvia, Nesina (alogliptin), Onglyza (saxagliptin), Tradjenta. Note: If the patient has tried a combination product containing a DPP-4 inhibitor or an SGLT-2 inhibitor, this would count as a trial of the respective product. A trial of the request agent would NOT count toward this requirement.</p>	1 year	Yes		11/6/2023	Yes
Diabetes Agents - Dipeptidyl Peptidase-4 (DPP-4) Inhibitors	Nesina and authorized generic	alogliptin tablets	<p>Approve if the patient has tried three products from the following list (if three are formulary or two if two are formulary, or one if only one is formulary): saxagliptin (Onglyza, generics), Tradjenta, or a sitagliptin product (Januvia or Zituvio). If none are formulary, approve.</p> <p>If requesting brand Onglyza: Approve if the patient has tried saxagliptin tablets (generic for Onglyza), if formulary.</p>	1 year	Yes		1/10/2024	No
Diabetes Agents - Dipeptidyl Peptidase-4 (DPP-4) Inhibitors	Onglyza	saxagliptin tablets	<p>If requesting brand Onglyza and generic saxagliptin tablets are non-formulary (or if requesting generic Onglyza), approve if the patient has tried three products from the following list (if three are formulary or two if two are formulary, or one if only one is formulary): alogliptin tablets (Nesina, authorized generics), Tradjenta, or a sitagliptin product (Januvia or Zituvio). If none are formulary, approve.</p>	1 year	Yes		1/10/2024	No
Diabetes Agents - Dipeptidyl Peptidase-4 (DPP-4) Inhibitors	Tradjenta	linagliptin tablets	<p>1. Approve if the patient has tried three products from the following list (if three are formulary or two if two are formulary, or one if only one is formulary): alogliptin tablets (Nesina, authorized generics), saxagliptin (Onglyza, generics), or a sitagliptin product (Januvia or Zituvio). If none are formulary, approve.</p> <p>2. Patients with a history of heart failure or a history of renal impairment: Approve if the patient has tried a sitagliptin product (Januvia or Zituvio), if formulary. If neither Januvia nor Zituvio is formulary, approve.</p>	1 year	Yes		1/10/2024	No

Formulary Exception Criteria

Therapy Class	Brand Name	Generic Name	Commercial FE Criteria	Approval Duration	2024 NPF Excluded Medication	Continuation of Therapy Required?	Date Last Reviewed	Utilizes Pref Alts to Operationalize Criteria
Diabetes Agents - Glucagon-Like Peptide-1 (GLP-1) Agonists	Victoza	liraglutide (rDNA origin) injection	<p><u>Type 2 Diabetes Mellitus.</u> 1. Approve if the patient has tried both Ozempic and Trulicity [documentation required], if formulary (or one if one is formulary). If neither are formulary, approve. 2. If the patient is less than 18 years of age, approve if the patient has tried Trulicity [documentation required], if formulary. If Trulicity is non-formulary, approve.</p>	1 year	Yes		3/15/2023	No
Diabetes Agents - Insulin (Basal)	Insulin Glargine-YFGN (authorized generic of Semglee-YFGN)	insulin glargine U-100 vial and pen	<p>1. Patient is directed to use Semglee (YFGN) [brand], if formulary. 2. If Semglee (YFGN) [brand] is non-formulary, approve if the patient has tried one of Rezvoglar, Lantus, Insulin Glargine (authorized generic of Lantus), or Basaglar, if formulary. If Rezvoglar, Lantus, Insulin Glargine (authorized generic of Lantus), and Basaglar are non-formulary, approve. Note: If the patient has tried any product from 2. regardless of formulary status, criterion 2 would be satisfied.</p>	1 year	Yes		4/17/2023	Yes
Diabetes Agents - Insulin (Basal)	Lantus and Insulin glargine (by Winthrop, A-S Medication)	insulin glargine U-100 vial and SoloStar device	<p>1. Patient is directed to use Semglee (YFGN) or Insulin glargin (YFGN) [authorized generic of Semglee {YFGN}], if formulary. If neither are formulary, approve. 2. Approve if the patient has tried and cannot use Semglee (YFGN) or Insulin glargine (YFGN) due to a formulation difference in the inactive ingredient(s) [e.g., differences in stabilizing agent, buffering agent, and/or surfactant] which, according to the prescriber, would result in a significant allergy or serious adverse reaction [documentation required]. Note: If the patient had a trial of Insulin glargine (YFGN) and cannot use due to a formulation difference, an additional trial of Semglee (YFGN) would not be required and vice-versa, regardless of the formulary status of these products.</p>	1 year	Yes		4/17/2023	No
Diabetes Agents - Insulin (Basal)	Levemir	insulin detemir U-100 vial and FlexTouch pen	<p><u>Type 2 Diabetes (Initial user and a patient Currently Receiving Levemir): AND Type 1 Diabetes (Initial user) [and all others].</u> 1. Approve if the patient meets the following (a and b): a. Patient has tried one of Tresiba or Insulin Degludec, if formulary; AND Note: If the patient has tried any product from a. regardless of formulary status, criterion a. would be satisfied. b. Patient has tried one of Rezvoglar, Toujeo, Basaglar, Lantus, Insulin Glargine, Insulin Glargine (YFGN), or Semglee (YFGN), if formulary. Note: If the patient has tried any product from b. regardless of formulary status, criterion b. would be satisfied. Note: If there are no formulary products in a or b, approve. 2. Patients < 6 years of age: approve if the patient has tried one of Tresiba or Insulin Degludec, if formulary. If neither are formulary, approve. Note: If the patient has tried either product listed in 2. regardless of formulary status, criterion 2. would be satisfied. 3. Pregnant patients: approve. <u>Type 1 Diabetes, Continuation of Therapy with Levemir.</u> 4. If the patient has Type 1 diabetes and is currently taking Levemir, approve.</p>	1 year	Yes		4/17/2023	Yes
Diabetes Agents - Insulin (Basal)	Rezvoglar	insulin glargine-aglr 100 units/mL Kwikpen	<p>1. Patient is directed to use Semglee (YFGN) or Insulin glargine (YFGN) [authorized generic of Semglee (YFGN)], if formulary. If neither are formulary, approve. 2. Approve if the patient has tried and cannot use Semglee (YFGN) or Insulin glargine (YFGN) due to a formulation difference in the inactive ingredient(s) [e.g., differences in stabilizing agent, buffering agent, and/or surfactant] which, according to the prescriber, would result in a significant allergy or serious adverse reaction [documentation required]. Note: If the patient had a trial of Insulin glargine (YFGN) and cannot use due to a formulation difference, an additional trial of Semglee (YFGN) would not be required and vice-versa, regardless of the formulary status of these products.</p>	1 year	Yes		4/17/2023	No
Diabetes Agents - Insulin (Basal)	Semglee (non YFGN)	insulin glargine U-100 vial and pen	<p>1. Patient is directed to use Semglee (YFGN) [brand] or Insulin glargine-YFGN, if formulary. 2. If neither are formulary, approve if the patient has tried one of Rezvoglar, Lantus, Insulin Glargine (authorized generic of Lantus), or Basaglar, if formulary. If Rezvoglar, Lantus, Insulin Glargine (authorized generic of Lantus), and Basaglar are non-formulary, approve. Note: If the patient has tried any product from 2. regardless of formulary status, criterion 2 would be satisfied.</p>	1 year	Yes		4/17/2023	Yes
Diabetes Agents – Insulin (Basal)	Insulin Degludec	insulin degludec vial and FlexTouch pen U-100 and U-200	<p>Patient is directed to use Tresiba (brand), if formulary. If Tresiba (brand) is non-formulary, approve if the patient meets 1, 2, 3, or 4 below: <u>All patients < 6 years (Type 1, Type 2, all others).</u> 1. Patients < 6 years of age: approve. <u>Type 2 Diabetes (Initial user and a Patient Currently Receiving Tresiba) [and all others].</u> 2. Approve if the patient has tried one of Rezvoglar, Toujeo, Insulin glargine U300, Basaglar, Lantus, Semglee (YFGN), Insulin Glargine (YFGN), if formulary. Note: If the patient has tried any product above regardless of formulary status, this criterion would be satisfied. Note: If there are no formulary products in this criterion, approve. <u>Type 1 Diabetes (Initial user).</u> 3. Patients with Type 1 diabetes- approve if the patient has tried one formulary product from the following list: Rezvoglar, Basaglar, Lantus, Semglee (YFGN), Insulin Glargine (YFGN), Toujeo, or Insulin glargine U300. If none are formulary, approve. Note: If the patient has tried any product from 3. regardless of formulary status, criterion 3 would be satisfied. <u>Type 1 Diabetes, Continuation of therapy with Insulin Degludec or Tresiba.</u> 4. If the patient has Type 1 diabetes and is currently taking Tresiba or Insulin Degludec, approve.</p>	1 year	Yes		1/10/2024	Yes
Diabetes Agents – Insulin (Basal) and Glucagon-Like Peptide-1 (GLP-1) Agonist Combination	Xultophy	insulin degludec/liraglutide injection	<p>Approve if the patient has tried Soliqua, if formulary. If Soliqua is non-formulary, approve if the patient has tried two formulary basal insulins (if two are formulary or one if one is formulary): a glargine product (Basaglar, Lantus, Insulin Glargine [YFGN], Semglee [YFGN], Toujeo, Insulin glargine U300), or a degludec product (Tresiba or Insulin Degludec) AND three formulary glucagon-like peptide-1 (GLP-1) agonists (if three are formulary, or two if two are formulary or one if one is formulary): an exenatide product (Bydureon BCise, Byetta), Ozempic, Trulicity, or Victoza. If none of the basal insulin products or none of the GLP-1 agonists are formulary, approve. Note: Lantus, Insulin Glargine (YFGN), Semglee (YFGN), Basaglar, Toujeo, and Insulin glargine U300 would count as one alternative. Note: Tresiba and Insulin Degludec would count as one alternative. Note: Bydureon BCise and Byetta would count as one alternative.</p>	1 year	Yes		1/10/2024	Yes
Diabetes Agents - Insulin (Human)	Novolin 70/30 Flexpen and Relion Novolin 70/30 Flexpen	insulin, 70/30 pen	<p>1. Approve if the patient has tried Humulin 70/30 Kwikpens or Humulin 70/30 vials, if formulary. If both Humulin 70/30 Kwikpens and Humulin 70/30 vials are non-formulary, approve. 2. If only Humulin 70/30 vials are formulary, approve in patients who are visually impaired, disabled (unable to draw up dose because of arthritis or otherwise physically disabled), or have coordination issues.</p>	1 year	Yes		6/9/2023	No

Formulary Exception Criteria

Therapy Class	Brand Name	Generic Name	Commercial FE Criteria	Approval Duration	2024 NPF Excluded Medication	Continuation of Therapy Required?	Date Last Reviewed	Utilizes Pref Alts to Operationalize Criteria
Diabetes Agents - Insulin (Human)	Novolin 70/30 vials and Relion Novolin 70/30 vials	insulin, 70/30 vials	Approve if the patient has tried Humulin 70/30 vials or Humulin 70/30 Kwikpens, if formulary. If both Humulin 70/30 vials and Humulin 70/30 Kwikpens are non-formulary, approve.	1 year	Yes		6/9/2023	No
Diabetes Agents - Insulin (Human)	Novolin N Flexpen and Relion Novolin N Flexpen	insulin, NPH pen	1. Approve if the patient has tried Humulin N Kwikpens or Humulin N vials, if formulary. If both Humulin N Kwikpens and Humulin N vials are non-formulary, approve. 2. If only Humulin N vials are formulary, approve in patients who are visually impaired, disabled (unable to draw up dose because of arthritis or otherwise physically disabled), or have coordination issues.	1 year	Yes		6/7/2023	No
Diabetes Agents - Insulin (Human)	Novolin N vials and Relion Novolin N vials	insulin, NPH vials	Approve if the patient has tried Humulin N vials or Humulin N Kwikpens, if formulary. If both Humulin N vials and Humulin N Kwikpens are non-formulary, approve.	1 year	Yes		6/9/2023	No
Diabetes Agents - Insulin (Human)	Novolin R Flexpen and Relion Novolin R U-100 Flexpen	insulin, regular pen	1. Approve if the patient has tried Humulin R U-100 vials, if formulary. If Humulin R U-100 vials are non-formulary, approve. 2. Approve in patients who are visually impaired, disabled (unable to draw up dose because of arthritis or otherwise physically disabled), or have coordination issues.	1 year	Yes		6/9/2023	No
Diabetes Agents - Insulin (Human)	Novolin R R U-100 vials and Relion Novolin R vials	insulin, regular vials	Approve if the patient has tried Humulin R U-100 vials, if formulary. If Humulin R U-100 vials are non-formulary, approve.	1 year	Yes		6/9/2023	No
Diabetes Agents - Insulin (Rapid-Acting and Other)	Admelog	insulin lispro vial, SoloStar (prefilled pen)	Approve if the patient meets one of the following (1 or 2): 1. Patient meets all of the following (A, B, and C): A. Patient has tried Apidra, if formulary; AND B. Patient has tried one of the following, if formulary: Insulin Lispro (authorized generic of Humalog), Humalog, or Lyumjev; AND <u>Note:</u> If the patient has tried any product from B, regardless of formulary status, criterion B would be satisfied. C. Patient has tried one of the following, if formulary: NovoLog, or Insulin Aspart (authorized generic of NovoLog), or Fiasp; OR <u>Note:</u> If the patient has tried any product from C, regardless of formulary status, criterion C would be satisfied. <u>Note:</u> If no products in A, B, or C are formulary, approve. 2. Patient is using an insulin pump that is not compatible with the formulary alternative(s), approve.	1 year	Yes		12/6/2023	Yes
Diabetes Agents - Insulin (Rapid-Acting and Other)	Afrezza	insulin human [rDNA origin] inhalation powder	Approve if the patient meets the following (A, B, C and D): A. Patient has tried Apidra, if formulary; AND B. Patient has tried Fiasp, if formulary; AND C. Patient has tried one of the following, if formulary: NovoLog or Insulin Aspart (authorized generic); AND D. Patient has tried one of the following, if formulary: Insulin Lispro (authorized generic), Humalog, or Admelog. <u>Note:</u> If no products in A, B, C, or D are formulary, approve. <u>Note:</u> The same product with different dosage forms count as one alternative (e.g., Humalog vial and Humalog Kwikpen would count as one alternative).	1 year	Yes		10/4/2023	Yes
Diabetes Agents - Insulin (Rapid-Acting and Other)	Apidra	insulin glulisine vial/Solostar (prefilled pen)	Approve if the patient meets one of the following (1 or 2): 1. Patient meets both of the following (A and B): A. Patient has tried one of the following, if formulary: Insulin Lispro (authorized generic of Humalog), Humalog, Lyumjev, or Admelog; AND <u>Note:</u> If the patient has tried any product from A, regardless of formulary status, criterion A would be satisfied. B. Patient has tried one of the following, if formulary: NovoLog or Insulin Aspart (authorized generic of NovoLog), or Fiasp; OR <u>Note:</u> If the patient has tried any product from B, regardless of formulary status, criterion B would be satisfied. <u>Note:</u> If no products in A or B are formulary, approve. 2. Patient is using an insulin pump that is not compatible with the formulary alternative(s), approve.	1 year	Yes		12/6/2023	Yes
Diabetes Agents - Insulin (Rapid-Acting and Other)	Fiasp	insulin aspart injection vial, pen, cartridge, PumpCart	Approve if the patient meets one of the following (1 or 2): 1. Patient meets all of the following (A, B, and C): A. Patient has tried Apidra, if formulary; AND B. Patient has tried one of the following, if formulary: Insulin Lispro (authorized generic of Humalog), Humalog, Lyumjev, or Admelog; AND <u>Note:</u> If the patient has tried any product from B, regardless of formulary status, criterion B would be satisfied. C. Patient has tried one of the following, if formulary: NovoLog or Insulin Aspart (authorized generic of NovoLog); OR <u>Note:</u> If the patient has tried any product from C, regardless of formulary status, criterion C would be satisfied. <u>Note:</u> If no products in A, B, or C are formulary, approve. 2. Patient is using an insulin pump that is not compatible with the formulary alternative(s), approve.	1 year	Yes		9/21/2023	Yes
Diabetes Agents - Insulin (Rapid-Acting and Other)	Insulin Lispro JR	Insulin lispro JR	Direct the patient to Humalog JR (brand). If Humalog JR (brand) is non-formulary, approve if the patient meets the following (A or B): A. Patient meets the following (i, ii, and iii): i. Patient has tried Apidra, if formulary; AND ii. Patient has tried one of the following, if formulary: Novolog, Insulin Aspart (authorized generic of Novolog), or Fiasp; AND iii. Patient has tried Admelog, if formulary; OR B. Patient requires ½ unit dosing. <u>Note:</u> If no products in A i, ii, or iii are formulary, approve. <u>Note:</u> The same product with different dosage forms count as one alternative (e.g., Fiasp vial, Fiasp Flextouch, Fiasp penfil would all count as one alternative).	1 year	Yes		8/30/2023	Yes
Diabetes Agents - Insulin (Rapid-Acting and Other)	Insulin Lispro Mix 75/25	75% Insulin lispro protamine/25% insulin lispro Kwikpen	Direct the patient is Humalog 75/25 (brand), if formulary. If Humalog 75/25 (brand) is non-formulary, approve if the patient has tried one of Novolog 70/30 or Insulin Aspart Protamine-Insulin Aspart Mix, if formulary. If neither are formulary, approve.	1 year	Yes		10/4/2023	Yes

Formulary Exception Criteria

Therapy Class	Brand Name	Generic Name	Commercial FE Criteria	Approval Duration	2024 NPF Excluded Medication	Continuation of Therapy Required?	Date Last Reviewed	Utilizes Pref Alts to Operationalize Criteria
Diabetes Agents - Insulin (Rapid-Acting and Other)	NovoLog 70/30 and authorized generic (insulin aspart protamine-insulin aspart) and Relion Novolog 70/30	insulin aspart protamine/insulin aspart, Flexpen (prefilled syringe)/vial	Approve if the patient has tried Humalog 75/25, if formulary. If Humalog 75/25 is non-formulary, approve.	1 year	Yes		10/4/2023	Yes
Diabetes Agents - Insulin (Rapid-Acting and Other)	NovoLog and authorized generic (insulin aspart) and Relion Novolog	insulin aspart syringe, cartridge/Flexpen (prefilled syringe)/vial	Approve if the patient meets one of the following (1 or 2): 1. Approve if the patient meets all of the following (A, B, and C): A. Patient has tried Apidra, if formulary; AND B. Patient has tried Fiasp, if formulary; AND C. Patient has tried one of following, if formulary: Insulin Lispro (authorized generic of Humalog), Humalog, Lyumjev, or Admelog; OR Note: If the patient has tried any product from C. regardless of formulary status, criterion C would be satisfied. Note: If no products in A, B, or C are formulary, approve. 2. Patient is using an insulin pump that is not compatible with the formulary alternative(s), approve.	1 year	Yes		12/6/2023	Yes
Diabetes Agents - Other	Glumetza	metformin extended-release tablets	Approve if the patient has tried BOTH one metformin immediate-release tablet product AND two other formulary metformin extended-release products (if two are formulary or one if one is formulary): metformin extended-release tablets or Fortamet (brand or generic). NOTE: A trial of Glumetza would NOT count toward this requirement.	1 year	Yes		11/8/2023	No
Diabetes Agents - Other	metformin immediate release 625 mg	metformin immediate-release tablet 625 mg	Approve if the patient had inadequate efficacy OR significant intolerance with metformin 500 mg, 850 mg, or 1000 mg immediate-release tablets.	1 year	Yes		8/30/2023	No
Diabetes Agents - Sodium Glucose Co-Transporter-2 (SGLT-2) Inhibitor Combination Products	Invokamet	canagliflozin and metformin tablets	Approve if the patient has tried four formulary alternatives from the following list, if formulary (or three if three are formulary or two if two are formulary or one if one is formulary): Invokamet XR, Synjardy, Synjardy XR, Segluromet, or Xigduo XR. If none are formulary, approve if the patient has tried metformin (Glucophage, Glucophage ER, generics) AND four formulary alternatives from the following list, if formulary (or three if three are formulary or two if two are formulary or one if only one is formulary): Farxiga, Invokana, Jardiance, or Steglatro. Note: Synjardy and Synjardy XR would count as one alternative.	1 year	Yes		9/7/2023	Yes
Diabetes Agents - Sodium Glucose Co-Transporter-2 (SGLT-2) Inhibitor Combination Products	Invokamet XR	canagliflozin and metformin extended-release tablets	Approve if the patient has tried four formulary alternatives from the following list, if formulary (or three if three are formulary or two if two are formulary or one if one is formulary): Invokamet (not XR), Synjardy, Synjardy XR, Xigduo XR, or Segluromet. If none are formulary, approve if the patient has tried metformin (Glucophage, Glucophage ER, generics) AND four formulary alternatives from the following list, if formulary (or three if three are formulary or two if two are formulary or one if one is formulary): Farxiga, Invokana, Jardiance, or Steglatro. Note: Synjardy and Synjardy XR would count as one alternative.	1 year	Yes		9/7/2023	Yes
Diabetes Agents - Sodium Glucose Co-Transporter-2 (SGLT-2) Inhibitors	Brenzavvy	bexagliflozin tablets	1. Approve if the patient has tried BOTH Farxiga AND Jardiance, if both are formulary (or one if one is formulary). If neither are formulary, approve. 2. If the patient's estimated glomerular filtration rate is less than 45 mL/minute, approve if the patient has tried Jardiance, if formulary. If Jardiance is non-formulary, approve.	1 year	Yes		8/16/2023	No
Diabetes Agents - Sodium Glucose Co-Transporter-2 (SGLT-2) Inhibitors	Inpefa	sotagliflozin tablets	<u>Patients with one of the following: 1) Heart Failure OR 2) Type 2 diabetes, Chronic Kidney Disease (CKD), and Other cardiovascular (CV) risk factors.</u> Approve if the patient has tried, and according to the prescriber, experienced inadequate efficacy OR significant intolerance with BOTH Farxiga and Jardiance, if formulary (or one if one is formulary). If neither are formulary, approve.	1 year	Yes		7/28/2023	No
Diabetes Agents - Sodium Glucose Co-Transporter-2 (SGLT-2) Inhibitors	Invokana	canagliflozin tablets	1. Approve if the patient has tried, and according to the prescriber, experienced inadequate efficacy OR significant intolerance with BOTH products from the following list (or one if only one is formulary): Farxiga and Jardiance. If neither are formulary, approve. 2. If Invokana is being used for glycemic control and the patient's estimated glomerular filtration rate is less than 45 mL/minute, approve if the patient has tried and, according to the prescriber, experienced inadequate efficacy OR significant intolerance with Jardiance, if formulary. If Jardiance is non-formulary, approve. 3. If the patient has diabetic kidney disease, approve if the patient has tried and, according to the prescriber, experienced inadequate efficacy OR significant intolerance with Farxiga, if formulary. If Farxiga is non-formulary, approve.	1 year	Yes		7/28/2023	No
Diabetes Agents - Sulfonurea	glipizide 2.5 mg	glipizide 2.5 mg	Approve if the patient's prescribed dose cannot be obtained with glipizide 5 mg. Note: The patient is NOT required to split the 5 mg tablets in half.	1 year	Yes		11/6/2023	No
Diabetic Pen Needles	Pen needles by Arkray, Home Aide Diagnostics, HTL-Strefa, Nipro Diagnostics, Novo Nordisk, Owen Mumford, Simple Diagnostics, Ultimed, all other diabetic pen needles that are not BD	Pen needles by Arkray, Home Aide Diagnostics, HTL-Strefa, Nipro Diagnostics, Novo Nordisk, Owen Mumford, Simple Diagnostics, Ultimed, all other diabetic pen needles that are not BD	1. Approve if the patient has tried one formulary pen needle. If none are formulary, approve. 2. Approve if the prescriber states the patient requires a needle of the requested length and/or gauge which is not available as a formulary product. Note: NPF prefers BD products.	1 year	Yes		1/1/2023	Yes

Formulary Exception Criteria

Therapy Class	Brand Name	Generic Name	Commercial FE Criteria	Approval Duration	2024 NPF Excluded Medication	Continuation of Therapy Required?	Date Last Reviewed	Utilizes Pref Alts to Operationalize Criteria
Diabetic Supplies	Diabetic Supplies	Blood glucose meters/test strips/control solutions	<p>1. Approve if the patient has tried one formulary meter/test strip/control solution. If none are formulary, approve.</p> <p>2. Patients using an insulin pump/meter system that is not compatible with one of the available formulary alternatives: approve.</p> <p>3. If the request is for Freestyle Precision Neo strips for use in a Freestyle Libre reader, approve.</p> <p>4. Patients who are blind or significantly visually impaired who are requesting a meter with audio capabilities: approve if the patient has tried one other formulary meter with audio capabilities, approve.</p> <p>Note: Meters with audio capabilities include Advocate (Redi-Code plus speaking meter), Arkray (Glucocard Expression, Glucocard Shine Express), Foracare (Fora D40D, Fora D40G, For a Gtel, Fora Premium V10 BLE, Fora Test N' Go Advance Voice, Fora Tn'G Voice, Fora V30), Oak Tree Health (EasyMax V, Fortiscare V3), Omnis Health (Embrace Talk), Prodigy (Prodigy Autocode, Prodigy Voice), Relion Premier Voice.</p>	1 year	Yes - certain diabetic supplies		9/7/2023	Yes
Diabetic Supplies – Continuous Glucose Monitoring Systems	Other continuous glucose monitoring systems (receiver/reader, transmitter, sensor) [That are NOT Dexcom 6 or Freestyle Libre 2 or Freestyle Libre 3], this includes Bigfoot Unity Program Kit	Other continuous glucose monitoring systems (receiver/reader, transmitter, sensor) [That are NOT Dexcom 6 or Freestyle Libre 2 or Freestyle Libre 3]	<p>A diabetic patient using an insulin regimen.</p> <p>Note: This includes patients on a basal insulin regimen, basal and prandial insulin regimen, or continuous subcutaneous insulin infusion (insulin pump).</p> <p>1. Approve if the patient has tried BOTH of the following systems, if formulary: 1) Freestyle Libre 2 or Freestyle Libre 3 AND 2) Dexcom G6 or Dexcom G7. If none are formulary, approve.</p> <p>Note: If only a Freestyle Libre product is formulary and the patient has tried a different Freestyle Libre product (e.g., Freestyle Libre 10- or 14 day- product), approve.</p> <p>Note: If only a Dexcom product is formulary and the patient has tried a different Dexcom product (e.g., Dexcom G4 or G5), approve.</p> <p>2. If the patient is using an insulin pump system that is not compatible with one of the formulary alternatives: approve.</p>	1 year	Yes - Bigfoot Unity Program Kit		11/21/2023	No
Diabetic Supplies – Other	Tempo Refill Kit	Tempo Lancets, strips, and Pen needles	<p>Approve if the patient meets the following (1, 2, and 3):</p> <p>1. Patient will use or is using this product concomitantly with a Tempo Insulin Pen; AND</p> <p>2. Patient has tried standard insulin products; AND</p> <p>3. Patient was unable to adhere to a regimen using standard insulin products, according to the prescriber [documentation required].</p> <p>Note: Document the specific issue(s) with adherence that would be solved by the use of a Tempo product.</p>	6 months	Yes		2/3/2023	No
Diabetic Supplies – Other	Tempo Smart Button	Tempo Smart Button	<p>Approve if the patient meets the following (1, 2, and 3):</p> <p>1. Patient will use or is using this product concomitantly with a Tempo Insulin Pen; AND</p> <p>2. Patient has tried standard insulin products; AND</p> <p>3. Patient was unable to adhere to a regimen using standard insulin products, according to the prescriber [documentation required].</p> <p>Note: Document the specific issue(s) with adherence that would be solved by the use of a Tempo product.</p>	6 months	Yes		2/3/2023	No
Diabetic Supplies – Other	Tempo Welcome Kit	Tempo Smart Button; Tempo Blood Glucose Monitoring System, Lancets, Strips, and Pen needles	<p>Approve if the patient meets the following (1, 2, and 3):</p> <p>1. Patient will use or is using this product concomitantly with a Tempo Insulin Pen; AND</p> <p>2. Patient has tried standard insulin products; AND</p> <p>3. Patient was unable to adhere to a regimen using standard insulin products, according to the prescriber [documentation required].</p> <p>Note: Document the specific issue(s) with adherence that would be solved by the use of a Tempo product.</p>	6 months	Yes		2/3/2023	No
Diabetic Syringes	Syringes by Arkray, Home Aide Diagnostics, HTL-Strefa, Nipro Diagnostics, Novo Nordisk, Owen Mumford, Simple Diagnostics, Ultimed, all other syringes that are not BD	Syringes by Arkray, Home Aide Diagnostics, HTL-Strefa, Nipro Diagnostics, Novo Nordisk, Owen Mumford, Simple Diagnostics, Ultimed, all other syringes that are not BD	<p>1. Approve if the patient has tried one formulary syringe. If none are formulary, approve.</p> <p>2. Approve if the prescriber states the patient requires a needle of the requested length and/or gauge which is not available as a formulary product.</p> <p>Note: NPF prefers BD products</p>	1 year	Yes		1/1/2023	Yes
Direct Muscle Relaxants	Amrix and generic	cyclobenzaprine extended-release 15 mg and 30 mg capsule	Approve if the patient has tried and cannot take cyclobenzaprine 5 mg or 10 mg tablets (generics), if formulary. If cyclobenzaprine 5 mg or 10 mg tablets (generics) are non-formulary, approve.	1 year	Yes		12/27/2022	No
Direct Muscle Relaxants	Methocarbamol 1,000 mg tablets (brand)	methocarbamol 1,000 mg tablets	<p>1. Direct the patient to methocarbamol 500 mg tablets.</p> <p>2. Approve if, according to the prescriber, there is a significant clinical concern such that the patient is unable to use the methocarbamol 500 mg tablets.</p>	1 year	Yes		12/1/2023	No
Direct Muscle Relaxants – Baclofen Agents	Fleqsuvy	baclofen oral suspension, concentrated formulation	<p>1. Direct to oral baclofen tablets.</p> <p>2. Patient is unable to or has difficulty swallowing oral tablets, approve if the patient has tried baclofen 25 mg/5ml oral suspension (generic of Fleqsuvy), if formulary. If baclofen 25 mg/5ml oral suspension (generic of Fleqsuvy) is non-formulary, approve if the patient has tried one of 1) Ozobax solution or 2) Lvyispah oral granules, if formulary. If neither are formulary, approve.</p>	1 year	Yes		8/25/2023	No
Direct Muscle Relaxants – Baclofen Agents	Lvyispah	baclofen oral granules	<p>1. Direct the patient to oral baclofen tablets.</p> <p>2. If Lvyispah will be administered via a feeding tube, approve.</p> <p>3. Patient is unable to or has difficulty swallowing oral tablets, approve if the patient has tried one of 1) Ozobax solution or 2) baclofen 25mg/5ml oral suspension (Fleqsuvy suspension, generics), if formulary. If neither are formulary, approve.</p>	1 year	Yes		8/25/2023	No

Formulary Exception Criteria

Therapy Class	Brand Name	Generic Name	Commercial FE Criteria	Approval Duration	2024 NPF Excluded Medication	Continuation of Therapy Required?	Date Last Reviewed	Utilizes Pref Alts to Operationalize Criteria
Direct Muscle Relaxants – Baclofen Agents	Ozobax, Ozobax DS, and authorized generics	baclofen oral solution	1. Direct to oral baclofen tablets. 2. Patient is unable to or has difficulty swallowing oral tablets, approve if the patient has tried one of 1) baclofen 25 mg/5ml oral suspension (Fleqsuvy suspension, generics) or 2) Lyvispah oral granules, if formulary. If neither are formulary, approve.	1 year	Yes		11/6/2023	No
Direct Renin Inhibitors	Tekturna	aliskiren tablets	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Duchenne Muscular Dystrophy (DMD) Agents	Amondys 45	casimersen intravenous	No exceptions are recommended. The effectiveness of Amondys 45 has not been established at this time. (NOTE: It is not appropriate to use standard global criteria for this medication; Denial reason is: No exceptions are recommended. The effectiveness of Amondys 45 has not been established at this time.)	N/A	Yes		1/12/2023	No
Duchenne Muscular Dystrophy (DMD) Agents	Elevidys	delandistrogene moxeparovvec-rokl intravenous infusion	No exceptions are recommended. The effectiveness of Elevidys has not been established at this time. (NOTE: It is not appropriate to use standard global criteria for this medication; Denial reason is: No exceptions are recommended. The effectiveness of Elevidys has not been established at this time.)	N/A	Yes		7/20/2023	No
Duchenne Muscular Dystrophy (DMD) Agents	Emflaza	deflazacort tablets and oral suspension	See standard <i>Muscular Dystrophy – Emflaza Prior Authorization Policy</i> criteria.	1 year	Yes		6/22/2023	No
Duchenne Muscular Dystrophy (DMD) Agents	Exondys 51	eteplirsen injection for intravenous use	No exceptions are recommended. The effectiveness of Exondys 51 has not been established at this time. (NOTE: It is not appropriate to use standard global criteria for this medication; Denial reason is: No exceptions are recommended. The effectiveness of Exondys 51 has not been established at this time.)	N/A	Yes		1/12/2023	No
Duchenne Muscular Dystrophy (DMD) Agents	Viltepso	viltolarsen injection for intravenous infusion	No exceptions are recommended. The effectiveness of Viltepso has not been established at this time. (NOTE: It is not appropriate to use standard global criteria for this medication; Denial reason is: No exceptions are recommended. The effectiveness of Viltepso has not been established at this time.)	N/A	Yes		1/12/2023	No
Duchenne Muscular Dystrophy (DMD) Agents	Vyondys 53	golodirsen injection for intravenous use	No exceptions are recommended. The effectiveness of Vyondys 53 has not been established at this time. (NOTE: It is not appropriate to use standard global criteria for this medication; Denial reason is: No exceptions are recommended. The effectiveness of Vyondys 53 has not been established at this time.)	N/A	Yes		1/12/2023	No
Endocrine Drugs – Repository Corticotropin	Cortrophin Gel (Purified)	repository corticotropin subcutaneous or intramuscular injection	No exceptions are recommended. There is a lack of updated clinical efficacy data and potential safety concerns with long-term use. (NOTE: It is not appropriate to use standard global criteria for this medication; Denial reason is: No exceptions are recommended. There is a lack of updated clinical efficacy data and insufficient information to determine clinically meaningful benefits.)	N/A	Yes		3/3/2023	No
Endocrine Drugs - Miscellaneous	Samsca	tolvaptan tablets	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Endocrine Drugs - Miscellaneous	Sensipar	cinacalcet tablets	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Epinephrine Self-Administered Injectables	epinephrine auto-injector	epinephrine 0.15 mg, 0.3 mg auto-injector authorized generic (Amneal Pharmace, Avkare, A-S Medication)	Approve if the patient has tried one product from the following list, if one is formulary: epinephrine auto-injector (EpiPen/EpiPen Jr., generics). If none are formulary, approve.	1 year	Yes		10/4/2023	Yes
Erectile Dysfunction Agents - Phosphodiesterase Type 5 (PDE-5) Inhibitors	Cialis	tadalafil tablets	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Erectile Dysfunction Agents - Phosphodiesterase Type 5 (PDE-5) Inhibitors	Viagra	sildenafil tablets	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Erythroid Stimulants (ESAs)	Aranesp	darbepoetin alfa	Approve if the patient has tried one product from the following list: Epogen, Procrit or Retacrit [documentation required] , if one is formulary. If none are formulary, approve.	1 year	Yes		9/7/2023	Yes

Formulary Exception Criteria

Therapy Class	Brand Name	Generic Name	Commercial FE Criteria	Approval Duration	2024 NPF Excluded Medication	Continuation of Therapy Required?	Date Last Reviewed	Utilizes Pref Alts to Operationalize Criteria
Erythroid Stimulants (ESAs)	Epogen	epoetin alfa	<p>1. Approve if the patient meets the following criteria (A and B):</p> <p>A. Patient meets the following criteria (i and ii):</p> <p>i. Patient has tried both products from the following list, if formulary (or one if only one is formulary): Procrit and Retacrit [documentation required]; AND</p> <p>Note: If neither are formulary, would still need to meet criteria B, if Aranesp is formulary.</p> <p>ii. Patient cannot continue to use each formulary alternative due to a formulation difference in the inactive ingredient(s) [e.g., differences in stabilizing agent, buffering agent, and/or surfactant] which, according to the prescriber, would result in a significant allergy or serious adverse reaction; AND</p> <p>B. Patient has tried Aranesp, if formulary [documentation required].</p> <p>Note: If none of the following products are formulary: Aranesp, Procrit, and Retacrit, approve.</p> <p>2. Pediatric patients with anemia due to cancer chemotherapy; Patients undergoing surgery requesting agent for the reduction of allogeneic red blood cell transfusion; Patients with anemia and human immunodeficiency virus (HIV) infection who are receiving zidovudine:</p> <p>Patient meets the following criteria (i and ii):</p> <p>i. Patient has tried both products from the following list, if formulary (or one if only one is formulary): Procrit and Retacrit [documentation required]; AND</p> <p>Note: If neither are formulary, approve.</p> <p>ii. Patient cannot continue to use each formulary alternative due to a formulation difference in the inactive ingredient(s) [e.g., differences in stabilizing agent, buffering agent, and/or surfactant] which, according to the prescriber, would result in a significant allergy or serious adverse reaction.</p>	1 year	Yes		9/7/2023	Yes
Erythroid Stimulants (ESAs)	Mircera	methoxy polyethylene glycol-epoetin beta solution for injection	<p>Approve if the patient meets the following criteria (1 AND 2):</p> <p>1. Patient has tried one epoetin alpha product from the following list, if formulary: Epogen, Procrit, or Retacrit [documentation required]; AND</p> <p>Note: If none are formulary, would still need to meet criteria 2, if Aranesp is formulary.</p> <p>2. Patient has tried Aranesp, if formulary [documentation required].</p> <p>Note: If none of the following products are formulary: Aranesp, Epogen, Procrit, and Retacrit, approve.</p> <p>Note: The requirements are that one epoetin alpha product and Aranesp have been tried, if both are formulary. If only epoetin alpha product(s) is/are formulary and the patient has tried an epoetin alpha product, then the request should be approved.</p>	1 year	Yes		9/7/2023	Yes
Estrogen and Estrogen Combination Products (Topical)	Climara Pro	estradiol/levonorgestrel patch	<p>Approve if the patient has tried CombiPatch, if formulary. If CombiPatch is non-formulary, approve if the patient has tried one oral estrogen/progestin combination product (e.g., estradiol/norethindrone [Activella, generics], Prempro, Premphase, ethinyl estradiol/norethindrone acetate [Femhrt, generics], Prefest, Angeliq).</p>	1 year	Yes		7/19/2023	Yes
Estrogen and Estrogen Combination Products (Topical)	Divigel	estradiol gel 0.1%	<p>NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product.</p> <p>Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required].</p>	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	Yes
Estrogen and Estrogen Combination Products (Topical)	Elestrin	estradiol gel 0.06%	<p>Approve if the patient meets BOTH of the following (A and B):</p> <p>A. Patient has tried one formulary non-patch topical estradiol product: Estroge, estradiol gel (transdermal) [Divigel, generics] Evamist, if one is formulary; AND</p> <p>B. Patient has tried one estradiol patch (e.g., Alora, estradiol patch [Climara, Vivelle Dot generics], Minivelle [generics]).</p> <p>Note: If no transdermal gels or sprays are formulary, the patient would still need to try an estradiol patch.</p>	1 year	Yes		1/6/2023	Yes
Estrogen and Estrogen Combination Products (Topical)	Estroge	estradiol gel 0.06%	<p>Approve if the patient meets BOTH of the following (A and B):</p> <p>A. Patient has tried one formulary non-patch topical estradiol product: Elestrin, Evamist, estradiol gel (transdermal) [Divigel, generics] if one is formulary; AND</p> <p>B. Patient has tried one estradiol patch (e.g., Alora, estradiol patch [Climara, Vivelle Dot generics], Minivelle [generics]).</p> <p>Note: If no transdermal gels or sprays are formulary, the patient would still need to try an estradiol patch.</p>	1 year	Yes		1/6/2023	Yes
Estrogen and Estrogen Combination Products (Topical)	Evamist	estradiol transdermal spray	<p>Approve if the patient meets BOTH of the following (A and B):</p> <p>A. Patient has tried one formulary non-patch topical estradiol product: Elestrin, estradiol gel (transdermal) [Divigel, generics], Estroge, if one is formulary; AND</p> <p>B. Patient has tried one estradiol patch (e.g., Alora, estradiol patch [Climara, Vivelle Dot generics], Minivelle [generics]).</p> <p>Note: If no transdermal gels or sprays are formulary, the patient would still need to try an estradiol patch.</p>	1 year	Yes		1/6/2023	Yes
Estrogen and Estrogen Combination Products (Topical)	Minivelle	estradiol transdermal patch	<p>NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product.</p> <p>Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required].</p>		MSB Exclusion *This criteria applies only to the NPF		N/A	No
Estrogen and Estrogen Combination Products (Topical)	Vivelle-Dot	estradiol transdermal patch	<p>NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product.</p> <p>Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required].</p>	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Estrogen Combination Products (Oral)	Bijuva	estradiol 1 mg and progesterone 100 mg capsules	<p>Approve if the patient meets the following (A, B and C):</p> <p>A. Patient has tried and, according to the prescriber, has experienced inadequate efficacy OR significant intolerance with one product from the following list, if formulary: Activella (including generics of Activella: Mimvey, Amabelz, and estradiol-norethindrone); AND</p> <p>B. Patient has tried and, according to the prescriber, has experienced inadequate efficacy OR significant intolerance with one product from the following list: Femhrt (including generics of Femhrt: Jinteli, Fyavolv, norethindrone-ethinyl estradiol); AND</p> <p>C. Patient has tried and, according to the prescriber, has experienced inadequate efficacy OR significant intolerance with one of Premphase or Prempro, if formulary.</p> <p>Note: If none are formulary in A, B and C, approve. If none are formulary in A, B, or C, the other(s) would still need to be tried.</p>	1 year	Yes		1/26/2023	No
Estrogen Combination Products (Oral)	Premphase	conjugated estrogens/medroxyprogesterone tablets	<p>Approve if the patient meets the following (A, B, and C):</p> <p>A. Patient has tried and, according to the prescriber, has experienced inadequate efficacy OR significant intolerance with one product from the following list, if formulary: Femhrt (including generics of Femhrt: Jinteli, Fyavolv, norethindrone-ethinyl estradiol); AND</p> <p>B. Patient has tried and, according to the prescriber, has experienced inadequate efficacy OR significant intolerance with one product from the following list, if formulary: Activella (including generics of Activella: Mimvey, Amabelz, and estradiol-norethindrone); AND</p> <p>C. Patient has tried and, according to the prescriber, has experienced inadequate efficacy OR significant intolerance with Bijuva.</p> <p>Note: If none are formulary in A, B, and C, approve. If none are formulary in A, B, or C, the other(s) would still need to be tried.</p>	1 year	Yes		1/26/2023	No

Formulary Exception Criteria

Therapy Class	Brand Name	Generic Name	Commercial FE Criteria	Approval Duration	2024 NPF Excluded Medication	Continuation of Therapy Required?	Date Last Reviewed	Utilizes Pref Alts to Operationalize Criteria
Estrogen Combination Products (Oral)	Prempro	conjugated estrogens/ medroxyprogesterone tablets	Approve if the patient meets the following (A, B, and C): A. Patient has tried and, according to the prescriber, has experienced inadequate efficacy OR significant intolerance with one product from the following list, if formulary: Femhrt (including generics of Femhrt: Jinteli, Fyavolv, norethindrone-ethinyl estradiol); AND B. Patient has tried and, according to the prescriber, has experienced inadequate efficacy OR significant intolerance with one product from the following list, if formulary: Activella (including generics of Activella: Mimvey, Amabelz, and estradiol-norethindrone); AND C. Patient has tried and, according to the prescriber, has experienced inadequate efficacy OR significant intolerance with Bijuva. Note: If none are formulary in A, B, and C, approve. If none are formulary in A, B, or C, the other(s) would still need to be tried.	1 year	Yes		1/26/2023	No
Estrogen Products (Oral)	Menest	esterified estrogens tablets	Approve if the patient has tried and, according to the prescriber, has experienced inadequate efficacy OR significant intolerance with two products (or one if one is formulary) from the following list: estradiol tablets (Estrace, generics) and Premarin tablets. If neither are formulary, approve.	1 year	Yes		9/7/2023	Yes
Estrogen Products (Oral)	Premarin	conjugated estrogens tablets	Approve if the patient has tried and, according to the prescriber, has experienced inadequate efficacy OR significant intolerance with two products (or one if one is formulary) from the following list: estradiol tablets (Estrace, generics) and Menest tablets. If neither are formulary, approve.	1 year	Yes		9/7/2023	Yes
Estrogen Products (Vaginal)	Estrace Cream	estradiol cream	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year		MSB Exclusion *This criteria applies only to the NPF	N/A	No
Estrogen Products (Vaginal)	Estring	estradiol 2 mg vaginal ring	1. Approve if the patient has tried two formulary alternatives from the following list (or one if only one is formulary): Imvexxy vaginal insert, Femring vaginal ring, Premarin Cream, estradiol 0.01% cream (Estrace Cream, generics), or estradiol vaginal tablet (e.g., Yuvafem, Vagifem, generics). If none are formulary, approve. 2. If according to the prescriber, the patient requires a low-dose vaginal product, approve if the patient has tried one of Imvexxy vaginal insert or estradiol vaginal tablets (e.g., Yuvagen, Vagifem, generics), if formulary. If neither are formulary, approve.	1 year	Yes		9/7/2023	No
Estrogen Products (Vaginal)	Femring	estradiol vaginal ring (0.05 mg and 0.10 mg)	Approve if the patient has tried two formulary alternatives from the following list (or one if only one is formulary): Imvexxy vaginal insert, Premarin cream, estradiol 0.01% cream (Estrace Cream, generics), Estring vaginal ring, estradiol vaginal tablet (e.g., Yuvafem, Vagifem, generics), estradiol patch (Climara, generics), estradiol patch (Vivelle Dot, generics), Menostar patch, estradiol tablets (Estrace, generics), Menest tablets, or Premarin tablets. If none are formulary, approve.	1 year	Yes		7/14/2023	No
Estrogen Products (Vaginal)	Imvexxy	estradiol vaginal insert	1. Approve if the patient has tried two formulary alternatives from the following list (or one if only one is formulary): Premarin vaginal cream, Femring vaginal ring, estradiol 0.01% cream (Estrace Cream, generics), Estring vaginal ring, or estradiol vaginal tablet (e.g., Yuvafem, Vagifem, generics). If none are formulary, approve. 2. If according to the prescriber, the patient requires a low-dose vaginal product, approve if the patient has tried one of Estring or estradiol vaginal tablets (e.g., Yuvagen, Vagifem, generics), if formulary. If neither are formulary, approve.	1 year	Yes		9/7/2023	No
Estrogen Products (Vaginal)	Vagifem	estradiol vaginal tablet	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year		MSB Exclusion *This criteria applies only to the NPF	N/A	No
Factor Deficiency Agents and Related Products	NovoSeven RT	Factor VIIa (recombinant) powder for injection	1. Hemophilia A with Inhibitors; Hemophilia B with Inhibitors: Approve if the patient meets the following criteria (a, b, c, or d): a. The patient has tried Sevenfact, if formulary. If Sevenfact is non-formulary, approve; OR b. The patient is less than 12 years of age; OR c. The patient has an allergy to rabbits or rabbit-derived products; OR d. The patient is currently receiving NovoSeven RT or has received NovoSeven RT in the past. 2. Congenital Factor VII Deficiency, approve. 3. Glanzmann's Thrombasthenia, approve. 4. Hemophilia, Acquired, approve.	1 year	Yes	Yes	12/22/2022	Yes
Fc receptor blocker	Rystiggo	rozanolixizumab-noli subcutaneous infusion	Generalized Myasthenia Gravis, anti-acetylcholine receptor antibody positive in a patient ≥18 years of age. 1. Approve if the patient has tried one of Vyvgart intravenous or Vyvgart Hytrulo, if formulary. If neither are formulary, approve. 2. If the patient is unable to obtain and/or maintain intravenous access, approve if the patient has tried Vyvgart Hytrulo, if formulary. If Vyvgart Hytrulo is non-formulary, approve. 3. Approve if the patient has already been started on therapy with Rystiggo. Generalized Myasthenia Gravis, anti-muscle-specific tyrosine kinase antibody-positive in a patient ≥ 18 years of age. Approve.	1 year	Yes	Yes	8/7/2023	No
Fecal Microbiota Agents	Rebyota Rectal Suspension	fecal microbiota, live – jsIm suspension, for rectal use	For the prevention of recurrent Clostridioides difficile infection in a patient ≥ 18 years of age. Approve if the patient has tried Vowst, if formulary. If Vowst is non-formulary, approve.	30 days	Yes		5/30/2023	No
Fenofibrates	Antara, Lipofen and authorized generics	fenofibrate capsules or tablets	Approve if the patient has tried three other formulary fenofibrate products (e.g., TriCor or generic, Antara, Triglide, Lipofen, Fenoglide or generic, Trilipix or generic, generic fenofibrate capsule/ tablets, Fibricor or generic, generic fenofibric acid tablets) or two if only two are formulary, or one if only one is formulary. If none are formulary approve the requested agent.	1 year	Yes		7/19/2023	Yes
Fenofibrates	Tricor	fenofibrate tablets	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year		MSB Exclusion *This criteria applies only to the NPF	N/A	No
Fentanyl Transmucosal Products	Fentora and authorized generic	fentanyl buccal tablet	See <i>Opioids Transmucosal – Fentora FE</i>	1 year	Yes		12/29/2023	No
Fentanyl Transmucosal Products	Subsys	fentanyl sublingual spray	See <i>Opioids Transmucosal – Subsys FE</i>	1 year	Yes		12/29/2023	No
Fertility Agents – Follitropin Ovulatory Stimulants	Follistim AQ	follitropin beta	1. Approve if the patient has tried one product from the following list: Gonal-F/Gonal-F RFF, if formulary. If Gonal-F/Gonal-F RFF is non-formulary, approve. 2. Patient has been started on a current cycle of therapy with Follistim AQ: approve to complete the current cycle.	1 year	Yes		5/5/2023	Yes

Formulary Exception Criteria

Therapy Class	Brand Name	Generic Name	Commercial FE Criteria	Approval Duration	2024 NPF Excluded Medication	Continuation of Therapy Required?	Date Last Reviewed	Utilizes Pref Alts to Operationalize Criteria
Fertility Agents – Gonadotropin-Releasing Hormone (GnRH) Antagonists	ganirelix injection	ganirelix acetate injection	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Gabapentin and Gabapentin-Like Medications	Lyrica	pregabalin capsules	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Gabapentin and Gabapentin-Like Medications	Lyrica CR	pregabalin controlled-release capsules	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Gabapentin and Gabapentin-Like Medications	Neurontin	gabapentin tablet, capsule and solution	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Gastrointestinal Drugs - Miscellaneous	Carafate	sulcralfate tablets and oral suspension	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		1/1/2024	No
Gastrointestinal Drugs - Miscellaneous	Cuvposa	glycopyrrolate oral solution	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Gastrointestinal Drugs - Miscellaneous	Dartisla ODT	glycopyrrolate orally disintegrating tablets	1. Direct to glycopyrrolate tablets. 2. Approve if, according to the prescriber, there is a significant clinical concern such that the patient is unable to use glycopyrrolate tablets.	1 year	Yes		12/27/2022	No
Gastrointestinal Drugs - Miscellaneous	Mytesi	crofelemer delayed-release tablets	For the symptomatic relief of non-infectious diarrhea in adult patients with Human immunodeficiency virus (HIV) or Acquired immunodeficiency syndrome (AIDS): Approve if the patient has tried and, according to the prescriber, has experienced inadequate efficacy OR a significant intolerance with both diphenoxylate-atropine tablets AND loperamide. No exceptions are recommended. Due to insufficient clinical efficacy data, approval is not recommended for Gimoti. (NOTE: It is not appropriate to use standard global criteria for this medication; Denial reason is: No exceptions are recommended. Due to insufficient clinical efficacy data, approval is not recommended.)	1 year	Yes		1/26/2023	No
Gastroparesis Agents	Gimoti	metoclopramide nasal spray		N/A	Yes		1/27/2023	No
Gaucher Disease Medications	Elelyso	taliglucerase alfa for injection	1. Patients with Gaucher Disease Type I, approve if the patient has tried one product from the following list: Cerezyme or Vpriv, if formulary. If neither are formulary, approve. 2. Patients with Gaucher Disease Type I currently established on treatment with Elelyso: approve.	1 year	Yes	Yes	11/20/2023	Yes
Gaucher Disease Medications	Vpriv	velaglucerase alfa for injection	1. Patients with Gaucher Disease Type I, approve if the patient has tried one product from the following list: Cerezyme or Elelyso, if formulary. If neither are formulary, approve. 2. Patients with Gaucher Disease Type I currently established on treatment with Vpriv: approve.	1 year	Yes	Yes	11/20/2023	Yes
Gaucher Disease Medications	Zavesca	miglustat capsules	NOTE: A multisource Brand product is being requested. See standard <i>Gaucher Disease – Substrate Reduction Therapy Preferred Specialty Management Policy</i> criteria	1 year	MSB Exclusion *This criteria applies only to the NPF		1/3/2024	No
Glucose-Elevating Drugs	GlucaGen/GlucaGen HypoKit	glucagon, human recombinant for injection	1. Approve if the patient has tried two products from the following list: Baqsimi intranasal, Gvoke, or Zegalogue, if formulary (or only one if one is formulary). If none are formulary, approve. 2. If the patient is ≥ 4 years of age but < 6 years of age, approve if the patient has tried Baqsimi or Gvoke, if formulary. If neither are formulary, approve. 3. If the patient is ≥ 2 years of age but < 4 years of age, approve if the patient has tried Gvoke, if formulary. If Gvoke is non-formulary, approve. 4. If the patient is < 2 years of age, approve.	1 year	Yes		10/4/2023	No
Glucose-Elevating Drugs	Glucagon/Glucagon Emergency Kit	glucagon/glucagon Emergency Kit	1. Approve if the patient has tried two products from the following list: Baqsimi intranasal, Gvoke, or Zegalogue, if formulary (or only one if one is formulary). If none are formulary, approve. 2. If the patient is ≥ 4 years of age but < 6 years of age, approve if the patient has tried Baqsimi or Gvoke, if formulary. If neither are formulary, approve. 3. If the patient is ≥ 2 years of age but < 4 years of age, approve if the patient has tried Gvoke, if formulary. If Gvoke is non-formulary, approve. 4. If the patient is < 2 years of age, approve.	1 year	Yes		10/4/2023	No
Glucose-Elevating Drugs	Zegalogue	dasiglucagon subcutaneous injection	Approve if the patient has tried Gvoke and Baqsimi, if formulary (or one if one is formulary). If neither are formulary, approve.	1 year	Yes		9/5/2023	No
Gonadotropin-Releasing Hormone (GnRH) Analogs - CPP	Lupron Depot-Ped	leuprolide acetate for depot suspension	Central Precocious Puberty; Gender-Dysphoric/Gender-Incongruent Persons; Persons Undergoing Gender Reassignment (Female-To-Male or Male-To-Female). 1. Approve if the patient has tried both Triptodur and Fensolvi, if formulary (or one if one is formulary) [documentation required] . If neither are formulary, approve. 2. Patients < 2 years of age, approve.	1 year	Yes		12/6/2023	No
Gonadotropin-Releasing Hormone (GnRH) Analogs - CPP	Supprelin LA	histrelin subcutaneous [SC] implant	Approve if the patient has tried one of Fensolvi, Lupron Depot-Ped, or Triptodur, if one is formulary. If none are formulary, approve.	1 year	Yes		6/22/2023	Yes

Formulary Exception Criteria

Therapy Class	Brand Name	Generic Name	Commercial FE Criteria	Approval Duration	2024 NPF Excluded Medication	Continuation of Therapy Required?	Date Last Reviewed	Utilizes Pref Alts to Operationalize Criteria
Gonadotropin-Releasing Hormone (GnRH) Analogs - Prostate Cancer	Camcevi	leuprolide injectable emulsion for subcutaneous use	<u>Prostate Cancer.</u> 1. Approve if the patient has tried one of the following: leuprolide depot 22.5 mg (formerly Lutrate), Lupron Depot (7.5 mg, 22.5 mg, 30 mg, or 45 mg), Eligard, Firmagon, Trelstar or Orgovyx. If none are formulary, approve. 2. Patients currently receiving therapy with Camcevi, approve if the patient has tried one of Lupron Depot or Eligard. If neither are formulary, approve. <u>Head and Neck Cancer – Salivary Gland Tumors.</u> Approve if the patient has tried one of Lupron Depot or Eligard. If neither are formulary, approve.	1 year	Yes	Yes	4/10/2023	Yes
Gonadotropin-Releasing Hormone (GnRH) Analogs - Prostate Cancer	Leuprolide Depot 22.5 mg (formerly Lutrate Depot)	leuprolide acetate 22.5 mg for depot suspension	<u>Prostate Cancer:</u> Approve if patient has tried Lupron Depot 22.5 mg, if formulary. If Lupron Depot, 22.5 mg is non-formulary, approve if the patient meets (1 or 2): 1. Approve if the patient has tried one of Camcevi, Eligard, Firmagon, Trelstar, or Orgovyx, if formulary. If none are formulary, approve. 2. Patient who has already been started on therapy with Leuprolide Depot, approve if the patient has tried one of Camcevi or Eligard, if formulary. If neither are formulary, approve.	1 year	Yes	Yes	1/31/2023	No
Gonadotropin-Releasing Hormone (GnRH) Analogs - Prostate Cancer	Trelstar	triptorelin pamoate for injectable suspension	<u>Prostate Cancer:</u> 1. Approve if the patient has tried one of the following: leuprolide depot 22.5 mg (formerly Lutrate), Camcevi, Lupron Depot (7.5 mg, 22.5 mg, 30 mg, or 45 mg), Eligard, Firmagon, or Orgovyx. If none are formulary, approve. 2. If only leuprolide depot 22.5 mg (formerly Lutrate) is formulary and the prescriber prefers monthly dosing, approve the patient has tried one of Lupron Depot 7.5 mg, Eligard, or Firmagon. If none are formulary, approve. 3. Patients currently receiving therapy with Trelstar: approve.	1 year	Yes	Yes	4/10/2023	Yes
Gout Medications	Allopurinol 200 mg tablets (brand)	allopurinol 200 mg tablets	1. Direct the patient to allopurinol 100 mg or 300 mg tablets. 2. Approve if, according to the prescriber, there is a significant clinical concern such that the patient is unable to use the allopurinol 100 mg or 300 mg tablet.	1 year	Yes		12/1/2023	No
Gout Medications	Colcrys	colchicine tablets	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Gout Medications	Uloric	febuxostat tablets	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Growth Hormone Products	Humatrope	somatropin injection	<u>Growth hormone deficiency (GHD) in children, Turner syndrome, GHD in adults, Prader Willi syndrome, Idiopathic short stature in children, Children with chronic kidney disease, Short Stature Homeobox-Containing Gene deficiency, Children Born Small for Gestational Age or with Intrauterine Growth Restriction, Noonan syndrome, Short bowel syndrome:</u> Approve if the patient meets BOTH of the following (1 and 2): 1. Patient has tried five of the following (if five are formulary, or four if four are formulary, or three if three are formulary, or two if only two are formulary, or one if only one is formulary): Genotropin, Norditropin Flexpro, Nutropin AQ, Omnitrope, Saizen, or Zomacton [documentation required] ; AND Note: If none are formulary, approve. 2. Patient cannot continue to use each of the formulary alternative(s) due to a formulation difference in the inactive ingredient(s) [e.g., differences in stabilizing agent, buffering agent, and/or surfactant] which, according to the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	Yes		11/2/2023	Yes
Growth Hormone Products	Norditropin Flexpro	somatropin injection	<u>Growth hormone deficiency (GHD) in children, Turner syndrome, GHD in adults, Prader Willi syndrome, Idiopathic short stature in children, Children with chronic kidney disease, Short Stature Homeobox-Containing Gene deficiency, Children Born Small for Gestational Age or with Intrauterine Growth Restriction, Noonan syndrome, Short bowel syndrome:</u> Approve if the patient meets BOTH of the following (1 and 2): 1. Patient has tried five of the following (if five are formulary, or four if four are formulary, or three if three are formulary, or two if only two are formulary, or one if only one is formulary): Genotropin, Humatrope, Nutropin AQ, Omnitrope, Saizen, or Zomacton [documentation required] ; AND Note: If none are formulary, approve. 2. Patient cannot continue to use each of the formulary alternative(s) due to a formulation difference in the inactive ingredient(s) [e.g., differences in stabilizing agent, buffering agent, and/or surfactant] which, according to the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	Yes		11/2/2023	Yes
Growth Hormone Products	Nutropin AQ Nuspin	somatropin injection	<u>Growth hormone deficiency (GHD) in children, Turner syndrome, GHD in adults, Prader Willi syndrome, Idiopathic short stature in children, Children with chronic kidney disease, Short Stature Homeobox-Containing Gene deficiency, Children Born Small for Gestational Age or with Intrauterine Growth Restriction, Noonan syndrome, Short bowel syndrome:</u> Approve if the patient meets BOTH of the following (1 and 2): 1. Patient has tried five of the following (if five are formulary, or four if four are formulary, or three if three are formulary, or two if only two are formulary, or one if only one is formulary): Genotropin, Humatrope, Norditropin Flexpro, Omnitrope, Saizen, or Zomacton [documentation required] ; AND Note: If none are formulary, approve. 2. Patient cannot continue to use each of the formulary alternative(s) due to a formulation difference in the inactive ingredient(s) [e.g., differences in stabilizing agent, buffering agent, and/or surfactant] which, according to the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	Yes		11/2/2023	Yes
Growth Hormone Products	Saizen/SaizenPrep	somatropin injection	<u>Growth hormone deficiency (GHD) in children, Turner syndrome, GHD in adults, Prader Willi syndrome, Idiopathic short stature in children, Children with chronic kidney disease, Short Stature Homeobox-Containing Gene deficiency, Children Born Small for Gestational Age or with Intrauterine Growth Restriction, Noonan syndrome, Short bowel syndrome:</u> Approve if the patient meets BOTH of the following (1 and 2): 1. Patient has tried five of the following (if five are formulary, or four if four are formulary, or three if three are formulary, or two if only two are formulary, or one if only one is formulary): Genotropin, Humatrope, Norditropin Flexpro, Nutropin AQ, Omnitrope, or Zomacton [documentation required] ; AND Note: If none are formulary, approve. 2. Patient cannot continue to use each of the formulary alternative(s) due to a formulation difference in the inactive ingredient(s) [e.g., differences in stabilizing agent, buffering agent, and/or surfactant] which, according to the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	Yes		11/2/2023	Yes

Formulary Exception Criteria

Therapy Class	Brand Name	Generic Name	Commercial FE Criteria	Approval Duration	2024 NPF Excluded Medication	Continuation of Therapy Required?	Date Last Reviewed	Utilizes Pref Alts to Operationalize Criteria
Growth Hormone Products	Zomacton (formerly Tev-Tropin)	somatropin injection	Growth hormone deficiency (GHD) in children, Turner syndrome, GHD in adults, Prader Willi syndrome, Idiopathic short stature in children, Children with chronic kidney disease, Short Stature Homeobox-Containing Gene deficiency, Children Born Small for Gestational Age or with Intrauterine Growth Restriction, Noonan syndrome, Short bowel syndrome: Approve if the patient meets BOTH of the following (1 and 2): 1. Patient has tried five of the following (if five are formulary, or four if four are formulary, or three if three are formulary, or two if only two are formulary, or one if only one is formulary): Genotropin, Humatrope, Norditropin Flexpro, Nutropin AQ, Omnitrope, or Saizen [documentation required];AND Note: If none are formulary, approve. 2. Patient cannot continue to use each of the formulary alternative(s) due to a formulation difference in the inactive ingredient(s) [e.g., differences in stabilizing agent, buffering agent, and/or surfactant] which, according to the prescriber, would result in a significant allergy or serious adverse reaction [documentation required].	1 year	Yes		11/2/2023	Yes
Growth Hormone Products – Weekly Dosed	Skytrofa	lonapegsomatropin-tcgd subcutaneous injection	1. Growth hormone deficiency in a patient ≥ 2.5 years of age to < 3 years of age, approve if the patient has tried Sogroya for 6 months OR experienced an intolerance with Sogroya, if formulary. If Sogroya is non-formulary, approve if the patient meets criteria #3. 2. Growth hormone deficiency in patients ≥ 3 years of age to < 18 years of age, approve if the patient has tried one of Sogroya or Ngenla for 6 months OR experienced an intolerance with the respective agent, if one is formulary. 3. If neither Sogroya nor Ngenla are formulary (in patients ≥ 2.5 years of age to < 18 years of age) OR the patient is ≥ 1 year of age and < 2.5 years of age, approve if the patient meets ONE of the following (A or B): A. Patient has been able to adhere to somatropin product(s) administered daily AND has experienced inadequate efficacy (i.e., patient has tried for 12 months and has a growth rate of less than 2 cm per year) [documentation required] with ONE product from the following list: Genotropin, Humatrope, Norditropin Flexpro, Nutropin AQ, Omnitrope, Saizen, or Zomacton; OR B. Patient meets BOTH of the following (i and ii): i. Patient has tried TWO of the following products: Genotropin, Humatrope, Norditropin Flexpro, Nutropin AQ, Omnitrope, Saizen, or Zomacton [documentation required]; AND ii. Patient cannot continue to use each of the TWO products due to a formulation difference in the inactive ingredient(s) [e.g., differences in stabilizing agent, buffering agent, and/or surfactant] which, according to the prescriber, would result in a significant allergy or serious adverse reaction [documentation required]. Note: Meeting the criteria above with a trial of any daily growth hormone product(s) would count toward meeting the requirements regardless of formulary status. Note: If there is only ONE growth hormone product on a formulary, then the patient would NOT be required to try TWO products- only ONE.	1 year	Yes		10/24/2023	Yes
Growth Hormone Products – Weekly Dosed	Sogroya	somapacitan-beco subcutaneous injection	1. Growth hormone deficiency in patients ≥ 2.5 years of age to < 3 years of age, approve if the patient has tried Skytrofa for 6 months OR experienced an intolerance with Skytrofa, if formulary. If Skytrofa is non-formulary, approve if the patient meets criteria #3. 2. Growth hormone deficiency in patients ≥ 3 years of age to < 18 years of age, approve if the patient has tried one of Skytrofa or Ngenla for 6 months OR experienced an intolerance with the respective agent, if one is formulary. 3. If neither Skytrofa nor Ngenla are formulary (in patients ≥ 2.5 years of age to < 18 years of age) , approve if the patient meets ONE of the following (A or B): A. Patient has been able to adhere to somatropin product(s) administered daily AND has experienced inadequate efficacy (i.e., patient has tried for 12 months and has a growth rate of less than 2 cm per year) [documentation required] with ONE product from the following list: Genotropin, Humatrope, Norditropin Flexpro, Nutropin AQ, Omnitrope, Saizen, or Zomacton; OR B. Patient meets BOTH of the following (i and ii): i. Patient has tried TWO of the following products: Genotropin, Humatrope, Norditropin Flexpro, Nutropin AQ, Omnitrope, Saizen, or Zomacton [documentation required]; AND ii. Patient cannot continue to use each of the TWO products due to a formulation difference in the inactive ingredient(s) [e.g., differences in stabilizing agent, buffering agent, and/or surfactant] which, according to the prescriber, would result in a significant allergy or serious adverse reaction [documentation required]. Note: Meeting the criteria above with a trial of any daily growth hormone product(s) would count toward meeting the requirements regardless of formulary status. Note: If there is only ONE growth hormone product on a formulary, then the patient would NOT be required to try TWO products- only ONE. 4. Adults with growth hormone deficiency (patients ≥ 18 years of age). Approve if the patient meets BOTH of the following (A and B): A. Patient has tried TWO of the following products: Genotropin, Humatrope, Norditropin Flexpro, Nutropin AQ, Omnitrope, Saizen, or Zomacton [documentation required]; AND B. Patient cannot continue to use each of the TWO products due to a formulation difference in the inactive ingredient(s) [e.g., differences in stabilizing agent, buffering agent, and/or surfactant] which, according to the prescriber, would result in a significant allergy or serious adverse reaction [documentation required]. Note: Meeting the criteria above with a trial of any daily growth hormone product(s) would count toward meeting the requirements regardless of formulary status. Note: If there is only ONE growth hormone product on a formulary, then the patient would NOT be required to try TWO products- only ONE.	1 year	Yes		10/24/2023	Yes
Head Lice Treatments (Topical)	Natroba	spinosad topical suspension	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required].	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Helicobacter Pylori Agents	Pylera	bismuth subcitrate potassium, metronidazole plus tetracycline capsules	If requesting brand Pylera: Approve if the patient has tried generic Pylera (bismuth-metronidazole-tetracycline 140-125-125), if formulary. If requesting brand Pylera and generic Pylera (bismuth-metronidazole-tetracycline 140-125-125), is non-formulary (or if requesting generic Pylera), approve if the patient meets ONE of the following (A or B): A. The patient has tried and, according to the prescriber, has experienced inadequate efficacy OR significant intolerance with two different regimens of single-entity products (e.g., clarithromycin + amoxicillin + proton pump inhibitor [e.g., omeprazole, lansoprazole]; bismuth-containing product + tetracycline + metronidazole + proton pump inhibitor [e.g., omeprazole, lansoprazole]); OR B. The patient has tried and, according to the prescriber, has experienced inadequate efficacy OR significant intolerance with any TWO pre-packaged products (e.g., amoxicillin/clarithromycin/lansoprazole [Prevpac, generics], Omeclamox-Pak, Helidac, Voquezna Pak, or Talicia).	1 month	Yes		8/29/2023	No
Helicobacter Pylori Agents	Voquezna Dual Pak and Triple Pak	vonoprazan tablets and amoxicillin capsules; vonoprazan tablets, amoxicillin capsules, and clarithromycin	1. Approve if the patient meets ONE of the following (A or B): A. The patient has tried and, according to the prescriber, has experienced inadequate efficacy OR significant intolerance with two different regimens of single-entity products (e.g., clarithromycin + amoxicillin + proton pump inhibitor [e.g., omeprazole, lansoprazole]; bismuth-containing product + tetracycline + metronidazole + proton pump inhibitor [e.g., omeprazole, lansoprazole]); OR B. The patient has tried and, according to the prescriber, has experienced inadequate efficacy OR significant intolerance with any TWO pre-packaged products (e.g., amoxicillin/clarithromycin/lansoprazole [Prevpac, generics], Talicia, Omeclamox-Pak, or Pylera). 2. Approve if the patient has already been started on Voquezna in order to complete the course of therapy.	1 month	Yes		8/16/2023	No

Formulary Exception Criteria

Therapy Class	Brand Name	Generic Name	Commercial FE Criteria	Approval Duration	2024 NPF Excluded Medication	Continuation of Therapy Required?	Date Last Reviewed	Utilizes Pref Alts to Operationalize Criteria
Hemophilia - Factor IX Products (recombinant extended half-life products)	Rebinyn	coagulation Factor IX [recombinant], glycoPEGylated for IV injection	<ol style="list-style-type: none"> Approve if the patient has tried one product from the following list (if one is formulary): Alprolix or Idelvion. If neither are formulary, approve. Patients previously untreated with factor ix therapy, approve. Approve if the patient is currently receiving Rebinyn or has received Rebinyn in the past. 	1 year	Yes	Yes	10/18/2023	Yes
Hemophilia - Factor IX Products (recombinant standard half-life products)	Ixinity	coagulation factor IX [recombinant] solution for intravenous injection	<ol style="list-style-type: none"> Approve if the patient has tried one product from the following list (if one is formulary): Rixubis or BeneFIX. If neither are formulary, approve. Approve if the patient is currently receiving Ixinity or has received Ixinity in the past. 	1 year	Yes	Yes	2/16/2023	Yes
Hemophilia - Factor IX Products (recombinant standard half-life products)	Rixubis	coagulation factor IX [recombinant]	<ol style="list-style-type: none"> Approve if the patient has tried BeneFIX, if formulary. If BeneFIX is non-formulary, approve. Approve if the patient is currently receiving Rixubis or has received Rixubis in the past. 	1 year	Yes	Yes	2/16/2023	Yes
Hemophilia - Factor VIII Products (recombinant standard half-life)	Nuwiq	antihemophilic factor [recombinant] for intravenous injection	<ol style="list-style-type: none"> Patient has tried two formulary recombinant Factor VIII products from the following list (if two are formulary, or one if one is formulary): Advate, Recombinate, Kogenate FS, Xyntha, Novoeight, Kovaltry, Afstyla. If none are formulary, approve. Patient is currently receiving Nuwiq or has received Nuwiq in the past: approve 	1 year	Yes	Yes	7/19/2023	Yes
Hemophilia - Factor VIII Products (recombinant standard half-life)	Recombine	antihemophilic factor [recombinant] injection	<ol style="list-style-type: none"> Patient has tried two formulary recombinant Factor VIII products from the following list (if two are formulary or one if one is formulary): Advate, Kogenate FS, Xyntha, Novoeight, Nuwiq, Kovaltry, Afstyla. If none are formulary, approve. Patient is currently receiving Recombinate or has received Recombinate in the past: approve. 	1 year	Yes	Yes	7/19/2023	Yes
Hepatitis B Agents	Baraclude tablets	entecavir tablets	<p>NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product.</p> <p>Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required].</p>	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Hepatitis C - Oral Agents	ledipasvir/sofosbuvir tablets 90 mg/400 mg (Authorized generic for Harvoni)	ledipasvir/sofosbuvir tablets 90 mg/400 mg	Patient is directed to use Harvoni 90 mg/400 mg. If Harvoni 90 mg/400 mg is non-formulary, approve.	24 weeks	Yes		5/17/2023	No
Hepatitis C - Oral Agents	Mavyret	glecaprevir/pibrentasvir tablets and oral pellets	See <i>Hepatitis C Virus Direct Acting Antivirals Preferred Specialty Management (PSM) for National Preferred Formulary and Basic Formulary (Mavyret Criteria)</i>	Up to 16 weeks	Yes		4/7/2023	No
Hepatitis C - Oral Agents	sofosbuvir/velpatasvir (Authorized generic for Epclusa) 400 mg/100 mg tablets	sofosbuvir/velpatasvir tablets 400 mg/100 mg tablets	Patient is directed to use Epclusa. If Epclusa is non-formulary, approve.	24 weeks	Yes		2/23/2023	No
Hepatitis C - Oral Agents	Sovaldi 200 mg tablets and oral pellets	sofosbuvir tablets and oral pellets	<p>If Epclusa (brand) is formulary:</p> <ol style="list-style-type: none"> Genotype 2 or 3 Chronic Hepatitis C Virus, Pediatric Patient (≥ 3 Years of Age and < 18 Years of Age) – New Start: Sovaldi is not approved. Offer to review for Epclusa (brand only) using the standard Hepatitis C – Epclusa PA Policy criteria. Patient Continuing Therapy with Sovaldi: Refer to the standard Hepatitis C – Sovaldi PA Policy criteria. <p>If Epclusa (brand) is non-formulary and sofosbuvir/velpatasvir is formulary:</p> <ol style="list-style-type: none"> Genotype 2 or 3 Chronic Hepatitis C Virus, Pediatric Patient (≥ 3 Years of Age and < 18 Years of Age) – New Start: Approve for the duration specified in the standard Hepatitis C – Sovaldi PA Policy criteria if the patient has met the standard Hepatitis C – Sovaldi PA Policy criteria. Patient Continuing Therapy with Sovaldi: Refer to the standard Hepatitis C – Sovaldi PA Policy criteria. <p>If neither Epclusa (brand) nor sofosbuvir/velpatasvir are formulary, approve.</p>	Varies	Yes		12/14/2022	No
Hepatitis C - Oral Agents	Sovaldi 400 mg tablets	sofosbuvir tablets	<p>If Epclusa (brand) is formulary:</p> <ol style="list-style-type: none"> Genotype 2 or 3 Chronic Hepatitis C Virus, Pediatric Patient (≥ 3 Years of Age and < 18 Years of Age) – New Start: Sovaldi is not approved. Offer to review for Epclusa (brand only) using the standard Hepatitis C – Epclusa PA Policy criteria. Patient Continuing Therapy with Sovaldi: Refer to the standard Hepatitis C – Sovaldi PA Policy criteria. <p>If Epclusa (brand) is non-formulary and sofosbuvir/velpatasvir is formulary:</p> <ol style="list-style-type: none"> Genotype 2 or 3 Chronic Hepatitis C Virus, Pediatric Patient (≥ 3 Years of Age and < 18 Years of Age) – New Start: Sovaldi is not approved. Offer to review for sofosbuvir/velpatasvir 400 mg/100 mg tablets (generic only) using the standard Hepatitis C – Epclusa PA Policy criteria. Patient Continuing Therapy with Sovaldi: Refer to the standard Hepatitis C – Sovaldi PA Policy criteria. <p>If neither Epclusa (brand) nor sofosbuvir/velpatasvir are formulary, approve.</p>	Varies	Yes		12/14/2022	Yes

Formulary Exception Criteria

Therapy Class	Brand Name	Generic Name	Commercial FE Criteria	Approval Duration	2024 NPF Excluded Medication	Continuation of Therapy Required?	Date Last Reviewed	Utilizes Pref Alts to Operationalize Criteria
Hereditary Angioedema – Acute Treatment	Firazyr	icatibant injection for subcutaneous use	See standard <i>Hereditary Angioedema – Icatibant Preferred Specialty Management Policy</i> criteria.	1 year	Yes		10/12/2023	No
Hereditary Angioedema Products – IV C1 Esterase Products	Berinert	C1 esterase inhibitor [human] powder for intravenous injection	See Hereditary Angioedema Medications - Berinert FE	1 year	Yes		10/12/2023	No
HMG-CoA Reductase Inhibitors and Combination Products	Altoprev	lovastatin extended-release tablets	<p><u>Compliance with the Affordable Care Act, HRSA Guidelines, and PHS Act section 2713 is NOT required.</u> Approve if the patient has tried, and according to the prescriber, has experienced inadequate efficacy OR significant intolerance with five statins from the following list (if five are formulary or four if four are formulary or three if three are formulary or two if only two are formulary, or one if only one is formulary): lovastatin, atorvastatin (Lipitor, generics), rosuvastatin (Crestor, generics), fluvastatin (Lescol/XL, generics), a pitavastatin product (Livalo, Zypitamag), pravastatin (Pravachol), or simvastatin (Zocor, generics). If none are formulary, approve. <u>Note:</u> If the patient tried the brand version of a generic equivalent product, then this trial would count towards the requirement.</p> <p>OR</p> <p><u>Compliance with the Affordable Care Act, HRSA Guidelines, and PHS Act section 2713 is required.</u> 1. 1. Approve if the patient has tried, and according to the prescriber, has experienced inadequate efficacy OR significant intolerance with five statins from the following list (if five are formulary or four if four are formulary or three if three are formulary or two if only two are formulary, or one if only one is formulary): lovastatin, atorvastatin (Lipitor, generics), rosuvastatin (Crestor, generics), fluvastatin (Lescol/XL, generics), a pitavastatin product (Livalo, Zypitamag), pravastatin (Pravachol), or simvastatin (Zocor, generics). If none are formulary, approve. <u>Note:</u> If the patient tried the brand version of a generic equivalent product, then this trial would count towards the requirement. 2. The patient meets both of the following (i and ii): i. The requested non-formulary drug is being prescribed for the primary prevention of cardiovascular disease (CVD) for an adult aged 40 to 75 years who has one or more CVD risk factors (i.e., dyslipidemia, diabetes, hypertension, or smoking) and an estimated 10-year CVD event risk of 10% or greater and who does NOT have a history of (or signs or symptoms of) CVD (for example: symptomatic coronary artery disease, ischemic stroke); AND ii. Other formulary alternative(s) would not be as medically appropriate for the patient as the requested non-formulary drug.</p>	1 year	Yes		6/16/2023	Yes
HMG-CoA Reductase Inhibitors and Combination Products	Atorvaliq	atorvastatin calcium oral suspension	<p><u>Compliance with the Affordable Care Act, HRSA Guidelines, and PHS Act section 2713 is NOT required.</u> 1. Approve if the patient has tried, and according to the prescriber, has experienced inadequate efficacy OR significant intolerance with three statins from the following list (if three are formulary or two if only two are formulary, or one if only one is formulary): lovastatin, rosuvastatin (Crestor, generics), atorvastatin (Lipitor, generics), fluvastatin (Lescol/XL, generics), a pitavastatin product (Livalo, Zypitamag), pravastatin (Pravachol), or simvastatin (Zocor, generics). If none are formulary, approve. 2. Patients who cannot swallow or have difficulty swallowing tablets or capsules, approve.</p> <p>OR</p> <p><u>Compliance with the Affordable Care Act, HRSA Guidelines, and PHS Act section 2713 is required.</u> 1. Approve if the patient has tried, and according to the prescriber, has experienced inadequate efficacy OR significant intolerance with three statins from the following list (if three are formulary or two if only two are formulary, or one if only one is formulary): lovastatin, rosuvastatin (Crestor, generics), atorvastatin (Lipitor, generics), fluvastatin (Lescol/XL, generics), a pitavastatin product (Livalo, Zypitamag), pravastatin (Pravachol), or simvastatin (Zocor, generics). If none are formulary, approve. 2. Patients who cannot swallow or have difficulty swallowing tablets or capsules, approve. 3. The patient meets both of the following (i and ii): i. The requested non-formulary drug is being prescribed for the primary prevention of cardiovascular disease (CVD) for an adult aged 40 to 75 years who has one or more CVD risk factors (i.e., dyslipidemia, diabetes, hypertension, or smoking) and an estimated 10-year CVD event risk of 10% or greater and who does NOT have a history of (or signs or symptoms of) CVD (for example: symptomatic coronary artery disease, ischemic stroke); AND ii. Other formulary alternative(s) would not be as medically appropriate for the patient as the requested non-formulary drug.</p>	1 year	Yes		6/16/2023	No
HMG-CoA Reductase Inhibitors and Combination Products	Crestor	rosuvastatin tablets	<p><u>Compliance with the Affordable Care Act, HRSA Guidelines, and PHS Act section 2713 is NOT required.</u> NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required].</p> <p>OR</p> <p><u>Compliance with the Affordable Care Act, HRSA Guidelines, and PHS Act section 2713 is required.</u> Approve one of the following (A or B): A. The patient meets both of the following (i and ii): i. The requested brand non-formulary drug is being prescribed for the primary prevention of cardiovascular disease (CVD) for an adult aged 40 to 75 years who has one or more CVD risk factors (i.e., dyslipidemia, diabetes, hypertension, or smoking) and an estimated 10-year CVD event risk of 10% or greater and who does NOT have a history of (or signs or symptoms of) CVD (for example: symptomatic coronary artery disease, ischemic stroke); AND ii. According to the prescriber, the brand product is being requested because the preferred bioequivalent generic product would not be as medically appropriate for the patient as the requested brand non-formulary drug; OR B. The patient meets both of the following (i and ii): i. The requested brand non-formulary drug is being prescribed for a use OTHER THAN the primary prevention of cardiovascular disease (CVD) for an adult aged 40 to 75 years who has one or more CVD risk factors (i.e., dyslipidemia, diabetes, hypertension, or smoking) and an estimated 10-year CVD event risk of 10% or greater and who does NOT have a history of (or signs or symptoms of) CVD (for example: symptomatic coronary artery disease, ischemic stroke); AND ii. The Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required].</p>	1 year	MSB Exclusion *This criteria applies only to the NPF		6/16/2023	No

Formulary Exception Criteria

Therapy Class	Brand Name	Generic Name	Commercial FE Criteria	Approval Duration	2024 NPF Excluded Medication	Continuation of Therapy Required?	Date Last Reviewed	Utilizes Pref Alts to Operationalize Criteria
HMG-CoA Reductase Inhibitors and Combination Products	Ezallor Sprinkle	rosuvastatin capsules	<p><u>Compliance with the Affordable Care Act, HRSA Guidelines, and PHS Act section 2713 is NOT required.</u></p> <p>1. Approve if the patient has tried, and according to the prescriber, has experienced inadequate efficacy OR significant intolerance with three statins from the following list (if three are formulary or two if only two are formulary, or one if only is formulary): lovastatin, rosuvastatin (Crestor, generics), atorvastatin (Lipitor, generics), fluvastatin (Lescol/XL, generics), a pitavastatin product (Livalo, Zypitamag), pravastatin (Pravachol), or simvastatin (Zocor, generics). If none are formulary, approve.</p> <p><u>Note:</u> If the patient tried the brand version of a generic equivalent product, then this trial would count towards the requirement.</p> <p>2. Patients who cannot swallow or have difficulty swallowing tablets or capsules, approve.</p> <p>OR</p> <p><u>Compliance with the Affordable Care Act, HRSA Guidelines, and PHS Act section 2713 is required.</u></p> <p>1. Approve if the patient has tried, and according to the prescriber, has experienced inadequate efficacy OR significant intolerance with three statins from the following list (if three are formulary or two if only two are formulary, or one if only is formulary): lovastatin, rosuvastatin (Crestor, generics), atorvastatin (Lipitor, generics), fluvastatin (Lescol/XL, generics), a pitavastatin product (Livalo, Zypitamag), pravastatin (Pravachol), or simvastatin (Zocor, generics). If none are formulary, approve.</p> <p><u>Note:</u> If the patient tried the brand version of a generic equivalent product, then this trial would count towards the requirement.</p> <p>2. Patients who cannot swallow or have difficulty swallowing tablets or capsules, approve.</p> <p>3. The patient meets both of the following (i and ii):</p> <ul style="list-style-type: none"> i. The requested non-formulary drug is being prescribed for the primary prevention of cardiovascular disease (CVD) for an adult aged 40 to 75 years who has one or more CVD risk factors (i.e., dyslipidemia, diabetes, hypertension, or smoking) and an estimated 10-year CVD event risk of 10% or greater and who does NOT have a history of (or signs or symptoms of) CVD (for example: symptomatic coronary artery disease, ischemic stroke); AND ii. Other formulary alternative(s) would not be as medically appropriate for the patient as the requested non-formulary drug. 	1 year	Yes		6/16/2023	Yes
HMG-CoA Reductase Inhibitors and Combination Products	Lipitor	atorvastatin tablets	<p><u>Compliance with the Affordable Care Act, HRSA Guidelines, and PHS Act section 2713 is NOT required.</u></p> <p>NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product.</p> <p>Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required].</p> <p>OR</p> <p><u>Compliance with the Affordable Care Act, HRSA Guidelines, and PHS Act section 2713 is required.</u></p> <p>Approve one of the following (A or B):</p> <ul style="list-style-type: none"> A. The patient meets both of the following (i and ii): <ul style="list-style-type: none"> i. The requested brand non-formulary drug is being prescribed for the primary prevention of cardiovascular disease (CVD) for an adult aged 40 to 75 years who has one or more CVD risk factors (i.e., dyslipidemia, diabetes, hypertension, or smoking) and an estimated 10-year CVD event risk of 10% or greater and who does NOT have a history of (or signs or symptoms of) CVD (for example: symptomatic coronary artery disease, ischemic stroke); AND ii. According to the prescriber, the brand product is being requested because the preferred bioequivalent generic product would not be as medically appropriate for the patient as the requested brand non-formulary drug; OR B. The patient meets both of the following (i and ii): <ul style="list-style-type: none"> i. The requested brand non-formulary drug is being prescribed for a use OTHER THAN the primary prevention of cardiovascular disease (CVD) for an adult aged 40 to 75 years who has one or more CVD risk factors (i.e., dyslipidemia, diabetes, hypertension, or smoking) and an estimated 10-year CVD event risk of 10% or greater and who does NOT have a history of (or signs or symptoms of) CVD (for example: symptomatic coronary artery disease, ischemic stroke); AND ii. The Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required]. 	1 year	MSB Exclusion *This criteria applies only to the NPF		6/16/2023	No
HMG-CoA Reductase Inhibitors and Combination Products	Roszet and authorized generic	rosuvastatin and ezetimibe	<p>Approve if the patient meets the following criteria (A and B):</p> <ul style="list-style-type: none"> A. Patient has tried ezetimibe; AND B. Patient has tried, and according to the prescriber, has experienced inadequate efficacy OR significant intolerance with atorvastatin (Lipitor, generics) or rosuvastatin (Crestor, generics). If neither of atorvastatin (Lipitor, generics) nor rosuvastatin (Crestor, generics) are formulary, approve. 	1 year	Yes - Authorized generic only		3/27/2023	Yes
HMG-CoA Reductase Inhibitors and Combination Products	Vytorin	ezetimibe/simvastatin tablets	<p>NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product.</p> <p>Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required].</p>	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No

Formulary Exception Criteria

Therapy Class	Brand Name	Generic Name	Commercial FE Criteria	Approval Duration	2024 NPF Excluded Medication	Continuation of Therapy Required?	Date Last Reviewed	Utilizes Pref Alts to Operationalize Criteria
HMG-CoA Reductase Inhibitors and Combination Products	Zocor	simvastatin tablets	<p><u>Compliance with the Affordable Care Act, HRSA Guidelines, and PHS Act section 2713 is NOT required.</u> A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required].</p> <p>OR</p> <p><u>Compliance with the Affordable Care Act, HRSA Guidelines, and PHS Act section 2713 is required.</u> Approve one of the following (A or B): A. The patient meets both of the following (i and ii): i. The requested brand non-formulary drug is being prescribed for the primary prevention of cardiovascular disease (CVD) for an adult aged 40 to 75 years who has one or more CVD risk factors (i.e., dyslipidemia, diabetes, hypertension, or smoking) and an estimated 10-year CVD event risk of 10% or greater and who does NOT have a history of (or signs or symptoms of) CVD (for example: symptomatic coronary artery disease, ischemic stroke); AND ii. According to the prescriber, the brand product is being requested because the preferred bioequivalent generic product would not be as medically appropriate for the patient as the requested brand non-formulary drug; OR B. The patient meets both of the following (i and ii): i. The requested brand non-formulary drug is being prescribed for a use OTHER THAN the primary prevention of cardiovascular disease (CVD) for an adult aged 40 to 75 years who has one or more CVD risk factors (i.e., dyslipidemia, diabetes, hypertension, or smoking) and an estimated 10-year CVD event risk of 10% or greater and who does NOT have a history of (or signs or symptoms of) CVD (for example: symptomatic coronary artery disease, ischemic stroke); AND ii. The Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required].</p>	1 year	MSB Exclusion *This criteria applies only to the NPF		6/16/2023	No
Human Chorionic Gonadotropin, HCG Agents	chorionic gonadotropin	chorionic gonadotropin 10,000 unit powder for intramuscular injection	<ol style="list-style-type: none"> Approve if the patient has tried one product from the following list (if one is formulary): Pregnyl, Novarel or Ovidrel. If none are formulary, approve. For a diagnosis of cryptorchidism or hypogonadism, approve if the patient has tried Pregnyl or Novarel, if formulary. If neither are formulary, approve. For a diagnosis related to infertility or induction of ovulation, approve a one-time fill if the patient may be at risk of missing the optimal administration timeframe window of the product (in order to avoid disruption of the current fertility medication cycle). 	1 year	Yes		7/12/2023	Yes
Human Immunodeficiency Virus (HIV-1) - Non-Nucleoside Reverse Transcriptase Inhibitors (NNRTIs)	Pifeltro	doravirine tablets	<ol style="list-style-type: none"> Approve if the patient has tried one non-nucleoside reverse transcriptase inhibitor (NNRTI) or a NNRTI-containing product (e.g., Sustiva, Edurant, Delstrigo, Complera, Odefsey, Atripla, Symfi, Symfi Lo). Patients already started on therapy with Pifeltro, approve. 	1 year	Yes	Yes	7/19/2023	No
Human Immunodeficiency Virus (HIV-1) – Protease Inhibitor (PI) Based Agents	Prezcobix	darunavir and cobicistat tablets	<ol style="list-style-type: none"> Approve if the patient has tried one protease inhibitor (PI) or a PI-containing product (e.g., Aptivus, Reyataz, Viracept, Norvir, Invirase, Lexiva, Prezista, Evotaz, Kaletra). According to the prescriber, the patient meets BOTH of the following (A and B): A. Patient has a history of Apretude (cabotegravir extended-release injectable suspension) for pre-exposure prophylaxis (PrEP); AND B. Patient meets ONE of the following (i or ii): i. Results of resistance testing are not available; OR ii. Patient has integrase strand-transfer inhibitor (INSTI) resistance. If the patient, according to the prescriber, needs to begin antiretroviral therapy urgently, approve. Approve if the patient has been started on Prezcobix. 	1 year	Yes	Yes	5/12/2023	No
Human Immunodeficiency Virus (HIV) – Specialized	Rukobia	fostemsavir extended-release tablets	<p><u>Human Immunodeficiency Virus (HIV) infection, multi-drug treatment-resistant.</u></p> <ol style="list-style-type: none"> Approve if the patient has tried Sunlenca or is concomitantly receiving Sunlenca, if formulary. If Sunlenca is non-formulary, approve. Approve if the patient has exhausted at least FOUR of the following antiretroviral classes defined as elimination of all antiretrovirals within a given class due to demonstrated or projected resistance to the agent(s) in that class OR due to significant intolerance (FOUR of a, b, c, d, e, or f): a) Nucleoside reverse transcriptase inhibitor; OR <i>Note:</i> Examples of nucleoside reverse transcriptase inhibitors include abacavir, didanosine, emtricitabine, lamivudine, stavudine, tenofovir disoproxil fumarate, tenofovir alafenamide, zidovudine. b) Non-nucleoside reverse transcriptase inhibitor; OR <i>Note:</i> Examples of non-nucleoside reverse transcriptase inhibitor include delaviridine, efavirenz, etravirine, nevirapine, nevirapine XR, rilpivirine. c) Protease inhibitor; OR <i>Note:</i> Examples of protease inhibitors include atazanavir, darunavir, fosamprenavir, indinavir, nelfinavir, ritonavir, saquinavir, tipranavir. d) Fusion inhibitor; OR <i>Note:</i> Examples of fusion inhibitors include Fuzeon (enfuvirtide for injection). e) Integrase strand transfer inhibitor; OR <i>Note:</i> Examples of integrase strand transfer inhibitors include raltegravir, dolutegravir, elvitegravir. f) CCR5 antagonist. <i>Note:</i> Examples of CCR5 antagonists include Selzentry (maraviroc tablets). Approve if the patient has already been started on Rukobia therapy. 	1 year	Yes	Yes	1/31/2023	No

Formulary Exception Criteria

Therapy Class	Brand Name	Generic Name	Commercial FE Criteria	Approval Duration	2024 NPF Excluded Medication	Continuation of Therapy Required?	Date Last Reviewed	Utilizes Pref Alts to Operationalize Criteria
Human Immunodeficiency Virus (HIV-1) - integrase strand transfer inhibitor (INSTI) Combination Products	Cabenuva	cabotegravir extended-release injectable suspension; rilpivirine extended-release injectable suspension, co-packaged	See standard <i>Human Immunodeficiency Virus – Cabenuva Prior Authorization Policy</i> criteria.	1 year	Yes		1/3/2024	No
Human Immunodeficiency Virus (HIV-1) - integrase strand transfer inhibitor (INSTI) Combination Products	Stribild	elvitegravir/ cobicistat/ emtricitabine/ tenofovir tablets	<ol style="list-style-type: none"> 1. Approve if the patient has tried Biktarvy, if formulary. If Biktarvy is non-formulary, approve. 2. Approve if the patient has tried one integrase strand transfer inhibitor (INSTI) or an INSTI-containing product (e.g., Genvoya, Tivicay, Triumeq, Juluca, Isentress or Inress-HD). 3. Patients already started on therapy with Stribild: approve. 	1 year	Yes	Yes	8/16/2023	Yes
Human Immunodeficiency Virus (HIV-1) - Non-Nucleoside Reverse Transcriptase Inhibitors (NNRTI)-Based Combination Products	Atripla	efavirenz 600 mg, emtricitabine 200 mg, tenofovir disoproxil fumarate 300 mg tablets	<p>NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product.</p> <p>Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required].</p>	1 year	MSB Exclusion *This criteria applies only to the NPF	Yes	N/A	No
Human Immunodeficiency Virus (HIV-1) - Non-Nucleoside Reverse Transcriptase Inhibitors (NNRTI)-Based Combination Products	Complera	emtricitabine/rilpivirine/tenofovir disoproxil fumarate (TDF) tablets	<ol style="list-style-type: none"> 1. Approve if the patient has tried Odefsey, if formulary. If Odefsey is non-formulary, approve if the patient has tried one of the following products: Biktarvy, Genvoya, Stribild, Triumeq, Symtuza, efavirenz-emtricitabine-tenofovir disoproxil fumarate (Atripla, generics), efavirenz-lamivudine-tenofovir (Symfi, Symfi Lo, generics), if formulary. If none are formulary, approve. 2. Approve if the patient is currently taking single-entity or combination products containing emtricitabine, rilpivirine, and tenofovir disoproxil fumarate and is requesting Complera for a single-table regimen. 3. Patients already started on therapy with Complera: approve. 	1 year	Yes	Yes	8/16/2023	Yes
Human Immunodeficiency Virus (HIV-1) - Non-Nucleoside Reverse Transcriptase Inhibitors (NNRTI)-Based Combination Products	Delstrigo	doravirine/lamivudine/tenofovir disoproxil fumarate tablets	<ol style="list-style-type: none"> 1. Approve if the patient has tried one of the following products: Biktarvy, Genvoya, Odefsey, Stribild, Complera, Triumeq, Symtuza, efavirenz-lamivudine-tenofovir (Symfi, Symfi Lo, generics), if formulary. If none are formulary, approve. 2. Patient < 18 years of age AND weighing ≥ 35 kg (77 pounds), approve if the patient has tried one of Biktarvy, Genvoya, Odefsey, Stribild, Complera, or efavirenz-lamivudine-tenofovir (Symfi Lo, generics), if formulary. If none are formulary, approve. 3. Approve if the patient is currently taking single-entity or combination products containing doravirine, lamivudine, and tenofovir disoproxil fumarate and is requesting Delstrigo for a single tablet regimen. 4. Patients already started on therapy with Delstrigo, approve. 	1 year	Yes	Yes	8/16/2023	Yes
Human Immunodeficiency Virus (HIV-1) – NRTI Based Combination Products	Truvada	emtricitabine/tenofovir tablets	<p>Compliance with the <u>Affordable Care Act, HRSA Guidelines, and PHS Act section 2713 is NOT required.</u></p> <p>NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product.</p> <p>Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required].</p> <p>OR</p> <p><u>Compliance with the Affordable Care Act, HRSA Guidelines, and PHS Act section 2713 is required.</u></p> <p>Approve if the patient meets one of the following criteria (i or ii):</p> <ol style="list-style-type: none"> i. The requested brand non-formulary drug is being prescribed for HIV Pre-Exposure Prophylaxis (PrEP) in a patient at high risk for HIV infection according to the prescriber AND, according to the prescriber, the brand product is being requested because the preferred bioequivalent generic product would not be as medically appropriate for the patient as the requested brand non-formulary drug; OR ii. The requested brand non-formulary drug is being prescribed for a use OTHER THAN HIV Pre-Exposure Prophylaxis (PrEP) in a patient at high risk for HIV infection according to the prescriber AND the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required]. 	1 year	MSB Exclusion *This criteria applies only to the NPF		12/1/2023	No

Formulary Exception Criteria

Therapy Class	Brand Name	Generic Name	Commercial FE Criteria	Approval Duration	2024 NPF Excluded Medication	Continuation of Therapy Required?	Date Last Reviewed	Utilizes Pref Alts to Operationalize Criteria
Hyaluronic Acid Derivatives	Trivisc	sodium hyaluronate injection	<p>1. Approve if the patient has tried five formulary intra-articular hyaluronic acid product from the following list (if five are formulary, or four if four are formulary, or three if three are formulary, or two if two are formulary, or one if one is formulary): Durolane, Euflexxa, Gel-One, Gel-Syn, GenVisc 850, Hyalgan, Monovisc, Orthovisc, Supartz FX, Synvisc, Synvisc-One, Hymovis, Synjoyn, Triluron, or Visco-3 [documentation required]. If none are formulary, approve Trivisc.</p> <p>2. Patient has a known allergy to avian or avian-derived products (e.g., eggs, feathers): approve if the patient has tried five formulary products from the following list (if five are formulary, or four if four are formulary, or three if three are formulary, or two if two are formulary, or one if one is formulary): Durolane, Euflexxa, Orthovisc, Monovisc, Hymovis, Gel-Syn, Synjoyn, or GenVisc 850 [documentation required]. If none are formulary, approve Trivisc.</p> <p>3. Patients who have already been started on an injection series with Trivisc: approve to complete the series.</p> <p>Note: If the patient has received all the injections in a completed series (for each targeted joint), refer to criteria above.</p>	1 year	Yes		8/28/2023	Yes
Hyaluronic Acid Derivatives	Visco-3	sodium hyaluronate injection	<p>1. Approve if the patient has tried five formulary alternatives from the following list (if five are formulary, or four if four are formulary, or three if three are formulary, or two if two are formulary, or one if one is formulary): Durolane, Euflexxa, Gel-One, Gel-Syn, GenVisc 850, Hyalgan, Monovisc, Orthovisc, Supartz FX, Synvisc, Synvisc-One, Hymovis, Synjoyn, Triluron, or Trivisc [documentation required]. If none are formulary, approve Visco-3.</p> <p>2. Patients who have already been started on an injection series with Visco-3: approve to complete the series.</p> <p>Note: If the patient has received all the injections in a completed series (for each targeted joint), refer to criteria above.</p>	1 year	Yes		8/28/2023	Yes
Hyperlipidemia - Proprotein Convertase Subtilisin Kexin Type 9 (PCSK9) Inhibitors and Related Agents	Leqvio	inclisiran subcutaneous injection	<p>Atherosclerotic Cardiovascular Disease; Heterozygous Familial Hypercholesterolemia; Primary Hyperlipidemia (all diagnoses in a patient ≥ 18 years of age). Approve if the patient has tried Repatha or Praluent, if formulary. If neither are formulary, approve.</p>	1 year	Yes		9/7/2023	Yes
Hyperlipidemia - Proprotein Convertase Subtilisin Kexin Type 9 (PCSK9) Inhibitors and Related Agents	Praluent	alirocumab injection for subcutaneous use	<p>See <i>Proprotein Convertase Subtilisin Kexin Type 9 Related Products Care Value Policy</i> criteria **For Praluent only**</p>	1 year	Yes		5/11/2023	No
Hypolipoproteinemics	Welchol packets and tablets	colesevelam packets and tablets	<p>NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required].</p>	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Hypolipoproteinemics	Zetia	ezetimibe tablets	<p>NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required].</p>	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Hypoxia-Inducible Factor Prolyl Hydroxylase Inhibitor	Jesduvrog	daprodustat tablets	<p>Treatment of anemia due to chronic kidney disease in a patient ≥ 18 years of age. Approve if the patient meets the following (A and B): A. Patient has been receiving dialysis for at least 4 months; AND B. Patient has tried, and according to the prescriber has experienced inadequate efficacy OR significant intolerance with one of the following: an epoetin alfa product or Aranesp or Mircera. Note: Examples of epoetin alfa products are Procrit, Epogen, and Retacrit.</p>	1 year	Yes		10/2/2023	No
Idiopathic Pulmonary Fibrosis Agents	Esbriet	pirfenidone tablets and capsules	<p>NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required].</p>	1 year	MSB Exclusion *This criteria applies only to the NPF		4/15/2023	No
Idiopathic Pulmonary Fibrosis Agents	Pirfenidone 534 mg tablet	pirfenidone 534 mg tablet	<p>Idiopathic pulmonary fibrosis. Patient meets both of the following (i and ii): i. Patient has tried generic pirfenidone tablets; AND Note: True generic tablets are available in 267 mg tablets. ii. Patient cannot continue to use generic pirfenidone tablets due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent product which, per the prescriber, would result in a significant allergy or serious adverse reaction.</p>	1 year	Yes		11/27/2023	No
Immune Globulins - Intravenous (IVIG) and Subcutaneous (SCIG)	Gammaked	immune globulin injection (human), 10%	<p>1. If using via the subcutaneous (SC) route: approve if the patient has tried three products from the following list, if formulary (or two if two are formulary or one if one is formulary): Cuvitru, Hizentra, Xembify, Cutaquig, Gamunex-C or Gammagard Liquid. If none are formulary, approve. 2. If using via the intravenous (IV) route: approve if the patient has tried three formulary IVIG products from the following list, if formulary (or two if two are formulary or one if only one is formulary): Asceniv, Bivigam, Carimune NF, Flebogamma DIF, Gammagard Liquid, Gammagard S/D, Gammaplex, Gamunex-C, Octagam, Privilgen or Panzyga. If none are formulary, approve.</p>	1 year	Yes		5/31/2023	No
Immune Globulins - Subcutaneous (SCIG)	Cutaquig	Immune globulin subcutaneous [human] 16.5% solution	<p>Primary Immunodeficiencies: Note: Examples of primary immunodeficiencies include, but are not limited to, congenital agammaglobulinemia, X-linked agammaglobulinemia, severe combined immunodeficiency, common variable immunodeficiency. Approve if the patient has tried three products from the following list, if formulary (or two if two are formulary or one if one is formulary): Cuvitru, Hizentra, Xembify, Gamunex-C, Gammagard Liquid, or Gammaked. If none are formulary, approve.</p>	1 year	Yes		1/26/2023	Yes
Immunological Agents	Cinqair	reslizumab for intravenous injection	<p>Asthma with an eosinophilic phenotype. Approve if the patient meets one of the following (A or B): A. Initial therapy in a patient ≥ 18 years of age: Patient has tried one formulary alternative from the following list: Nucala or Fasenra. If neither is formulary, approve if the patient has tried Dupixent. If Dupixent is non-formulary, approve; OR B. Patient has already been started on therapy with Cinqair.</p>	1 year	Yes	Yes	9/13/2023	Yes

Formulary Exception Criteria

Therapy Class	Brand Name	Generic Name	Commercial FE Criteria	Approval Duration	2024 NPF Excluded Medication	Continuation of Therapy Required?	Date Last Reviewed	Utilizes Pref Alts to Operationalize Criteria
Immunosuppressant Agents	Envarsus XR	tacrolimus extended-release tablets	1. Approve if the patient has tried and cannot take tacrolimus immediate-release capsules (Prograf, generics), if formulary. If tacrolimus immediate-release capsules (Prograf, generics) are non-formulary, approve. 2. Approve if the patient has the CYP3A5*1 allele. Note: The CYP3A5*1 allele is a gene variant determined by testing that may confer faster metabolism of certain medications. 3. If the patient has already started on therapy with Envarsus XR, approve.	1 year	Yes	Yes	8/30/2023	No
Immunosuppressant Agents	Xatmep	methotrexate 2.5 mg/mL oral solution	1. Approve if the patient cannot swallow or has difficulty swallowing oral methotrexate tablets. 2. Approve if the dose prescribed cannot be obtained using whole methotrexate tablets.	1 year	Yes		1/4/2024	No
Immunosuppressant Agents – Methotrexate Injections	Otrexup	methotrexate injection for subcutaneous use; 10mg, 12.5 mg, 15 mg, 17.5 mg, 20 mg, 22.5 mg, 25 mg	Approve if the patient has tried Rasuvo or RediTrex, if formulary. If neither are formulary, approve if, according to the prescriber, the patient and caregiver are unable to administer methotrexate injection (NOT including Otrexup, Rasuvo, or RediTrex).	1 year	Yes		8/30/2023	Yes
Immunosuppressant Agents – Methotrexate Injections	RediTrex	methotrexate injection for subcutaneous use; 7.5 mg, 10 mg, 12.5 mg, 15 mg, 17.5 mg, 20 mg, 22.5 mg, 25 mg	Approve if the patient has tried Otrexup or Rasuvo, if formulary. If neither are formulary, approve if, according to the prescriber, the patient and caregiver are unable to administer methotrexate injection (NOT including RediTrex, Otrexup, or Rasuvo).	1 year	Yes		8/30/2023	No
Inflammatory Bowel Agents	Canasa	mesalamine rectal suppository	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Inflammatory Bowel Agents	Delzicol	mesalamine delayed-release capsule	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Inflammatory Bowel Agents	Dipentum	olsalazine capsule	Approve if the patient has tried two products from the following list (if two are formulary, or one if one is formulary): mesalamine delayed-release tablets (Asacol HD, generics), sulfasalazine (generics), mesalamine delayed-release tablets (Lialda, generics), mesalamine delayed-release capsule (Delzicol, generics), balsalazide (Colazal, generics), mesalamine extended-release capsules (Apriso, generics) or Pentasa. If none are formulary, approve. Note: If the patient tried the brand version of a generic equivalent product, then this trial would count towards the requirement.	1 year	Yes		12/15/2023	Yes
Inflammatory Bowel Agents	Lialda	mesalamine delayed-release tablet	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Inflammatory Conditions	Plaquenil	hydroxychloroquine sulfate tablets	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Inflammatory Conditions – Infused Non-TNF Biologics	Orencia IV	abatacept injection for intravenous use	Juvenile Idiopathic Arthritis; Psoriatic Arthritis; Rheumatoid Arthritis. 1. Patient has tried at least one biologic: Approve. Examples: a tocilizumab product (e.g., Actemra intravenous or subcutaneous), a sarilumab product (Kevzara), an etanercept product (e.g., Enbrel, biosimilars), an adalimumab product (e.g., Humira, biosimilars), a certolizumab pegol product (e.g., Cimzia), a golimumab product (e.g., Simponi Aria or subcutaneous), an infliximab product (e.g., Remicade, biosimilars), a rituximab product (e.g., Rituxan intravenous, biosimilars), a secukinumab product (e.g., Cosentyx), an ixekizumab product (e.g., Taltz), a guselkumab product (e.g., Tremfya), or a ustekizumab product (e.g., Stelara SC). If none are formulary, approve. 2. According to the prescriber, the patient previously experienced a serious infection: Approve. 3. Patient is currently taking Orencia intravenous or subcutaneous: Approve if the patient has been established on Orencia intravenous or subcutaneous for ≥ 90 days. 4. Patient has been started on Orencia intravenous or subcutaneous for < 90 days: Refer to the appropriate criteria above. Graft-Versus-Host Disease – Prevention: Approve.	1 year	Yes	Yes	5/24/2023	No
Inflammatory Conditions - Infused TNF antagonists	Avsola	Infliximab- axxq for intravenous use	Patient meets the following: Inflammatory Conditions – Infliximab Intravenous Products Prior Authorization Policy criteria AND 1. Approve if the patient meets BOTH of the following (a and b): a. Patient has tried Inflectra; AND b. Patient cannot continue to use Inflectra due to a formulation difference in the inactive ingredient(s) [e.g., differences in stabilizing agent, buffering agent, and/or surfactant] which, according to the prescriber, would result in a significant allergy or serious adverse reaction. 2. Conditions other than Plaque psoriasis; Hidradenitis suppurativa, Pyoderma gangrenosum: Approve if the patient has already started on therapy with Avsola. Note: An approval will be entered for Inflectra if the Infliximab Intravenous Products Prior Authorization criteria are met, but the remaining criteria are not met.	See PA duration	Yes	Yes	11/29/2023	No

Formulary Exception Criteria

Therapy Class	Brand Name	Generic Name	Commercial FE Criteria	Approval Duration	2024 NPF Excluded Medication	Continuation of Therapy Required?	Date Last Reviewed	Utilizes Pref Alts to Operationalize Criteria
Inflammatory Conditions - Infused TNF antagonists	Remicade and authorized generic infliximab	infliximab injection for intravenous use	<p>Patient meets the following: <i>Inflammatory Conditions – Infliximab Intravenous Products Prior Authorization Policy</i> criteria AND</p> <p><u>Psoriatic arthritis.</u> 1. Approve if the patient meets BOTH of the following (a and b): a. Patient has tried Inflectra; AND b. Patient cannot continue to use Inflectra due to a formulation difference in the inactive ingredients(s) [e.g., differences in stabilizing agent, buffering agent, and/or surfactant] which, according to the prescriber, would result in a significant allergy or serious adverse reaction. 2. Approve if the patient has already been started on therapy with Remicade.</p> <p><u>Rheumatoid arthritis; Ankylosing spondylitis; Juvenile idiopathic arthritis; Crohn's disease; Ulcerative colitis.</u> 1. Approve if the patient meets BOTH of the following (a and b): a. Patient has tried Inflectra; AND b. Patient cannot continue to use Inflectra due to a formulation difference in the inactive ingredients(s) [e.g., differences in stabilizing agent, buffering agent, and/or surfactant] which, according to the prescriber, would result in a significant allergy or serious adverse reaction. 2. Approve if the patient has started therapy with Remicade AND has already been switched among the infliximab products in the past (e.g., switched from Remicade to Avsola or Remicade to Inflectra, or vice versa).</p> <p><u>Plaque psoriasis; Hidradenitis suppurativa; Pyoderma gangrenosum.</u> 1. Approve if the patient meets BOTH of the following (a and b): a. Patient has tried Inflectra; AND b. Patient cannot continue to use Inflectra due to a formulation difference in the inactive ingredients(s) [e.g., differences in stabilizing agent, buffering agent, and/or surfactant] which, according to the prescriber, would result in a significant allergy or serious adverse reaction.</p> <p><u>All other off-labeled indications in the <i>Inflammatory Conditions – Infliximab Intravenous Products Prior Authorization Policy</i> criteria.</u> 1. Approve if the patient meets BOTH of the following (a and b): a. Patient has tried Inflectra; AND b. Patient cannot continue to use Inflectra due to a formulation difference in the inactive ingredients(s) [e.g., differences in stabilizing agent, buffering agent, and/or surfactant] which, according to the prescriber, would result in a significant allergy or serious adverse reaction. 2. Approve if the patient has started therapy with Remicade AND has already been switched among the infliximab products in the past (e.g., switched from Remicade to Avsola or Remicade to Inflectra, or vice versa). 3. Approve if the patient has already been started on therapy with Remicade AND according to the prescriber, the patient has life- or organ-threatening disease (e.g., blindness).</p> <p>Note: An approval will be entered for Inflectra if the Infliximab Intravenous Products Prior Authorization criteria are met, but the remaining criteria are not met.</p>	See PA duration	Yes	Yes	11/29/2023	No
Inflammatory Conditions - Infused TNF antagonists	Renflexis	Infliximab-abda for intravenous use	<p>Patient meets the following: <i>Inflammatory Conditions – Infliximab Intravenous Products Prior Authorization Policy</i> criteria AND</p> <p>1. Approve if the patient meets BOTH of the following (a and b): a. Patient has tried Inflectra; AND b. Patient cannot continue to use Inflectra due to a formulation difference in the inactive ingredients(s) [e.g., differences in stabilizing agent, buffering agent, and/or surfactant] which, according to the prescriber, would result in a significant allergy or serious adverse reaction. 2. Conditions other than Plaque psoriasis; Hidradenitis suppurativa, Pyoderma gangrenosum: Approve if the patient has already started on therapy with Renflexis.</p> <p>Note: An approval will be entered for Inflectra if the Infliximab Intravenous Products Prior Authorization criteria are met, but the remaining criteria are not met.</p>	See PA duration	Yes	Yes	11/29/2023	No
Inflammatory Conditions – Janus Kinase Inhibitors	Olumiant	baricitinib tablets	See standard Inflammatory Conditions (Olumiant) Preferred Specialty Management Policy for National Preferred, High Performance, and Basic Formularies OR FLEX Formulary policies.	Up to 1 year	Yes	Yes	1/1/2024	No
Inflammatory Conditions – SC Non-TNF Biologics	Bimzelx	bimekizumab-bkzx subcutaneous injection	See standard <i>Inflammatory Conditions (Olumiant) Preferred Specialty Management Policy for National Preferred, High Performance, and Basic Formularies OR FLEX Formulary policies.</i>	1 year	Yes	Yes	1/1/2024	No
Inflammatory Conditions – SC Non-TNF Biologics	Ilumya	tildrakizumab SC injection	See standard Inflammatory Conditions (Ilumya) Preferred Specialty Management Policy for National Preferred, High Performance, and Basic Formularies OR FLEX Formulary policies.	UP to 1 year	Yes	Yes	1/1/2024	No
Inflammatory Conditions – SC Non-TNF Biologics	Kevzara	sarilumab subcutaneous injection	See standard Inflammatory Conditions (Kevzara) Preferred Specialty Management Policy for National Preferred, High Performance, and Basic Formularies OR FLEX Formulary policies.	Up to 1 year	Yes	Yes	1/1/2024	No
Inflammatory Conditions – SC Non-TNF Biologics	Kineret	anakinra SC injection	See standard Inflammatory Conditions (Kineret) Preferred Specialty Management Policy for National Preferred, High Performance, and Basic Formularies OR FLEX Formulary policies.	Up to 1 year	Yes	Yes	1/1/2024	No
Inflammatory Conditions – SC Non-TNF Biologics	Orencia for SC use	abatacept injection for subcutaneous use	See standard Inflammatory Conditions (Orencia SC) Preferred Specialty Management Policy for National Preferred, High Performance, and Basic Formularies OR FLEX Formulary policies.	Up to 1 year	Yes	Yes	1/1/2024	No
Inflammatory Conditions – SC Non-TNF Biologics	Siliq	brodalumab for subcutaneous injection	See standard Inflammatory Conditions (Siliq) Preferred Specialty Management Policy for National Preferred, High Performance, and Basic Formularies OR FLEX Formulary policies.	Up to 1 year	Yes	Yes	1/1/2024	No

Formulary Exception Criteria

Therapy Class	Brand Name	Generic Name	Commercial FE Criteria	Approval Duration	2024 NPF Excluded Medication	Continuation of Therapy Required?	Date Last Reviewed	Utilizes Pref Alts to Operationalize Criteria
Inflammatory Conditions – SC TNF Antagonists	Cimzia	certolizumab powder for injection	See standard Inflammatory Conditions (Cimzia) Preferred Specialty Management Policy for National Preferred, High Performance, and Basic Formularies OR FLEX Formulary policies.	Up to 1 year	Yes	Yes	1/1/2024	No
Inflammatory Conditions – SC TNF Antagonists	Simponi SC	golimumab subcutaneous injection	See standard Inflammatory Conditions (Simponi SC) Preferred Specialty Management Policy for National Preferred, High Performance, and Basic Formularies OR FLEX Formulary policies.	Up to 1 year	Yes	Yes	1/1/2024	No
Inflammatory Conditions – SC TNF Antagonists - Adalimumab Agents	Abrilada	adalimumab-afzb subcutaneous injection	See standard <i>Inflammatory Conditions – Adalimumab Products Preferred Specialty Management Policy for National Preferred, High Performance, and Basic Formularies Choice OR FLEX Formulary</i> policies.	See PSM duration	Yes		1/1/2024	No
Inflammatory Conditions – SC TNF Antagonists - Adalimumab Agents	Adalimumab-fkjp	adalimumab-fkjp subcutaneous injection (unbranded version of Hulio)	See standard <i>Inflammatory Conditions – Adalimumab Products Preferred Specialty Management Policy for National Preferred, High Performance, and Basic Formularies Choice OR FLEX Formulary</i> policies.	See PSM duration	Yes		1/1/2024	No
Inflammatory Conditions – SC TNF Antagonists - Adalimumab Agents	Amjevita	adalimumab-atto subcutaneous injection	See standard <i>Inflammatory Conditions – Adalimumab Products Preferred Specialty Management Policy for National Preferred, High Performance, and Basic Formularies Choice OR FLEX Formulary</i> policies.	1 year	Yes		1/1/2024	No
Inflammatory Conditions – SC TNF Antagonists - Adalimumab Agents	Hadlima	adalimumab-bwwd subcutaneous injection	See standard <i>Inflammatory Conditions – Adalimumab Products Preferred Specialty Management Policy for National Preferred, High Performance, and Basic Formularies Choice OR FLEX Formulary</i> policies.	See PSM duration	Yes		1/1/2024	No
Inflammatory Conditions – SC TNF Antagonists - Adalimumab Agents	Hulio	adalimumab-fkjp subcutaneous injection	See standard <i>Inflammatory Conditions – Adalimumab Products Preferred Specialty Management Policy for National Preferred, High Performance, and Basic Formularies Choice OR FLEX Formulary</i> policies.	See PSM duration	Yes		1/1/2024	No
Inflammatory Conditions – SC TNF Antagonists - Adalimumab Agents	Hyrimoz	adalimumab-adaz subcutaneous injection	See standard Inflammatory Conditions – Adalimumab Products Preferred Specialty Management Policy for National Preferred, High Performance, and Basic Formularies Choice OR FLEX Formulary policies.	See PSM duration	Yes - by Cordavis		1/1/2024	No
Inflammatory Conditions – SC TNF Antagonists - Adalimumab Agents	Idacio and adalimumab-aacf	adalimumab-aacf subcutaneous injection	See standard <i>Inflammatory Conditions – Adalimumab Products Preferred Specialty Management Policy for National Preferred, High Performance, and Basic Formularies Choice OR FLEX Formulary</i> policies.	See PSM duration	Yes		1/1/2024	No
Inflammatory Conditions – SC TNF Antagonists - Adalimumab Agents	Yuflyma	adalimumab-aaty subcutaneous injection	See standard <i>Inflammatory Conditions – Adalimumab Products Preferred Specialty Management Policy for National Preferred, High Performance, and Basic Formularies Choice OR FLEX Formulary</i> policies.	See PSM duration	Yes		1/1/2024	No
Inflammatory Conditions – SC TNF Antagonists - Adalimumab Agents	Yusimry	adalimumab-aqvh subcutaneous injection	See standard <i>Inflammatory Conditions – Adalimumab Products Preferred Specialty Management Policy for National Preferred, High Performance, and Basic Formularies Choice OR FLEX Formulary</i> policies.	See PSM duration	Yes		1/1/2024	No
Inflammatory Conditions – Targeted Synthetic DMARDs (Oral)	Sotyktu	deucravacitinib tablets	See standard Inflammatory Conditions (Sotyktu) Preferred Specialty Management Policy for National Preferred, High Performance, and Basic Formularies OR FLEX Formulary policies.	Up to 1 year	Yes	Yes	1/1/2024	No
Interferons	Besremi	ropeginterferon alfa-2b-njft subcutaneous injection	<p><u>Polycythemia vera in a patient ≥ 18 years of age.</u></p> <p>1. Approve if the patient meets the following (A and B):</p> <p>A. Patient meets one of the following (i or ii):</p> <p>i. Patient has tried hydroxyurea, if formulary. If hydroxyurea is non-formulary, the patient would still have to try Pegasys, if formulary; OR</p> <p>ii. According to the prescriber, the patient is NOT a candidate for hydroxyurea therapy; AND</p> <p>Note: Examples of patients who may be considered as NOT candidates for hydroxyurea include pregnant patients or younger adult patients.</p> <p>B. Patient has tried Pegasys, if formulary. If Pegasys is non-formulary, the patient would still have to meet Criteria 1A above.</p> <p>Note: If neither hydroxyurea nor Pegasys are formulary, approve.</p> <p>2. Approve if the patient has already started on therapy with Besremi.</p>	1 year	Yes	Yes	1/2/2024	No

Formulary Exception Criteria

Therapy Class	Brand Name	Generic Name	Commercial FE Criteria	Approval Duration	2024 NPF Excluded Medication	Continuation of Therapy Required?	Date Last Reviewed	Utilizes Pref Alts to Operationalize Criteria
Iron Replacement (Injectable)	Feraheme	ferumoxytol injection	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Iron Replacement (Injectable)	Monoferric	ferric derisomaltose injection for intravenous use	Approve if the patient has tried three products from the following list (if three are formulary, or two if two are formulary, or one if one is formulary): Venofer, sodium ferric gluconate complex (Ferlecit, generics), or Injectafer. If none are formulary, approve.	1 year	Yes		1/26/2023	Yes
Irritable Bowel Syndrome Agents	Lotronex	alosetron tablets	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .		MSB Exclusion *This criteria applies only to the NPF		N/A	No
Isotretinoin Products	Absorica LD	isotretinoin capsules low dose	Approve if the patient has tried three of the following: Absorica (not LD), Accutane, Amnesteem, Claravis, Myorisan, or Zenatane, if formulary (or two if two are formulary or one if one is formulary). If none are formulary, approve.	1 year	Yes		3/3/2023	No
Leukotriene Pathway Inhibitors	Singular tablets	montelukast sodium tablets, chewable tablets, granules	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Long-Acting Beta-Agonists (Inhalers)	Serevent Diskus	salmeterol xinafoate inhalation powder	1. Approve if the patient has tried Striverdi Respimat, if formulary. If Striverdi is non-formulary, approve. 2. Patient who is unable to coordinate breath and actuation with a metered-dose inhaler (MDI): approve. 3. Patient with asthma: Approve if the patient is using Serevent Diskus concomitantly with an inhaled corticosteroid or an inhaled corticosteroid-containing product. 4. Patient with exercise induced bronchospasm <u>without</u> asthma: approve. Note: A patient with exercise-induced bronchospasm and asthma should be referred to criterion #3.	1 year	Yes		5/22/2023	Yes
Long-Acting Beta-Agonists (nebulized)	Perforomist	formoterol fumarate inhalation solution	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Long-Acting Muscarinic Antagonist (LAMA)/Long-Acting Beta-Agonist (LABA) Combination Inhalers	Bevespi Aerosphere	glycopyrrolate and formoterol fumarate inhalation aerosol	1. Approve if the patient has tried three of Anoro Ellipta, Duaklir Pressair, or Stiolto Respimat, if three are formulary, or two if two are formulary, or one if one is formulary. If none are formulary, approve. 2. If the patient has a low inspiratory flow rate and is unable to use a dry powder inhaler (DPI), approve if the patient has tried Stiolto Respimat, if formulary. If Stiolto Respimat is non-formulary, approve.	1 year	Yes		12/1/2023	No
Long-Acting Muscarinic Antagonist (LAMA)/Long-Acting Beta-Agonist (LABA) Combination Inhalers	Duaklir Pressair	acclidinium bromide and formoterol fumarate inhalation powder	1. Approve if the patient has tried three of Anoro Ellipta, Bevespi Aerosphere, or Stiolto Respimat, if three are formulary, or two if two are formulary or one if one is formulary. If none are formulary, approve. 2. If the patient is unable to coordinate breath and actuation with a metered-dose inhaler (MDI), approve if the patient has tried Anoro Ellipta, if formulary. If Anoro Ellipta is non-formulary, approve.	1 year	Yes		12/1/2023	No
Long-Acting Opioids (Oral)	Nucynta ER	tapentadol extended-release tablets	1. Approve if the patient has tried three other oral long-acting opioid products. For example: morphine sulfate controlled-release/extended-release capsules or tablets [MS Contin, Kadian, generics], OxyContin, oxycodone ER tablets [generics], Xtampza ER, hydromorphone extended-release tablets [Exalgo, generics], oxymorphone extended-release tablets, or hydrocodone ER (Zohydro ER, Hysingla ER, generics). 2. Patient is intolerant or allergic to morphine: approve if the patient has tried one product from the following list (if one is formulary): hydrocodone ER (Zohydro ER, Hysingla ER, generics), OxyContin, Xtampza ER, or oxycodone ER tablets (generics). If none are formulary, approve. 3. Patient has renal insufficiency: approve if the patient has tried one product from the following list (if one is formulary): hydrocodone ER (Zohydro ER, Hysingla ER, generics), OxyContin, Xtampza ER, or oxycodone ER tablets (generics). If none are formulary, approve.	1 year	Yes		1/26/2023	Yes
Long-Acting Opioids (Oral)	oxycodone ER	oxycodone extended-release tablets	1. Approve if the patient has tried three other oral long-acting opioid products. For example: morphine sulfate controlled-release/extended-release capsules or tablets [MS Contin, Kadian, generics], hydromorphone extended-release tablets [Exalgo, generics], oxymorphone extended-release, Nucynta ER, hydrocodone ER (Zohydro ER, Hysingla ER, generics), OxyContin, or Xtampza ER. 2. Patient is intolerant or allergic to morphine: approve if the patient has tried one product from the following list (if one is formulary): Nucynta ER, hydrocodone ER (Zohydro ER, Hysingla ER, generics), Xtampza ER, or OxyContin. If none are formulary, approve. 3. Patient has renal insufficiency: approve if the patient has tried one product from the following list (if one is formulary): Nucynta ER, hydrocodone ER (Zohydro ER, Hysingla ER, generics), Xtampza ER, or OxyContin. If none are formulary, approve. 4. Patients ≥ 11 years and < 18 years of age: approve if the patient has tried OxyContin, if formulary. If Oxycontin is non-formulary, approve.	1 year	Yes		1/26/2023	Yes
Long-Acting Opioids (Oral)	Xtampza ER	oxycodone extended-release capsules (with DETERx)	1. Approve if the patient has tried three other oral long-acting opioid products. For example: morphine sulfate controlled-release/extended-release capsules or tablets [MS Contin, Kadian, generics], hydromorphone extended-release tablets [Exalgo, generics], oxymorphone extended-release, Nucynta ER, hydrocodone ER (Zohydro ER, Hysingla ER, generics), OxyContin, or oxycodone ER tablets [generics]. 2. Patient is intolerant or allergic to morphine: approve if the patient has tried one product from the following list (if one is formulary): Nucynta ER, hydrocodone ER (Zohydro ER, Hysingla ER, generics), oxycodone ER tablets (generics), or OxyContin. If none are formulary, approve. 3. Patient has renal insufficiency: approve if the patient has tried one product from the following list (if one is formulary): Nucynta ER, hydrocodone ER (Zohydro ER, Hysingla ER, generics), oxycodone ER tablets (generics), or OxyContin. If none are formulary, approve.	1 year	Yes		1/26/2023	Yes

Formulary Exception Criteria

Therapy Class	Brand Name	Generic Name	Commercial FE Criteria	Approval Duration	2024 NPF Excluded Medication	Continuation of Therapy Required?	Date Last Reviewed	Utilizes Pref Alts to Operationalize Criteria
Long-Acting Opioids (Transdermal)	Butrans	buprenorphine transdermal system	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Loop diuretics	Furoscix	furosemide subcutaneous injection by on-body infusor	<u>For the treatment of congestion due to fluid overload in a patient ≥ 18 years of age with New York Heart Association Class II/III chronic heart failure.</u> Approve if the patient has tried at least one loop diuretic [documentation required] or the patient is currently taking a loop diuretic. Note: Examples of loop diuretics include furosemide, bumetanide, torsemide.	30 days	Yes		1/31/2023	No
Loop diuretics	Soaanz	torsemide tablets	Approve if the patient has tried three products from the following list, if formulary (or two if two are formulary or one if one is formulary): torsemide tablets, bumetanide (Bumex, generics), furosemide (Lasix, generics). If none are formulary, approve.	1 year	Yes		4/19/2023	No
Low Molecular Weight Heparins and Related Agents	Lovenox	enoxaparin sodium injection (syringe/vial)	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Metabolic Agents	Cystadane	betaine trimethylglycine powder for solution	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Metabolic Agents - Phenylbutyrate Agents	Ravicti	glycerol phenylbutyrate oral liquid	Patient meets the following: <i>Metabolic Disorders – Phenylbutyrate Products Prior Authorization Policy</i> criteria AND Patient meets one of the following (1, 2, 3, or 4): 1. Approve if the patient has tried two of the following, if two are formulary (or one if only one is formulary): Olpruva and Pheburane. If neither are formulary, approve; OR 2. Patient has a feeding tube: Approve if the patient has tried sodium phenylbutyrate powder for oral administration (Buphenyl powder, generic), if formulary. If sodium phenylbutyrate powder for oral administration (Buphenyl powder, generic) is non-formulary, approve; OR 3. Patient is < 20 kg: approve if the patient meets one of the following (a or b): a. Patient has tried Pheburane, if formulary. If Pheburane is non-formulary, approve; OR b. Patient is NOT eating solid food AND does NOT have a feeding tube (e.g., young infant): Approve; OR 4. Patient is on a sodium-restricted diet OR, according to the prescriber, a high sodium diet is contraindicated: Approve.	See PA duration	Yes		8/21/2023	No
Metabolic Disorders – Cysteamine Ophthalmic Products	Cystadrops	cysteamine ophthalmic solution	Cystinosis with Corneal Cysteine Crystal Deposits: Approve, if the patient has tried Cystaran, if formulary. If Cystaran is non-formulary, approve.	1 year	Yes		6/7/2023	Yes
Migraine Agent – Treatment Medications - Calcitonin gene-related peptide (CGRP) receptor antagonist	Zavzpret	zavegepant nasal spray	Approve if the patient meets the following (A and B): A. Patient meets one of the following (i or ii): i. Patient has tried both Nurtec ODT AND Ubrovelvy, if both are formulary (or only one if one is formulary); OR ii. If the patient is unable to swallow or has difficulty swallowing tablets, the patient has tried Nurtec ODT, if formulary. If Nurtec ODT is non-formulary, criteria A is met; AND Note: The patient would still need to meet criteria B even if criteria A is met. B. Patient meets one of the following (i or ii): i. Patient has tried two triptan products (for example, almotriptan [Axert, generics], eletriptan [Relpax, generics], frovatriptan [Frova, generics], naratriptan [Amerge, generics], rizatriptan [Maxalt, generics], sumatriptan [Imitrex, generics], zolmitriptan [Zomig, generics]); OR ii. Patient meets one of the following (1 or 2): 1. Per the prescriber, the patient has a contraindication to triptans; OR 2. Per the prescriber, the patient has had a significant intolerance to one or more triptans.	1 year	Yes		6/5/2023	No
Migraine Agents - Calcitonin Gene-Related Peptide (CGRP) Inhibitors	Vyepti	eptinezumab-jjmr injection for intravenous use	Approve if the patient has tried four of the following products, if formulary (or three if three are formulary or two if two are formulary or one if one is formulary): Aimovig, Emgality, Ajovy, and Qulipta. If none are formulary, approve.	1 year	Yes		12/13/2023	No
Migraine Agents - Triptans	Imitrex injection	sumatriptan succinate solution for injection (injectable pen/cartridges)	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Migraine Agents - Triptans	Imitrex nasal spray	sumatriptan nasal spray	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Migraine Agents - Triptans	Imitrex tablets	sumatriptan succinate tablets	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Migraine Agents - Triptans	Maxalt	rizatriptan tablets	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No

Formulary Exception Criteria

Therapy Class	Brand Name	Generic Name	Commercial FE Criteria	Approval Duration	2024 NPF Excluded Medication	Continuation of Therapy Required?	Date Last Reviewed	Utilizes Pref Alts to Operationalize Criteria
Migraine Agents - Triptans	Maxalt MLT	rizatriptan orally disintegrating tablets	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Migraine Agents - Triptans	Onzetra Xsail	sumatriptan nasal powder	Approve if the patient meets both of the following (a and b): a. Patient has tried one of sumatriptan nasal spray (Imitrex Nasal Spray, generics) or Tosymra, if formulary; AND b. Patient has tried Zomig Nasal Spray or zolmitriptan nasal spray, if formulary. Note: If no products from a. or b. are formulary, approve.	1 year	Yes		11/30/2023	Yes
Migraine Agents - Triptans	Relpax	eletriptan tablets	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Migraine Agents - Triptans	Treximet	sumatriptan/naproxen sodium tablets	Approve if the patient has tried naproxen AND sumatriptan tablets (Imitrex, generics), if formulary. If sumatriptan tablets (Imitrex, generics) are non-formulary, approve. NOTE: A trial of the requested agent would NOT count toward meeting this requirement.	1 year	Yes		11/30/2023	No
Migraine Agents - Triptans		zolmitriptan nasal spray (authorized generic of Zomig nasal spray)	1. Direct the patient to Zomig nasal spray (brand), if formulary. If Zomig nasal spray (brand) is non-formulary, approve if the patient has tried one product from the following list (if one is formulary): sumatriptan nasal spray (Imitrex Nasal Spray, generics), Onzetra Xsail, or Tosymra Nasal Spray. If none are formulary, approve. 2. Direct the patient to Zomig nasal spray (brand), if formulary. If Zomig nasal spray (brand) is non-formulary, approve if the patient is 12 to 17 years of age.	1 year	Yes		11/30/2023	Yes
Migraine Agents - Triptans	Zomig	zolmitriptan tablets	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Miscellaneous anticholinergic	Mestinon	pyridostigmine tablet, solution, extended-release tablet	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Miscellaneous anticholinergic	Qbrexza	glycopyrronium cloth 2.4%, for topical use	Hyperhidrosis, Primary Axillary in a patient ≥ 9 years of age. Note: Qbrexza is not intended for application to areas other than the axillae. Approve if the patient meets ONE of the following (A or B): A. Patient has tried, for at least 4 weeks, and experienced inadequate efficacy with one of Drysol, Hypercare, Xerac AC, Certain Dri or generic, or Bromi-lotion [documentation required] ; OR B. According to the prescriber, the patient has experienced a significant intolerance with one of these products [documentation required] .	1 year	Yes		11/30/2023	No
Miscellaneous Urologicals	Urimar-T	methenamine 120 mg, sodium phosphate monobasic 40.8 mg, phenyl salicylate 36.2 mg, methylene blue 10.8 mg, hyoscyamine sulfate 0.12 mg capsule	Approve if the patient has tried, and according to the prescriber, has experienced inadequate efficacy OR significant intolerance with BOTH of the following, if formulary: Uro-MP capsules AND Uro-SP capsules. If neither are formulary, approve.	1 year	Yes		9/1/2023	No
Miscellaneous Urologicals	Urneva	methenamine 120 mg, sodium phosphate monobasic 40.8 mg, phenyl salicylate 36.2 mg, methylene blue 10.8 mg, hyoscyamine sulfate 0.12 mg capsule	Approve if the patient has tried, and according to the prescriber, has experienced inadequate efficacy OR significant intolerance with BOTH of the following, if formulary: Uro-MP capsules AND Uro-SP capsules. If neither are formulary, approve.	1 year	Yes		9/1/2023	No
Molluscum Contagiosum Agents	Ycanth	cantharidin 0.7% topical solution	Molluscum contagiosum in a patient ≥ 2 years of age. Approve if the patient has tried one other therapy for the condition (i.e., cryotherapy, curettage, or compounded cantharadin).	1 year	Yes		8/15/2023	No

Formulary Exception Criteria

Therapy Class	Brand Name	Generic Name	Commercial FE Criteria	Approval Duration	2024 NPF Excluded Medication	Continuation of Therapy Required?	Date Last Reviewed	Utilizes Pref Alts to Operationalize Criteria
Multiple Sclerosis Drugs -Injectable Beta Interferons	Extavia	interferon beta-1b injection	<p>Relapsing form of multiple sclerosis.</p> <p>Note: Examples of relapsing forms of multiple sclerosis include clinically isolated syndrome, relapsing remitting disease, and active secondary progressive disease.</p> <p>Approve if the patient meets one of the following (1 or 2):</p> <p>1. Patient meets one of the following: (A or B):</p> <p>A. Patient has tried three formulary products from the following list: Betaseron, Rebif, Avonex, or Plegridy [documentation required], if three are formulary (or two if two are formulary or one if one is formulary); OR</p> <p>B. If no beta-interferon products (above) are formulary, patient meets BOTH of the following (i and ii):</p> <p>i. Patient has tried one oral fumarate product: Bafiertam, Vumerity, or dimethyl fumarate (Tecfidera, generics), if formulary; AND</p> <p>Note: If no oral fumarate products are formulary, approve.</p> <p>ii. Patient has tried one other agent for multiple sclerosis.</p> <p>Note: Examples of other agents for multiple sclerosis include Mayzent, Ponvory, Zeposia, Gilenya, Tascenso ODT, Aubagio, glatiramer, Glatopa (Copaxone, generics).</p> <p>2. Patient has been established on Extavia for greater than or equal to 120 days, direct to Betaseron. If Betaseron is non-formulary, approve.</p>	1 year	Yes	Yes	6/16/2023	No
Multiple Sclerosis Drugs (Injectable) - CD20-directed cytolytic antibodies	Briumvi	ublituximab-xiiv intravenous infusion	<p>Relapsing forms of multiple sclerosis.</p> <p>Note: Examples of relapsing forms of multiple sclerosis (MS) include clinically isolated syndrome, relapsing remitting disease, and active secondary progressive disease.</p> <p>1. Approve if the patient has tried and, according to the prescriber, has had inadequate efficacy or significant intolerance with ONE of Ocrevus or Kesimpta, if formulary. If neither are formulary, approve.</p> <p>2. Approve if the patient has already been started on Briumvi therapy.</p>	1 year	Yes	Yes	1/9/2023	No
Multiple Sclerosis Drugs (Oral)	Ampyra	dalfampridine extended-release tablets	<p>NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product.</p> <p>Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required].</p>	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Multiple Sclerosis Drugs (Oral)	Aubagio	teriflunomide tablets	<p>Relapsing forms of multiple sclerosis.</p> <p>Note: Examples of relapsing forms of multiple sclerosis (MS) include clinically isolated syndrome, relapsing remitting disease, and active secondary progressive disease.</p> <p>Approve if the patient has tried teriflunomide tablets, if formulary.</p> <p>If teriflunomide tablets are non-formulary or generic teriflunomide is being requested, approve if the patient meets one of the following (1, 2, or 3):</p> <p>1. Patient meets the following (A and B):</p> <p>A. Patient has tried and, according to the prescriber, has had inadequate efficacy OR significant intolerance with one fumarate-based product, if formulary: Bafiertam, dimethyl fumarate (Tecfidera, generics), or Vumerity. If none are formulary, approve; AND</p> <p>B. Patient has tried and, according to the prescriber, has had inadequate efficacy OR significant intolerance with one of the following: fingolimod (Gilenya, generics), Zeposia, Mayzent, or Ponvory, if formulary. If none are formulary, would still need to try a fumarate-based product, if one is formulary.</p> <p>2. For patients with an underlying cardiovascular condition (e.g., heart failure, myocardial infarction, stroke, transient ischemic attack, unstable angina, atrioventricular [AV] block, cardiac arrhythmias, bradyarrhythmias), patient has tried and, according to the prescriber, has had inadequate efficacy OR significant intolerance with one other oral disease-modifying therapy (e.g., dimethyl fumarate, Vumerity).</p> <p>Note: Any oral disease modifying agent would satisfy this requirement, including dimethyl fumarate, Tecfidera, Vumerity, Bafiertam, Mavenclad, Zeposia, Mayzent, Ponvory, fingolimod, Gilenya, Tascenso ODT.</p> <p>3. Patient has been established on Aubagio for greater than or equal to 120 days.</p>	1 year	Yes- brand only	Yes	10/27/2023	No
Multiple Sclerosis Drugs (Oral)	Gilenya 0.25 mg	fingolimod capsule	<p>Patient meets all of the following (A, B, C and D):</p> <p>A. Patient with relapsing form of multiple sclerosis; AND</p> <p>Note: Examples of relapsing forms of multiple sclerosis (MS) include clinically isolated syndrome, relapsing remitting disease, and active secondary progressive disease.</p> <p>B. Patients ≥ 10 years of age; AND</p> <p>C. Patient weighs less than or equal to 40 kg [documentation required]; AND</p> <p>D. Patient has tried Tascenso 0.25 mg orally disintegrating tablets (ODT), if formulary. If Tascenso 0.25 ODT are non-formulary, approve.</p>	1 year	Yes		3/29/2023	No
Multiple Sclerosis Drugs (Oral)	Gilenya 0.5 mg	fingolimod capsule	<p>NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product.</p> <p>Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required].</p>	1 year	MSB Exclusion *This criteria applies only to the NPF		7/1/2023	No
Multiple Sclerosis Drugs (Oral)	Tascenso ODT 0.25 mg	fingolimod orally disintegrating tablets	<p>Approve if the patient meets the following 1 AND 2:</p> <p>1. Patient meets all of the following (A, B, and C):</p> <p>A. Patient with relapsing form of multiple sclerosis; AND</p> <p>Note: Examples of relapsing forms of multiple sclerosis (MS) include clinically isolated syndrome, relapsing remitting disease, and active secondary progressive disease.</p> <p>B. Patients ≥ 10 years of age; AND</p> <p>C. Patient weighs less than or equal to 40 kg [documentation required]; AND</p> <p>2. Patients meets one of the following (A, B, OR C):</p> <p>A. Patient is unable to swallow or has difficulty swallowing Gilenya [documentation required]; OR</p> <p>B. Patient is unable to obtain Gilenya 0.25 mg capsules from the manufacturer; OR</p> <p>C. Gilenya 0.25 mg is non-formulary.</p>	1 year	Yes		3/27/2023	No
Multiple Sclerosis Drugs (Oral)	Tascenso ODT 0.5 mg	fingolimod orally disintegrating tablets	<p>Patient with relapsing form of multiple sclerosis.</p> <p>Note: Examples of relapsing forms of multiple sclerosis (MS) include clinically isolated syndrome, relapsing remitting disease, and active secondary progressive disease.</p> <p>1. Approve if the patient is unable to swallow or has difficulty swallowing fingolimod 0.5 mg capsules or Gilenya 0.5 mg capsules [documentation required].</p> <p>2. Approve if neither fingolimod 0.5 mg capsule nor Gilenya 0.5 mg capsules are formulary.</p>	1 year	Yes		2/27/2023	No
Multiple Sclerosis Drugs (Oral) – Fumarate-based Agents	Tecfidera	dimethyl fumarate delayed-release capsules	See standard Preferred Specialty Management Policy criteria.	1 year	Yes		11/16/2023	No

Formulary Exception Criteria

Therapy Class	Brand Name	Generic Name	Commercial FE Criteria	Approval Duration	2024 NPF Excluded Medication	Continuation of Therapy Required?	Date Last Reviewed	Utilizes Pref Alts to Operationalize Criteria
Myelodysplastic syndrome Agent	Inqovi	decitabine and cedazuridine tablets	Chronic Myelomonocytic Leukemia; Myelodysplastic Syndrome/Myeloproliferative Neoplasm Overlap Neoplasms; Myelodysplastic Syndromes (Note: Examples of myelodysplastic syndromes include: refractory anemia with ringed sideroblasts, and refractory anemia with excess blasts.). 1. Approve if the patient has tried decitabine injection (Dacogen, generics), if formulary. If decitabine injection (Dacogen, generics) is non-formulary, approve. 2. Approve if the patient is unable to obtain and/or maintain intravenous access. 3. Approve if the patient has already started therapy with Inqovi.	1 year	Yes	Yes	9/13/2023	Yes
Myelofibrosis Agents	Inrebic	febratinib capsules	Myelofibrosis; Myeloid/Lymphoid Neoplasms: 1. Approve if the patient has tried Jakafi, if formulary. If Jakafi is non-formulary, approve. 2. Approve if the patient has already been started on Inrebic.	1 year	Yes	Yes	11/30/2023	Yes
Myelofibrosis Agents – JAK Inhibitors	Ojjaara	mometotinib tablets	Myelofibrosis. 1. Approve if the patient has tried Jakafi, if formulary. If Jakafi is non-formulary, approve. Note: If the patient has tried Inrebic or Vonjo, this would satisfy requirement for approval. 2. If the patient has a hemoglobin < 10 g/dL AND serum erythropoietin level ≥ 500 mU/mL, approve. 3. Approve if the patient has already started on therapy with Ojjaara.	1 year	Yes	Yes	12/1/2023	No
Naloxone Products for Opioid Overdose	Zimhi	naloxone hydrochloride intramuscular or subcutaneous injection 5 mg/0.5 ml	1. Approve if the patient has tried naloxone syringes, if formulary. If naloxone syringes are non-formulary, approve. 2. Approve, if according to the prescriber, a higher-strength naloxone product is needed.	1 year	Yes		3/3/2023	No
Nasal Steroids	Beconase AQ	beclomethasone nasal spray	Approve if the patient has tried five nasal steroids from the following list, if formulary (or four if four are formulary or three if three are formulary or two if two are formulary or one if one is formulary): fluticasone nasal spray, mometasone nasal spray (Nasonex, generics), flunisolide nasal spray (generics), Omnaris, Qnasl, or Zetonna. Note: Over-the-counter (OTC) nasal steroids would count as a trial of an alternative.	1 year	Yes		5/31/2023	Yes
Nasal Steroids	Omnaris	ciclesonide nasal spray	Approve if the patient has tried five nasal steroids from the following list, if formulary (or four if four are formulary or three if three are formulary or two if two are formulary or one if one is formulary): fluticasone propionate spray, Beconase AQ, mometasone nasal spray (Nasonex, generics), flunisolide nasal spray (generics), Qnasl, or Zetonna. Note: Over-the-counter (OTC) nasal steroids would count as a trial of an alternative.	1 year	Yes		5/31/2023	Yes
Nasal Steroids	Qnasl	beclomethasone dipropionate nasal aerosol	Approve if the patient has tried five nasal steroids from the following list, if formulary (or four if four are formulary or three if three are formulary or two if two are formulary or one if one is formulary): fluticasone propionate spray, Beconase AQ, mometasone nasal spray (Nasonex, generics), flunisolide nasal spray (generics), Omnaris, or Zetonna. Note: Over-the-counter (OTC) nasal steroids would count as a trial of an alternative.	1 year	Yes		5/31/2023	Yes
Nasal Steroids	Zetonna	ciclesonide nasal aerosol	Approve if the patient has tried five nasal steroids from the following list, if formulary (or four if four are formulary or three if three are formulary or two if two are formulary or one if one is formulary): fluticasone propionate spray, Beconase AQ, mometasone nasal spray (Nasonex, generics), flunisolide nasal spray (generics), Omnaris, or Qnasl. Note: Over-the-counter (OTC) nasal steroids would count as a trial of an alternative.	1 year	Yes		5/31/2023	Yes
Nephropathic Cystinosis Medications	Procysbi	cysteamine bitartrate dealedy-release capsules and granule packets	Approve if the patient meets the following criteria (A, B, C, and D): A. Patients with nephropathic cystinosis; AND B. According to the prescriber, the diagnosis was confirmed by one of the following (i or ii): i. Genetic testing confirmed a mutation of the CTNS gene; OR ii. White blood cell cystine concentration above the upper limit of the normal reference range for the reporting laboratory; AND C. The patient will not be using Cystagon and Procysbi concurrently; AND D. The patient has tried Cystagon [documentation required], if formulary. If Cystagon is non-formulary, approve.	1 year	Yes		11/21/2023	Yes
Neurokinin-3 Antagonists	Veozah	fezolinetant tablets	Approve if the patient meets BOTH of the following (1 AND 2): 1. Patient meets ONE of the following (A or B): A. Patient has tried and, according to the prescriber, has experienced inadequate efficacy or significant intolerance with at least one oral or topical estrogen-containing product: estradiol tablets (Estrace, generics), Premarin, Menest, estradiol patches (Alora, Climara, Menostar, Vivelle-Dot, Minivelle, generics), estradiol gel (Divigel, generics), Elestrin, Estrogel, Evamist; OR Note: If the patient has tried and, according to the prescriber, has experienced inadequate efficacy or significant intolerance with an oral or topical estrogen product in combination with a progestin agent, this would satisfy the requirement. B. According to the prescriber, the patient has a contraindication to hormone therapy [documentation required] (e.g., current or history of an estrogen-dependent cancer; current or history of deep vein thrombosis or pulmonary embolism; current or history of thrombophilic disorders; cardiovascular disorders); AND Note: Hormone therapy includes any oral or topical estrogen or estrogen/progestin combination products. 2. Patient meets ONE of the following (A, B, C, or D): A. Patient has tried and, according to the prescriber, has experienced inadequate efficacy or significant intolerance with paroxetine 7.5 mg (formerly Brisdelle); OR Note: If the patient has already tried paroxetine 10 mg or any other strength of paroxetine, this would satisfy criterion A. B. Paroxetine 7.5 mg is non-formulary; OR C. Patient is already taking 1) a selective serotonin reuptake inhibitor, OR 2) a serotonin and norepinephrine reuptake inhibitor; OR D. According to the prescriber, the patient has a contraindication to a selective serotonin reuptake inhibitor.	1 year	Yes		12/13/2023	No
Neurology - Amyotrophic Lateral Sclerosis (ALS) Agents	Qalsody	tofersen intrathecal injection	See standard Neurology – Qalsody Prior Authorization Policy criteria. Note: No conditions of approval are recommended in the prior authorization policy.	N/A	Yes		5/31/2023	No
Neurology - Amyotrophic Lateral Sclerosis (ALS) Agents	Relyvrio	sodium phenylbutyrate and taurursodiol powder for oral suspension	No exceptions are recommended. There is unclear clinical benefit with Relyvrio and a lack of clinical efficacy data. (NOTE: It is not appropriate to use standard global criteria for this medication; Denial reason is: No exceptions are recommended. There is unclear clinical benefit with Relyvrio and a lack of clinical efficacy data.)	N/A	Yes		1/5/2023	No

Formulary Exception Criteria

Therapy Class	Brand Name	Generic Name	Commercial FE Criteria	Approval Duration	2024 NPF Excluded Medication	Continuation of Therapy Required?	Date Last Reviewed	Utilizes Pref Alts to Operationalize Criteria
Neuromyelitis optica spectrum disorder (NMOSD) Agents	Uplizna	inebilizumab-cdon injection for intravenous infusion	<ol style="list-style-type: none"> Neuromyelitis Optica Spectrum Disorder: approve if the patient has tried and, according to the prescriber, has inadequate efficacy or significant intolerance to Enspryng, if formulary. If Enspryng is non-formulary, approve. Neuromyelitis Optica Spectrum Disorder: approve if the patient has already started on therapy with Uplizna. 	1 year	Yes	Yes	1/26/2023	Yes
N-methyl D-aspartate (NMDA) receptor antagonists	Spravato	esketamine nasal spray	<ol style="list-style-type: none"> For the diagnosis of Treatment-Resistant Depression: approve if the patient meets the following criteria (A, B, C, and D): <ol style="list-style-type: none"> The patient is ≥ 18 years of age; AND The patient meets both of the following (i and ii): <ol style="list-style-type: none"> The patient has demonstrated nonresponse (≤ 25% improvement in depression symptoms or scores) to at least two different antidepressants, each from a different pharmacologic class, according to the prescriber; AND Each antidepressant was used at therapeutic dosages for at least 6 weeks in the current episode of depression, according to the prescriber; AND Major Depressive Disorder with Acute Suicidal Ideation or Behavior: approve if the patient meets the following criteria (A, B, C, and D): <ol style="list-style-type: none"> The patient is ≥ 18 years of age; AND The patient has major depressive disorder that is considered to be severe, according to the prescriber; AND The patient is concomitantly receiving at least one oral antidepressant; AND <p>Note: Antidepressants may include, but are not limited to, selective serotonin reuptake inhibitors, serotonin-norepinephrine reuptake inhibitors, tricyclic antidepressants, mirtazapine, and bupropion.</p> <p>Note: Antidepressants may include, but are not limited to, selective serotonin reuptake inhibitors, serotonin-norepinephrine reuptake inhibitors, tricyclic antidepressants, mirtazapine, and bupropion.</p> <p>Note: The medication is prescribed by a psychiatrist.</p> <ol style="list-style-type: none"> For the diagnosis of Treatment-Resistant Depression OR Major Depressive Disorder with acute suicidal ideation or behavior: approve if the patient has already started therapy with Spravato. 	1 year	Yes	Yes	4/24/2023	No
Nocturnal Polyuria Agents	Noctiva	desmopressin acetate nasal spray for intranasal use	See standard <i>Desmopressin Products – Noctiva Prior Authorization with Step Therapy Policy</i> criteria.	1 year	Yes		11/29/2023	No
NSAID and Acid Reducing Agent Combination Products	Duexis	ibuprofen and famotidine tablets	<p>NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product.</p> <p>Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required].</p>	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
NSAID and Acid Reducing Agent Combination Products	Vimovo	naproxen and esomeprazole magnesium delayed-release tablets	<p>NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product.</p> <p>Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required].</p>	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
NSAIDs (Cox2)	Celebrex	celecoxib capsules	<p>NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product.</p> <p>Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required].</p>	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
NSAIDs (Cox2)	Elyxyb	celecoxib oral solution	<p>Acute treatment of migraine.</p> <ol style="list-style-type: none"> Direct the patient to celecoxib capsules. If celecoxib capsules (Celebrex, generics) are non-formulary, approve. Approve if, according to the prescriber, there is a significant clinical concern such that the patient is unable to use celecoxib capsules. 	1 year	Yes		3/31/2023	No
NSAIDs (Oral)	Fenoprofen capsules [brand]	fenoprofen capsules	<p>Approve if the patient has tried five prescription-strength, oral NSAIDs.</p> <p>Note: For example: fenoprofen (tablets/generic), etodolac (generics), flurbiprofen (Ansaid, generics), ibuprofen (e.g., Motrin, generics), ketoprofen (generics), meloxicam (Mobic, generics), nabumetone (generics), naproxen (e.g., Naprosyn, Naprelan, generics), oxaprozin (Daypro, generics), diclofenac (Voltaren XR, generics), piroxicam (Feldene, generics), indomethacin (generics).</p> <p>Note: Over-the-counter (OTC) NSAIDs would count if prescription-strength doses were used.</p> <p>Note: Five unique NSAIDs should be tried.</p>	1 year	Yes		8/30/2023	Yes
NSAIDs (Oral)	Indocin Suspension	indomethacin oral suspension	<p>Approve if the patient has tried one of ibuprofen suspension (e.g., Motrin, generics) or naproxen suspension (e.g., Naprosyn, generics), if formulary. If neither are formulary, approve.</p> <p>NOTE: Over-the-counter ibuprofen suspension would count as an alternative, regardless of formulary status.</p>	1 year	Yes		8/30/2023	No
NSAIDs (Oral)	Meloxicam suspension	meloxicam suspension	<p>Approve if the patient has tried one of ibuprofen suspension (e.g., Motrin, generics) or naproxen suspension (e.g., Naprosyn, generics), if formulary. If neither are formulary, approve.</p> <p>Note: Over-the-counter ibuprofen suspension would count as an alternative, regardless of formulary status.</p>	1 year	Yes		9/13/2023	No
NSAIDs (Oral)	Nalfon	fenoprofen capsules	<p>NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product.</p> <p>Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required].</p>	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
NSAIDs (Oral)	Relafen DS	nabumetone 1,000 mg tablets	<p>Approve if the patient has tried five prescription-strength oral NSAIDs.</p> <p>Note: For example: nabumetone (generics), etodolac (generics), flurbiprofen (Ansaid, generics), ibuprofen (e.g., Motrin, generics), ketoprofen (generics), meloxicam (Mobic, generics), naproxen (e.g., Naprosyn, Naprelan, generics), oxaprozin (Daypro, generics), diclofenac (Voltaren XR, generics), piroxicam (Feldene, generics), indomethacin (generics).</p> <p>Note: Over-the-counter (OTC) NSAIDs would count if prescription-strength doses were used.</p> <p>Note: Five unique NSAIDs should be tried.</p>	1 year	Yes		8/30/2023	Yes
NSAIDs (Oral)	Sprix and authorized generic	ketorolac tromethamine nasal spray	<ol style="list-style-type: none"> Approve if the patient has tried five prescription-strength, oral NSAIDs. <p>Note: Examples include: etodolac (generics), flurbiprofen (Ansaid, generics), ibuprofen (e.g., Motrin, generics), ketoprofen (generics), meloxicam (Mobic, generics), nabumetone (generics), naproxen (e.g., Naprosyn, Naprelan, generics), oxaprozin (Daypro, generics), diclofenac (Voltaren XR, generics), piroxicam (Feldene, generics), indomethacin (generics).</p> <p>Note: Over-the-counter (OTC) NSAIDs would count if prescription-strength doses were used.</p> <p>Note: Five unique NSAIDs should be tried.</p> <ol style="list-style-type: none"> Approve for patients with difficulty swallowing or for patients who cannot swallow. 	1 year	Yes - Authorized generic only		8/30/2023	Yes

Formulary Exception Criteria

Therapy Class	Brand Name	Generic Name	Commercial FE Criteria	Approval Duration	2024 NPF Excluded Medication	Continuation of Therapy Required?	Date Last Reviewed	Utilizes Pref Alts to Operationalize Criteria
NSAIDs (Oral)	Tivorbex and authorized generic	indomethacin, submicronized capsules	Approve if the patient has tried five prescription-strength, oral NSAIDs. Note: Examples include: indomethacin (generics), etodolac (generics), flurbiprofen (Ansaid, generics), ibuprofen (e.g., Motrin, generics), ketoprofen (generics), meloxicam (Mobic, generics), nabumetone (generics), naproxen (e.g., Naprosyn, Naprelan, generics), oxaprozin (Daypro, generics), diclofenac (Voltaren XR, generics), piroxicam (Feldene, generics). Note: Over-the-counter (OTC) NSAIDs would count if prescription-strength doses were used. Note: Five unique NSAIDs should be tried.	1 year	Yes		8/30/2023	Yes
NSAIDs (Oral)	Vivlodex	meloxicam capsules	Approve if the patient has tried five prescription-strength, oral NSAIDs. Note: Examples include: meloxicam (Mobic, generics), etodolac (generics), flurbiprofen (Ansaid, generics), ibuprofen (e.g., Motrin, generics), ketoprofen (generics), nabumetone (generics), naproxen (e.g., Naprosyn, Naprelan, generics), oxaprozin (Daypro, generics), diclofenac (Voltaren XR, generics), piroxicam (Feldene, generics), indomethacin (generics). Note: Over-the-counter (OTC) NSAIDs would count if prescription-strength doses were used. Note: Five unique NSAIDs should be tried.	1 year	Yes		10/4/2023	Yes
NSAIDs (Oral)	Zipsor	diclofenac potassium capsule	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
NSAIDs (Oral)	Zorvolex and authorized generic	diclofenac capsules	Approve if the patient has tried five prescription-strength, oral NSAIDs. Note: Examples include: diclofenac (Voltaren XR, generics), etodolac (generics), flurbiprofen (Ansaid, generics), ibuprofen (e.g., Motrin, generics), ketoprofen (generics), meloxicam (Mobic, generics), nabumetone (generics), naproxen (e.g., Naprosyn, Naprelan, generics), oxaprozin (Daypro, generics), piroxicam (Feldene, generics), indomethacin (generics). Note: Over-the-counter (OTC) NSAIDs would count if prescription-strength doses were used. Note: Five unique NSAIDs should be tried.	1 year	Yes		8/30/2023	Yes
NSAIDs (Suppository)	Indocin Suppositories	indomethacin suppositories	No exceptions are recommended. There are multiple therapeutic alternatives available. (NOTE: It is not appropriate to use standard global criteria for this medication; Denial reason is: No exceptions are recommended. There are multiple therapeutic alternatives available.)	N/A	Yes		1/26/2023	No
NSAIDs (Topical)	diclofenac epolamine 1.3% topical patch (authorized generic of Flector Patch)	diclofenac epolamine 1.3% topical patch	Direct the patient to use Flector patch (brand), if formulary. If Flector patch (brand) is non-formulary, approve if the patient has tried, and according to the prescriber, has experienced inadequate efficacy OR significant intolerance with four products from the following list (if four are formulary or three if three are formulary or two if two are formulary or one if one is formulary): Licart 1.3% topical system, Pennsaid 2.0% topical solution (pump), diclofenac sodium 1.5% topical solution (generics), or prescription diclofenac sodium topical 1% gel (Voltaren 1% gel, generics), if one is formulary. If none are formulary, approve if the patient has tried over-the-counter Voltaren 1% gel.	1 year	Yes		4/5/2023	No
NSAIDs (Topical)	Pennsaid	diclofenac sodium topical solution 2.0% pump	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Nuclear Factor (erythroid-derived 2)-like 2 (Nrf2) Activator	Skyclarys	omaveloxolone capsules	See standard <i>Neurology – Skyclarys Prior Authorization Policy</i> criteria.	1 year	Yes		6/2/2023	No
Omega-3 Fatty Acid Products	Lovaza	omega-3 acid ethyl esters capsules	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Ophthalmic – Antibiotic/Corticosteroid Combination Products	TobraDex ST	tobramycin 0.3%/dexamethasone 0.05% ophthalmic suspension	1. Approve if the patient has tried tobramycin-dexamethasone ophthalmic suspension (Tobradex, generics), if formulary. If tobramycin-dexamethasone ophthalmic suspension (Tobradex, generics) are non-formulary, approve. 2. For the treatment of currently active eye infections: approve in patients already receiving TobraDex ST to complete the course of therapy.	1 year	Yes		10/4/2023	No
Ophthalmic – Antibiotic/Corticosteroid Combination Products	Zylet	tobramycin 0.3%/loteprednol etabonate 0.5% ophthalmic suspension	1. Approve if the patient has tried one of tobramycin-dexamethasone ophthalmic suspension (Tobradex, generics) or TobraDex ST, if formulary. If neither are non-formulary, approve. 2. Patients < 2 years of age, approve. 3. For the treatment of currently active eye infections: approve in patients already receiving Zylet to complete the course of therapy.	1 year	Yes		10/4/2023	No
Ophthalmic - Calcineurin Inhibitor Immunosuppressant	Verkazia	cyclosporine 0.1% ophthalmic emulsion	Moderate to Severe Vernal Keratoconjunctivitis. 1. Approve if the patient meets one of the following (A or B): A. Patient has tried two single-action ophthalmic medications (i.e., ophthalmic mast-cell stabilizers or ophthalmic antihistamines) for the maintenance treatment of vernal keratoconjunctivitis; OR Note: Examples of single-action ophthalmic medications for the maintenance treatment of vernal keratoconjunctivitis include ophthalmic mast-cell stabilizers (e.g., cromolyn ophthalmic solution, Alomide ophthalmic solution) and ophthalmic antihistamines (e.g., Zerviate [cetirizine solution]). B. Patient has tried one dual-action ophthalmic mast-cell stabilizer/antihistamine product for the maintenance treatment of vernal keratoconjunctivitis. Note: Examples of dual-action ophthalmic mast-cell stabilizer/antihistamine products include azelastine ophthalmic solution, beoptastine ophthalmic solution, epinastine ophthalmic solution, ketotifen ophthalmic solution, Lastacaft, olopatadine ophthalmic solution. Note: An exception to the requirement for a trial of two single-action ophthalmic medications (i.e., ophthalmic mast-cell stabilizers or ophthalmic antihistamines) or one dual-action ophthalmic mast-cell stabilizer/antihistamine product for the maintenance treatment of vernal keratoconjunctivitis can be made if the patient has already tried at least one ophthalmic cyclosporine product.	1 year	Yes		7/19/2023	No
Ophthalmic Agent – Mydriatics/ Cycloplegics	Atropine sulfate 1% ophthalmic solution (preservative free) [brand]	atropine sulfate 1% ophthalmic solution	1. Direct the patient to generic atropine sulfate 1% ophthalmic solution. 2. Patients with a known sensitivity to a preservative (e.g., benzalkonium chloride [BAK]), approve.	1 year	Yes		6/5/2023	No

Formulary Exception Criteria

Therapy Class	Brand Name	Generic Name	Commercial FE Criteria	Approval Duration	2024 NPF Excluded Medication	Continuation of Therapy Required?	Date Last Reviewed	Utilizes Pref Alts to Operationalize Criteria
Ophthalmic Agents - Complement Protein C5 Inhibitor	Izervay	avacincaptad pegol intravitreal injection	See standard <i>Ophthalmology – Izervay Prior Authorization Policy</i> criteria.	1 year	Yes		8/22/2023	No
Ophthalmic Agents - For Dry Eye	Miebo	perfluorohexyloctane ophthalmic solution	Approve if the patient has tried, and according to the prescriber, has experienced inadequate efficacy OR significant intolerance with two products from the following list, if formulary (or one if one is formulary): Cequa, cyclosporine ophthalmic 0.05% emulsion (Restasis, generics), Vevye, Tyrvaya, or Xiidra, if formulary. If none are formulary, approve.	1 year	Yes		1/4/2024	No
Ophthalmic Agents - VEGF Inhibitors	Eylea HD	afibercept intravitreal injection	Diabetic macular edema; Diabetic retinopathy; Neovascular (wet) age-related macular degeneration. Approve if the patient meets BOTH of the following (1 and 2): 1. Patient has tried Eylea (not HD) [documentation required], if formulary; AND 2. Patient has experienced a significant intolerance with Eylea (not HD) [documentation required]. Note: If Eylea (not HD) is non-formulary, approve.	1 year	Yes		10/19/2023	No
Ophthalmic Agents - VEGF Inhibitors	Lucentis	ranibizumab intravitreal injection	1. If Byooviz and Cimerli are both formulary or only one is formulary: Approve if the patient meets both of the following (A and B): A. Patient has tried both Byooviz and Cimerli (or one if one is formulary); AND B. Patient cannot continue to use the alternative(s) due to a formulation difference in the inactive ingredient(s) [e.g., differences in stabilizing agent, buffering agent, and/or surfactant] which, according to the prescriber, would result in a significant allergy or serious adverse reaction. 2. If both Byooviz and Cimerli are non-formulary, approve if the patient meets one of the following (A, B, or C): A. Approve if the patient has tried Eylea, if formulary. If Eylea is non-formulary, approve. B. Patients with myopic choroidal neovascularization (mCNV): approve. C. Patient is currently receiving therapy with Lucentis: approve.	1 year	Yes	Yes	11/21/2023	No
Ophthalmic Agents - VEGF Inhibitors	Susvimo	ranibizumab intravitreal injection via ocular implant and implant/insert tool	No exceptions are recommended. Due to safety concerns, an exception is not recommended for Susvimo. (NOTE: It is not appropriate to use standard global criteria for this medication; Denial reason is: No exceptions are recommended. Due to safety concerns, an exception is not recommended for Susvimo.)	N/A	Yes		7/26/2023	No
Ophthalmic Agents - VEGF Inhibitors	Vabysmo	faricimab-svoa intravitreal injection	Neovascular (Wet) Age-Related Macular Degeneration; Diabetic Macular Edema. 1. Approve if the patient has tried one of Eylea (not HD) or Eylea HD, if formulary. If neither are formulary, approve. 2. Patient is currently receiving therapy with Vabysmo: approve. Macular Edema following Retinal Vein Occlusion. 1. Approve if the patient has tried Eylea (not HD), if formulary. If Eylea (not HD) is non-formulary, approve. 2. Patient is currently receiving therapy with Vabysmo: approve.	1 year	Yes	Yes	11/6/2023	No
Ophthalmic alpha adrenoceptor agonist	Upneeq	oxymetazoline hydrochloride 0.1% ophthalmic solution	No exceptions are recommended. Due to insufficient clinical efficacy data, approval is not recommended for Upneeq. (NOTE: It is not appropriate to use standard global criteria for this medication; Denial reason is: No exceptions are recommended. Due to insufficient clinical efficacy data, approval is not recommended.)	N/A	Yes		1/26/2023	No
Ophthalmic Anti-Allergics	Alocril	nedocromil sodium 2% ophthalmic solution	Approve if the patient has tried three products from the following list (if three are formulary; or two if two are formulary; or one if one is formulary): Alomide, cromolyn sodium 4% solution (generics), azelastine 0.05% solution (generics), bepotastine solution (Bepreve, generics), epinastine 0.05% solution (generics), Lastacraft, olopatadine solution (generics), or Zerviate. If none are formulary, approve.	1 year	Yes		11/30/2023	Yes
Ophthalmic Anti-Allergics	Alomide	lodoxamide tromethamine 0.1% ophthalmic solution	1. Approve if the patient has tried three products from the following list (if three are formulary; or two if two are formulary; or one if one is formulary): Alocril, cromolyn sodium 4% solution (generics), azelastine 0.05% solution (generics), bepotastine solution (Bepreve, generics), epinastine 0.05% solution (generics), Lastacraft, olopatadine solution (generics), or Zerviate. If none are formulary, approve. 2. For a diagnosis of vernal keratoconjunctivitis, vernal conjunctivitis, and vernal keratitis, approve if the patient has tried cromolyn sodium 4% solution (generics). If cromolyn sodium 4% solution (generic) is non-formulary, approve.	1 year	Yes		11/30/2023	Yes
Ophthalmic Anti-Allergics	Alex	loteprednol etabonate 0.2% ophthalmic suspension	1. Approve if the patient has tried three products from the following list (if three are formulary, or two if only two are formulary, or one if only one is formulary): bepotastine ophthalmic drops (Bepreve, generics), cromolyn ophthalmic drops (generics), epinastine 0.05% solution (generics), Lastacraft, azelastine 0.05% solution (generics), olopatadine ophthalmic solution (generics), Zerviate. If none are formulary, approve. 2. Patients who require concurrent use of Alex with an H1 antagonist or an H1 antagonist/mast cell stabilizer (e.g. azelastine [generics], bepotastine, epinastine solution [generics], Lastacraft, olopatadine ophthalmic solution [generics], Zerviate): approve.	1 year	Yes		11/30/2023	Yes
Ophthalmic Anti-Allergics	Bepreve	bepotastine besilate ophthalmic solution	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required].	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Ophthalmic Anti-Allergics	Zerviate	cetirizine 0.24% ophthalmic solution	Approve if the patient has tried three products from the following list (if three are formulary; or two if two are formulary; or one if one is formulary): Alocril, Alomide, cromolyn sodium 4% solution (generics), azelastine 0.05% solution (generics), bepotastine solution (Bepreve, generics), epinastine 0.05% solution (generics), Lastacraft, or olopatadine solution (generics).	1 year	Yes		11/30/2023	Yes
Ophthalmic Antibiotics - Quinolones	Besivance	besifloxacin ophthalmic suspension 0.6%	1. Approve if the patient has tried two products from the following list, (if two are formulary, or one if one is formulary): gatifloxacin 0.5% ophthalmic solution (Zymaxid, generics), moxifloxacin ophthalmic solution (Vigamox, Moxeza, generics), levofloxacin 0.5% ophthalmic solution, ofloxacin 0.3% ophthalmic solution (Ocuflox, generics), or ciprofloxacin 0.3% ophthalmic solution (Ciloxan, generics). If none are formulary, approve. 2. Approve if there is laboratory data that the patient has an eye infection due to pathogens resistant to ciprofloxacin and one other ophthalmic quinolone. 3. For the treatment of currently active eye infections: approve in patients already receiving Besivance therapy to complete the course of therapy.	1 year	Yes		1/26/2023	Yes
Ophthalmic Antibiotics - Quinolones	Ciloxan ointment	ciprofloxacin ophthalmic ointment 0.3%	1. Approve if the patient has tried four products from the following list, if formulary (or three if three are formulary, or two if two are formulary, or one if one is formulary): ciprofloxacin 0.3% ophthalmic solution (Ciloxan, generics), gatifloxacin 0.5% ophthalmic solution (Zymaxid, generics), moxifloxacin 0.5% ophthalmic solution (Vigamox, generics), levofloxacin 0.5% ophthalmic solution, or ofloxacin 0.3% ophthalmic solution (Ocuflox, generics). If none are formulary, approve. 2. If the patient is allergic to benzalkonium chloride, approve if the patient has tried moxifloxacin (Vigamox, generics), if formulary. If moxifloxacin (Vigamox, generics) are non-formulary, approve. 3. For the treatment of currently active eye infections: approve in patients already receiving Ciloxan ointment to complete the course of therapy.	1 year	Yes		1/26/2023	Yes

Formulary Exception Criteria

Therapy Class	Brand Name	Generic Name	Commercial FE Criteria	Approval Duration	2024 NPF Excluded Medication	Continuation of Therapy Required?	Date Last Reviewed	Utilizes Pref Alts to Operationalize Criteria
Ophthalmic Anti-Inflammatory Agents - NSAIDs	Acuvail	ketorolac tromethamine 0.45% preservative-free solution	<p>1. Approve if the patient has tried two products from the following list (if two are formulary, or one of the following if one is formulary): diclofenac ophthalmic solution (generics), bromfenac 0.09% ophthalmic solution (generics), Prolensa, BromSite, Nevanac, Ilevro, or ketorolac ophthalmic solution (Acular, Acular LS, generics). If none are formulary, approve.</p> <p>2. Patients with a sulfite allergy: approve if the patient has tried two of the following, if two are formulary (or one if only one is formulary): BromSite, diclofenac ophthalmic solution (generics), Nevanac, Ilevro, or ketorolac ophthalmic solution (Acular, Acular LS, generics). If none are formulary, approve.</p> <p>3. Patients with a known sensitivity to a preservative (e.g., benzalkonium chloride [BAK]): approve if the patient has tried diclofenac ophthalmic solution (generics), if formulary. If diclofenac ophthalmic solution is non-formulary, approve.</p> <p>Note: If the patient tried the brand version of a generic equivalent product, then this trial would count towards the requirement.</p>	1 year	Yes		12/15/2023	Yes
Ophthalmic Anti-Inflammatory Agents - NSAIDs	BromSite	bromfenac 0.075% ophthalmic solution	<p>1. Approve if the patient has tried two products from the following list (if two are formulary, or one of the following if one is formulary): Nevanac, Ilevro, diclofenac ophthalmic solution (generics), Acuvail, ketorolac ophthalmic solution (Acular, Acular LS, generics), bromfenac 0.09% ophthalmic solution (generics), or Prolensa. If none of the agents are formulary, then approve.</p> <p>2. Patients with a sulfite allergy: approve if the patient has tried two of the following, if two are formulary (or one if only one is formulary): diclofenac ophthalmic solution (generics), Nevanac, Ilevro, Acuvail, or ketorolac ophthalmic solution (Acular, Acular LS, generics). If none are formulary, approve.</p> <p>Note: If the patient tried the brand version of a generic equivalent product, then this trial would count towards the requirement.</p>	1 year	Yes		12/15/2023	Yes
Ophthalmic Anti-Inflammatory Agents - NSAIDs	Nevanac	nepafenac ophthalmic suspension 0.1%	<p>1. Approve if the patient has tried two products from the following list (if two are formulary, or one of the following if one is formulary): diclofenac ophthalmic solution (generics), ketorolac ophthalmic solution (Acular, Acular LS, generics), Acuvail, Ilevro, Prolensa, BromSite or bromfenac 0.09% ophthalmic solution (generics). If none are formulary, approve.</p> <p>2. Patients with a sulfite allergy: approve if the patient has tried two of the following, if two are formulary (or one if only one is formulary): BromSite, diclofenac ophthalmic solution (generics), Ilevro, ketorolac ophthalmic solution (Acular, Acular LS, generics), or Acuvail. If none are formulary, approve.</p> <p>3. Patients < 18 years of age: approve if the patient has tried ketorolac ophthalmic solution (Acular, Acular LS, generics) or Ilevro, if one is formulary. If neither are formulary, approve.</p> <p>Note: If the patient tried the brand version of a generic equivalent product, then this trial would count towards the requirement.</p>	1 year	Yes		12/15/2023	Yes
Ophthalmic Corticosteroids	Durezol	difluprednate 0.05% ophthalmic emulsion	<p>NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product.</p> <p>Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required].</p>	1 year	MSB Exclusion *This criteria applies only to the NPF 7/1/2022		N/A	No
Ophthalmic Corticosteroids	Flarex	fluorometholone acetate ophthalmic suspension 0.1%	<p>1. Approve if patient has tried three formulary ophthalmic corticosteroids from the following list: 1) a dexamethasone product (generics or Maxidex), 2) a fluorometholone product (FML Liquifilm, generics; FML Forte/S.O.P.), 3) difluprednate (Durezol, generics), 4) a loteprednol product (Lotemax, generics; Lotemax SM; Inveltys), or 5) a prednisolone product (Pred Forte, Omnipred, generics; Pred Mild), if three are formulary or two if two are formulary or one if one is formulary. If none are formulary, approve.</p> <p>2. If the patient has elevated intraocular pressure (IOP) or glaucoma after a trial of another corticosteroid (i.e., topical, inhaled, oral, ophthalmic): approve if the patient has tried one of the following, if one is formulary: 1) a fluorometholone product (FML Liquifilm, generics; FML Forte/S.O.P.), 2) a loteprednol product (Lotemax, generics; Lotemax SM; Inveltys), or 3) difluprednate (Durezol, generics). If none are formulary, approve.</p> <p>Note: If the patient tried the brand version of a generic equivalent product, then this trial would count towards the requirement.</p>	1 year	Yes		12/27/2022	Yes
Ophthalmic Corticosteroids	FML Forte	fluorometholone 0.25% ophthalmic suspension	<p>1. Approve if patient has tried three formulary ophthalmic corticosteroids from the following list: 1) a dexamethasone product (generics or Maxidex), 2) a fluorometholone product (FML Liquifilm, generics; FML S.O.P.; Flarex), 3) difluprednate (Durezol, generics), 4) a loteprednol product (Lotemax, generics; Lotemax SM; Inveltys), or 5) prednisolone (Pred Forte, Omnipred, generics; Pred Mild), if three are formulary or two if two are formulary or one if one is formulary. If none are formulary, approve.</p> <p>2. If the patient has elevated intraocular pressure (IOP) or glaucoma after a trial of another corticosteroid (i.e., topical, inhaled, oral, ophthalmic): approve if the patient has tried one of the following, if one is formulary: 1) a loteprednol product (Lotemax, generics; Lotemax SM; Inveltys), 2) a fluorometholone product (FML Liquifilm, generics; FML S.O.P.; Flarex), or 3) difluprednate (Durezol, generics). If none are formulary, approve.</p> <p>Note: If the patient tried the brand version of a generic equivalent product, then this trial would count towards the requirement.</p>	1 year	Yes		12/27/2022	Yes
Ophthalmic Corticosteroids	FML S.O.P.	fluorometholone ophthalmic ointment 0.1%	<p>1. Approve if patient has tried two formulary ophthalmic corticosteroids from the following list: 1) a dexamethasone product (generics or Maxidex), 2) a fluorometholone product (FML Liquifilm, generics; Flarex; FML Forte), 3) difluprednate (Durezol, generics), 4) a loteprednol product (Lotemax, generics; Lotemax SM; Inveltys), or 5) a prednisolone product (Pred Forte, Omnipred, generics; Pred Mild), if two are formulary (or one if one is formulary). If none are formulary, approve.</p> <p>2. Approve if the patient has elevated intraocular pressure (IOP) or glaucoma after a trial of another corticosteroid (i.e., topical, inhaled, oral, ophthalmic): approve if the patient has tried one of the following, if one is formulary: a loteprednol product (Lotemax, generics; Lotemax SM; Inveltys), a fluorometholone product (FML Liquifilm, generics; Flarex; FML Forte), or 3) difluprednate (Durezol, generics). If none are formulary, approve.</p> <p>Note: If the patient tried the brand version of a generic equivalent product, then this trial would count towards the requirement.</p>	1 year	Yes		12/27/2022	Yes
Ophthalmic Corticosteroids	Maxidex	dexamethasone 0.1% ophthalmic suspension	<p>1. Approve if the patient has tried three formulary ophthalmic corticosteroids from the following list (if three are formulary or two if two are formulary or one if one is formulary): 1) dexamethasone (generics), 2) difluprednate (Durezol, generics), 3) a loteprednol product (Lotemax, generics; Lotemax SM; Inveltys), or 4) a fluorometholone product (FML Liquifilm, generics; FML Forte/S.O.P.; Flarex), or 5) a prednisolone product (Pred Forte, Omnipred, generics; Pred Mild). If none are formulary, approve.</p> <p>2. If the patient has elevated intraocular pressure (IOP) or glaucoma after a trial of another corticosteroid (i.e., topical, inhaled, oral, ophthalmic): approve if the patient has tried one product from the following list (if one is formulary): 1) a fluorometholone product (FML Liquifilm, generics; Flarex; FML Forte/S.O.P.), 2) a loteprednol product (Lotemax, generics; Lotemax SM; Inveltys), or 3) difluprednate (Durezol, generics). If none are formulary, approve.</p> <p>Note: If the patient tried the brand version of a generic equivalent product, then this trial would count towards the requirement.</p>	1 year	Yes		12/27/2022	Yes
Ophthalmic Corticosteroids	Pred Mild	prednisolone acetate 0.12% ophthalmic suspension	<p>1. Approve if the patient has tried three formulary ophthalmic corticosteroids from the following list (if three are formulary or two if two are formulary; or one if one is formulary): 1) dexamethasone (generics or Maxidex), 2) difluprednate (Durezol, generics), 3) a loteprednol product (Lotemax, generics; Lotemax SM; Inveltys), a fluorometholone product (FML Liquifilm, generics; FML Forte/S.O.P.; Flarex), or 3) a prednisolone product (Pred Forte, Omnipred, generics). If none are formulary, approve.</p> <p>2. If the patient has elevated intraocular pressure (IOP) or glaucoma after a trial of another corticosteroid (i.e., topical, inhaled, oral, ophthalmic): approve if the patient has tried one product from the following list (if one is formulary): 1) a fluorometholone product (FML Liquifilm, generics; Flarex; FML Forte/S.O.P.), 2) a loteprednol product (Lotemax, generics; Lotemax SM; Inveltys), or 3) difluprednate (Durezol, generics). If none are formulary, approve.</p> <p>Note: If the patient tried the brand version of a generic equivalent product, then this trial would count towards the requirement.</p>	1 year	Yes		12/27/2022	Yes
Ophthalmic Drugs for Glaucoma - Beta-Adrenergic Blocker	Betimol	timolol hemihydrates 0.25% and 0.5% ophthalmic solution	<p>Approve if the patient has tried four of the following, if formulary (or three if three are formulary or two if two are formulary or one if one is formulary): 1) levobunolol ophthalmic solution, 2) a timolol product (Istalol, Timoptic/XE, generics), 3) a betaxolol ophthalmic solution (generics or Betoptic S), or 4) carteolol ophthalmic solution (generics). If none are formulary, approve.</p> <p>Note: If the patient tried the brand version of a generic equivalent product, then this trial would count towards the requirement.</p>	1 year	Yes		12/27/2022	Yes

Formulary Exception Criteria

Therapy Class	Brand Name	Generic Name	Commercial FE Criteria	Approval Duration	2024 NPF Excluded Medication	Continuation of Therapy Required?	Date Last Reviewed	Utilizes Pref Alts to Operationalize Criteria
Ophthalmic Drugs for Glaucoma - Beta-Adrenergic Blocker	Istalol	timolol maleate 0.5% ophthalmic solution	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Ophthalmic Drugs for Glaucoma - Beta-Adrenergic Blocker	Timoptic in Ocodose	timolol maleate 0.25% and 0.5% ophthalmic solution	1. Approve if the patient has tried and, according to the prescriber, has experienced inadequate efficacy OR significant intolerance with four products from the following list: 1) a timolol product (Istalol, Timoptic/XE, generics), 2) levobunolol ophthalmic solution (generics), 3) betaxolol ophthalmic solution (generics or Betoptic S), or 4) carteolol ophthalmic solution (generics), if four are formulary (or three if three are formulary or two if two are formulary or one if one is formulary). If none are formulary, approve. Note: If the patient tried the brand version of a generic equivalent product, then this trial would count towards the requirement. 2. Approve if the patient has a known sensitivity to a preservative or when use of a preservative-free topical medication is advisable.	1 year	Yes		12/27/2022	No
Ophthalmic Drugs for Glaucoma - Carbonic Anhydrase Inhibitor	Azopt	brinzolamide 1% ophthalmic suspension	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Ophthalmic Drugs for Glaucoma - Carbonic Anhydrase Inhibitor/Beta-Adrenergic Blocker	Cosopt/Cosopt PF	dorzolamide 2%/timolol 0.5% ophthalmic solution	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Ophthalmic Drugs for Glaucoma - Combination Agents	Rocklatan	netarsudil/latanoprost ophthalmic solution	1. Approve if the patient has tried latanoprost ophthalmic solution (Xalatan, generics) AND Rhopressa, if Rhopressa is formulary. 2. If Rhopressa is non-formulary, approve if the patient meets the following criteria (A, B, and C): A. Patient has tried one ophthalmic prostaglandin product; AND Note: Examples of ophthalmic prostaglandin products include: latanoprost ophthalmic solution (Xalatan, generics), travoprost ophthalmic solution (generics), bimatoprost 0.03% ophthalmic solution (generics), Lumigan, Vyzulta, Xelpros, or Zioptan. B. Patient has tried one ophthalmic beta-blocker product; AND Note: Examples of ophthalmic beta-blockers products include: levobunolol solution, timolol maleate solution (Istalol, generics), betaxolol ophthalmic solution, Betopic S, carteolol ophthalmic solution, timolol (Timoptic, generics), Timoptic in Ocodose, timolol gel-forming solution (Timoptic XE, generics). C. Patient has tried either one ophthalmic alpha-adrenergic agonists or an ophthalmic carbonic anhydrase inhibitor. Note: Examples of ophthalmic alpha-adrenergic agonists include: Alphagan P, brimonidine solution (Alphagan, generics), apraclonidine solution. Note: Examples of ophthalmic carbonic anhydrase inhibitors include: Azopt, dorzolamide (Trusopt, generics). Note: A combination ophthalmic agent containing the requested drug products, would count as a trial of the respective alternatives.	1 year	Yes		10/4/2023	No
Ophthalmic Drugs for Glaucoma - Prostaglandins	Durysta	bimatoprost implant	Approve if the patient meets the following (A, B and C): A. The patient has tried and, according to the prescriber, experienced inadequate efficacy OR significant intolerance with at least two ophthalmic prostaglandins (either as monotherapy or as concomitant therapy); AND Note: Examples of ophthalmic prostaglandins include bimatoprost 0.03% ophthalmic solution, latanoprost 0.005% ophthalmic solution, travoprost 0.004% ophthalmic solution, Lumigan® (bimatoprost 0.01% ophthalmic solution), Vyzulta® (latanoprostene bunod 0.024% ophthalmic solution), Xelpros™ (latanoprost 0.005% ophthalmic emulsion), tafuprost 0.0015% ophthalmic solution, lyuzeh (latanoprost 0.005% ophthalmic solution), and Omlonti (omidenepeg isopropyl 0.002% ophthalmic solution). B. The patient has tried and, according to the prescriber, experienced inadequate efficacy OR significant intolerance with at least two other ophthalmic products from two different pharmacological classes (either as monotherapy or as concomitant therapy); AND Note: Examples of pharmacological classes of ophthalmic products for the treatment of open-angle glaucoma or ocular hypertension include beta-blockers, alpha-agonist (brimonidine), carbonic anhydrase inhibitors, and rho kinase inhibitor (netarsudil). C. The product is NOT being used for re-treatment of an eye previously treated with Durysta. Note: Durysta is approved for a one-time use in each eye. Repeat administration in previously treated eye(s) is not approvable.	30 days	Yes		1/4/2024	No
Ophthalmic Drugs for Glaucoma - Prostaglandins	lyuzeh	latanoprost ophthalmic solution, 0.005%; preservative-free	1. Approve if the patient has tried, and according to the prescriber, experienced inadequate efficacy OR significant intolerance with one of 1) latanoprost ophthalmic solution (Xalatan, generics) or 2) Xelpros, if formulary. If none are formulary, approve. 2. If according to the prescriber, the patient has a significant benzalkonium chloride allergy/sensitivity: approve if the patient has tried, and according to the prescriber, experienced inadequate efficacy OR significant intolerance with Xelpros, if formulary. If Xelpros is non-formulary, approve. 3. If, according to the prescriber, the patient has a significant allergy/sensitivity to other preservatives (OTHER than benzalkonium chloride), approve.	1 year	Yes		10/27/2023	No
Ophthalmic Drugs for Glaucoma - Prostaglandins	Travatan Z	travoprost 0.004% ophthalmic solution (benzalkonium chloride-free)	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Ophthalmic Drugs for Glaucoma - Prostaglandins	Xalatan	latanoprost 0.005% ophthalmic solution	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Ophthalmic Drugs for Glaucoma - Prostaglandins	Xelpros	latanoprost 0.005% ophthalmic emulsion	1. Approve if the patient has tried, and according to the prescriber, experienced inadequate efficacy OR significant intolerance with one of 1) latanoprost ophthalmic solution (Xalatan, generics) or 2) lyuzeh, if formulary. If none are formulary, approve. 2. If, according to the prescriber, the patient has a significant benzalkonium chloride allergy/sensitivity: approve if the patient has tried, and according to the prescriber, experienced inadequate efficacy OR significant intolerance with lyuzeh, if formulary. If lyuzeh is non-formulary, approve.	1 year	Yes		10/27/2023	No
Ophthalmic Drugs for Glaucoma - Prostaglandins	Zioptan	tafuprost 0.0015% ophthalmic solution	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		2/24/2023	Yes

Formulary Exception Criteria

Therapy Class	Brand Name	Generic Name	Commercial FE Criteria	Approval Duration	2024 NPF Excluded Medication	Continuation of Therapy Required?	Date Last Reviewed	Utilizes Pref Alts to Operationalize Criteria
Ophthalmic Drugs for Glaucoma - Rho Kinase	Rhopressa	netarsudil ophthalmic solution 0.02%	Approve if the patient meets the following criteria (A, B, and C): A. Patient has tried one ophthalmic prostaglandin product; AND Note: Examples of ophthalmic prostaglandin products include:latanoprost ophthalmic solution (Xalatan, generics), travoprost ophthalmic solution (generics), bimatoprost 0.03% ophthalmic solution (generics), Lumigan, Vyzulta, Xelpros, or Zioptan. B. Patient has tried one ophthalmic beta-blocker product; AND Note: Examples of ophthalmic beta-blockers products include: levobunolol solution, timolol maleate solution (Istalol, generics), betaxolol ophthalmic solution, Betopic S, carteolol ophthalmic solution, timolol (Timoptic, generics), Timoptic in Ocodose, timolol gel-forming solution (Timoptic XE, generics). C. Patient has tried either one ophthalmic alpha-adrenergic agonists or an ophthalmic carbonic anhydrase inhibitor. Note: Examples of ophthalmic alpha-adrenergic agonists include: Alphagan P, brimonidine solution (Alphagan, generics), apraclonidine solution. Note: Examples of ophthalmic carbonic anhydrase inhibitors include: Azopt, dorzolamide (Trusopt, generics). Note: A combination ophthalmic agent containing the requested drug products, would count as a trial of the respective alternatives.	1 year	Yes		10/4/2023	No
Opiate Agonists/Antagonists	Suboxone	buprenorphine/naloxone sublingual film	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Opioids (Oral) - Other	Apadaz and authorized generic	benzhydrocodone and acetaminophen tablets	Approve if the patient has tried two other hydrocodone/acetaminophen containing products (e.g., Vicodin, Vicodin ES, Norco, Lortab, Lorcet, multiple generics).	1 month	Yes		11/20/2023	No
Opioids (Oral) - Other	Conzip and tramadol ER capsule	tramadol ER capsule	Approve, if per the prescriber, the patient is unable to use generic tramadol ER tablets.	1 year	Yes		1/1/2023	No
Opioids (Oral) - Other	Nucynta	tapentadol immediate-release tablets	1. Approve if the patient has tried three other oral immediate-release (NOT long-acting) centrally acting/opioid analgesics. Examples of oral immediate-release (NOT long-acting) centrally acting/opioid analgesics include, but are not limited to: hydromorphone (Dilaudid, generics), oxycodone hydrochloride tablets (Roxicodone, generics), oxymorphone (generics), morphine (generics), hydrocodone/acetaminophen (Vicodin, Vicodin ES, Norco, Lortab, Lorcet, multiple generics), oxycodone/acetaminophen (Percocet, Endocet, Roxicet, multiple generics), tramadol (Ultram, generics), tramadol/acetaminophen (Ultracet, generics). NOTE: A trial of the requested product does not count toward this requirement. 2. Patients ≥ 6 years of age to < 18 years of age, approve if the patient meets ONE of the following (A, B, or C): A. Patient has tried one of morphine sulfate immediate-release tablets or morphine sulfate immediate-release oral solution. If neither are formulary, approve; OR B. Patient has renal insufficiency; OR C. Patient is intolerant or allergic to morphine.	1 year	Yes		10/4/2023	No
Opioids (Oral) - Other	Oxaydo	oxycodone hydrochloride tablets	Approve if the patient has tried and cannot take one of the following formulary products: oxycodone hydrochloride tablets (Roxicodone, generics). If oxycodone hydrochloride tablets (Roxicodone, generics) are non-formulary, approve.	1 year	Yes		10/18/2023	No
Opioids (Oral) - Other	oxycodone-acetaminophen 10-300 tablets (includes Primlev, Prolate)	oxycodone-acetaminophen 10-300 mg tablets	1. Direct to oxycodone-acetaminophen 10-325 mg tablets. 2. Approve if, according to the prescriber, there is a significant clinical concern such that the patient is unable to use oxycodone-acetaminophen 10-325 mg tablets.	1 year	Yes - Primlev only		12/27/2022	No
Opioids (Oral) - Other	oxycodone-acetaminophen 5-300 tablets (includes Primlev, Prolate)	oxycodone-acetaminophen 5-300 mg tablets	1. Direct to oxycodone-acetaminophen 5-325 mg tablets. 2. Approve if, according to the prescriber, there is a significant clinical concern such that the patient is unable to use oxycodone-acetaminophen 5-325 mg tablets.	1 year	Yes - Primlev only		12/27/2022	No
Opioids (Oral) - Other	oxycodone-acetaminophen 7.5-300 tablets (includes Primlev and Prolate)	oxycodone-acetaminophen 7.5-300 mg tablets	1. Direct to oxycodone-acetaminophen 7.5-325 mg tablets. 2. Approve if, according to the prescriber, there is a significant clinical concern such that the patient is unable to use oxycodone-acetaminophen 7.5-325 mg tablets.	1 year	Yes - Primlev only		12/27/2022	No
Opioids (Oral) - Other	Percocet	oxycodone/acetaminophen tablets	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Opioids (Oral) - Other	Prolate solution	oxycodone and acetaminophen 10-300 mg/5 oral solution	1. Approve if the patient has tried and cannot take oxycodone-acetaminophen 10-325 mg tablets. 2. Approve if the patient is unable to swallow or has difficulty swallowing tablets.	1 year	Yes		8/22/2023	No
Opioids (Oral) - Other	Qdolo and authorized generic	tramadol hydrochloride oral solution	Approve if the patient is unable to swallow or has difficulty swallowing tramadol tablets.	1 year	Yes		10/4/2023	No
Opioids (Oral) - Other	Roxybond	oxycodone hydrochloride tablet, coated	Approve if the patient has tried and cannot take one of the following formulary products: oxycodone hydrochloride tablets (Roxicodone, generics). If oxycodone hydrochloride tablets (Roxicodone, generics) are non-formulary, approve.	1 year	Yes		10/18/2023	No
Opioids (Oral) - Other	tramadol 100 mg tablets (brand)	tramadol 100 mg tablets	Approve, if per the prescriber, the patient is unable to use generic tramadol 50 mg tablets.	1 year	Yes		1/1/2023	No

Formulary Exception Criteria

Therapy Class	Brand Name	Generic Name	Commercial FE Criteria	Approval Duration	2024 NPF Excluded Medication	Continuation of Therapy Required?	Date Last Reviewed	Utilizes Pref Alts to Operationalize Criteria
Opioids (Oral) – Other/NSAID	Seglents	celecoxib and tramadol hydrochloride tablets	1. Direct the patient to tramadol tablets and celecoxib capsules as separate agents. If celecoxib capsules (Celebrex, generics) are non-formulary, approve. 2. Approve if, according to the prescriber, there is a significant clinical concern such that the patient is unable to use tramadol and celecoxib as separate agents.	1 year	Yes		12/27/2022	No
Oral Agents for Rosacea	Oracea and doxycycline 40 mg capsules (authorized generic of Oracea)	doxycycline 40 mg capsules	Rosacea. Approve if the patient meets both of the following (A and B): A. Patient has tried two of the following: 1) a topical metronidazole-containing product, 2) a topical azelaic acid-containing product or 3) topical ivermectin; AND B. Patient meets one of the following (i or ii): i. Patient has tried, and according to the prescriber, has experienced inadequate efficacy with one other generic, oral doxycycline product after a 4 week duration with the product; OR ii. Patient has tried, and according to the prescriber, has experienced a significant intolerance with one other generic, oral doxycycline product.	9 months	Yes		9/15/2023	No
Otic Antibiotics	Cetralax	ciprofloxacin 0.2% otic solution	Approve if the patient has tried one of the following, if one is formulary: ofloxacin otic solution (generics) or ciprofloxacin 0.2% otic solution (generic). If none are formulary, approve.	1 year	Yes		11/30/2023	Yes
Otic Antibiotics and Combination Products	Cipro HC Otic Suspension	ciprofloxacin/ hydrocortisone otic suspension, 0.2%/1%	1. Approve if the patient has tried both products from the following list: 1) ciprofloxacin-dexamethasone otic suspension (Ciprodex otic suspension, generics) and 2) ciprofloxacin-fluocinolone otic (authorized generic of Otovel) or Otovel otic solution, if formulary. If none are formulary, approve. 2. Patient has a benzalkonium chloride sensitivity: approve if the patient has tried one of ciprofloxacin-fluocinolone otic (authorized generic of Otovel) or Otovel, if formulary. If neither are formulary, approve.	1 year	Yes		11/30/2023	Yes
Otic Antibiotics and Combination Products	ciprofloxacin/ fluocinolone otic solution (authorized generic to Otovel)	ciprofloxacin and fluocinolone acetate otic solution, 0.3%/0.025%	1. Direct the patient to Otovel (brand), if formulary. 2. If Otovel (brand) is non-formulary, approve if the patient has tried both 1) ciprofloxacin-dexamethasone otic suspension (Ciprodex otic suspension, generics) and 2) Cipro HC otic suspension (or one if one is formulary). If neither are formulary, approve. 3. If Otovel (brand) is non-formulary, patients treating acute otitis media through tympanostomy tubes (AOMT), patients with a perforated ear drum (tympanic membrane), or patients < 1 year of age: approve if the patient has tried ciprofloxacin- dexamethasone otic suspension (Ciprodex otic suspension, generics), if formulary. If ciprofloxacin- dexamethasone otic suspension (Ciprodex otic suspension, generics) are non-formulary, approve. 4. If Otovel (brand) is non-formulary, patient has a known hypersensitivity to a preservative (e.g., benzalkonium chloride [BAK], benzyl alcohol), approve.	1 year	Yes		11/30/2023	Yes
Overactive Bladder Agents (Oral and Topical)	Oxybutynin 2.5 mg tablet (brand)	oxybutynin 2.5 mg tablet	Approve if the patient has tried oxybutynin oral solution or syrup, if formulary. If neither oxybutynin oral solution nor syrup is formulary approve if the patient meets one of the following (A or B): A. Patient has tried other strengths of oxybutynin tablets; OR B. Patient's dose requires a 2.5 mg increment.	1 year	Yes		3/31/2023	No
Overactive Bladder Agents (Oral and Topical)	Detrol	tolterodine tablets	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Overactive Bladder Agents (Oral and Topical)	Detrol LA	tolterodine, extended-release capsules	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Overactive Bladder Agents (Oral and Topical)	Vesicare	solifenacin succinate tablets	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Overactive Bladder Agents (Oral)	Toviaz	fesoterodine fumarate extended-release tablets	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		1/1/2024	No
Overactive Bladder Agents (Oral)	Vesicare LS	solifenacin succinate oral suspension	1. Approve if the patient has tried oxybutynin solution/syrup OR Myrbetriq Granules, if formulary. If neither are formulary, approve. 2. Patient is < 5 years of age: approve if the patient has tried Myrbetriq Granules, if formulary. If Myrbetriq Granules are non-formulary, approve. 3. Patients < 3 years of age, approve. Note: If the patient has tried any oxybutynin-containing product (e.g., immediate-release or extended-release tablets), this would meet the requirement for a trial of an oxybutynin product. Note: If the patient has tried Myrbetriq tablets, this would meet the requirement for a trial of Myrbetriq granules.	1 year	Yes		11/30/2023	No
Pancreatic Enzymes	Pertzye	pancrelipase delayed-release capsules	Approve if the patient has tried three products from the following list (if three are formulary, or two if two are formulary, or one if one is formulary): Creon, Pancreaze, or Zenpep. If none are formulary, approve.	1 year	Yes		12/27/2022	Yes
Phenylketonuria	Kuvan	sapropterin tablet and powder packet	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .		MSB Exclusion *This criteria applies only to the NPF		1/1/2024	
Phosphate Binders	Fosrenol chewable tablets	lanthanum carbonate chewable tablets	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Phosphate Binders	Fosrenol oral powder	lanthanum carbonate oral powder	1. Approve if the patient has tried two formulary alternatives from the following list (if two are formulary or one if one is formulary): sevelamer hydrochloride tablets (Renagel, generics), lanthanum carbonate chewable tablets (Fosrenol, generics), Velphoro chewable tablets, Auryxia tablets, Phoslyra, or sevelamer carbonate tablets/powder for oral suspension (Renvela, generics). If none are formulary, approve. Note: If the patient tried the brand version of a generic equivalent product, then this trial would count towards the requirement. 2. Patients who are unable to chew and swallow tablets: approve if the patient has tried sevelamer carbonate powder for oral suspension (Renvela powder, generics), if formulary. If sevelamer carbonate powder for oral suspension (Renvela powder, generics) is non-formulary, approve.	1 year	Yes		2/23/2023	Yes

Formulary Exception Criteria

Therapy Class	Brand Name	Generic Name	Commercial FE Criteria	Approval Duration	2024 NPF Excluded Medication	Continuation of Therapy Required?	Date Last Reviewed	Utilizes Pref Alts to Operationalize Criteria
Phosphate Binders	Renagel	sevelamer hydrochloride tablet	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Potassium Sparing Diuretics	Carospir	spironolactone oral suspension	1. Approve if the patient has tried and cannot take spironolactone tablets (Aldactone, generics), if formulary. If spironolactone tablets (Aldactone, generics) are non-formulary, approve. 2. Approve if the patient cannot swallow spironolactone tablets.	1 year	Yes		9/5/2023	Yes
Potassium Supplement	Pokonza	potassium chloride powder, for solution	Approve if the patient has tried one other oral potassium chloride product (e.g., potassium chloride powder for oral solution, potassium chloride oral solution).	1 year	Yes		11/20/2023	No
Prenatal vitamins	Citranatal prenatal vitamins (examples include Citranatal RX tablets, Citranatal Harmony capsules)	various	1. Direct to generic prenatal vitamins. 2. Approve if, according to the prescriber, there is a significant clinical concern such that the patient is unable to use generic prenatal vitamins.	1 year	Yes		10/16/2023	No
Prenatal vitamins	Natal PNV	ascorbic acid, cholecalciferol, thiamine hydrochloride, riboflavin, pyridoxal phosphate, levomefolate glucosamine, folic acid, methylcobalamin, calcium carbonate, ferrous gluconate, potassium iodide tablet, film coated	1. Direct to generic prenatal vitamins. 2. Approve if, according to the prescriber, there is a significant clinical concern such that the patient is unable to use generic prenatal vitamins.	1 year	Yes		7/5/2023	No
Prenatal vitamins	Pregenna	beta carotene, ascorbic acid, cholecalciferol, .alpha.-tocopherol acetate, pyridoxine hydrochloride, biotin, folic acid, levomefolate calcium, cyanocobalamin, calcium carbonate, magnesium oxide, ferrous bisglycinate, and potassium iodide tablet	1. Direct to generic prenatal vitamins. 2. Approve if, according to the prescriber, there is a significant clinical concern such that the patient is unable to use generic prenatal vitamins.	1 year	Yes		12/27/2022	No
Prenatal vitamins	Trinaz	ascorbic acid, cholecalciferol, thiamine hydrochloride, riboflavin, pyridoxal phosphate anhydrous, folic acid, methylcobalamin, calcium carbonate, ferrous gluconate, and potassium iodide tablet, film coated	1. Direct to generic prenatal vitamins. 2. Approve if, according to the prescriber, there is a significant clinical concern such that the patient is unable to use generic prenatal vitamins.	1 year	Yes		12/27/2022	No
Presbyopia Agents	Vuity	pilocarpine 1.25% ophthalmic solution	No exception is recommended. (NOTE: It is not appropriate to use standard global criteria for this medication; Denial reason is: Formulary coverage is not provided for this medication.)	N/A	Yes		7/19/2023	No
Primary Immunoglobulin A Nephropathy Agents	Filspari	sparsentan tablets	See standard <i>Nephrology – Filspari Prior Authorization Policy</i> criteria.	1 year	Yes		3/27/2023	No

Formulary Exception Criteria

Therapy Class	Brand Name	Generic Name	Commercial FE Criteria	Approval Duration	2024 NPF Excluded Medication	Continuation of Therapy Required?	Date Last Reviewed	Utilizes Pref Alts to Operationalize Criteria
Progestin – Vaginal Agents	Crinone 4% Gel	progesterone gel 4%	Approve if the patient has tried one product from the following list (if one is formulary): medroxyprogesterone [Provera, generics], megestrol acetate, norethindrone tablets [Nor-Q.D., Jolivette, Aygestin, generics], or progesterone capsules (Prometrium, generics). If none are formulary, approve.	1 year	Yes		1/12/2023	Yes
Progestin – Vaginal Agents	Crinone 8% Gel	progesterone gel 8%	1. For use as progesterone supplementation/replacement to achieve or maintain pregnancy: approve if the patient has tried Endometrin, if formulary. If Endometrin is non-formulary, approve. 2. Patients started on a course of therapy with Crinone 8% gel for progesterone supplementation/replacement to achieve or maintain pregnancy: approve to complete the current course of therapy. 3. Approve if the patient has tried one product from the following list (if one is formulary): medroxyprogesterone [Provera, generics], megestrol acetate, norethindrone tablets [Nor-Q.D., Jolivette, Aygestin, generics], or progesterone capsules (Prometrium, generics). If none are formulary, approve.	1 year	Yes		1/12/2023	Yes
Proton Pump Inhibitor Combination	Yosprala and authorized generic	aspirin and omeprazole delayed-release tablets	Approve if the patient has tried aspirin AND at least five proton pump inhibitors (e.g., omeprazole [Prilosec, generics], rabeprazole tablets [Aciphex, generics], lansoprazole [Prevacid, generics], esomeprazole [Nexium, generics], pantoprazole [Protonix, generics]).	1 year	Yes		5/3/2023	Yes
Proton Pump Inhibitors (PPIs)	Aciphex	rabeprazole sodium tablets	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Proton Pump Inhibitors (PPIs)	Aciphex Sprinkle and authorized generic	rabeprazole sodium delayed-release capsules	Approve if the patient has tried five proton pump inhibitors (PPIs). Note: Examples of PPIs include rabeprazole delayed-release (DR) tablets (Aciphex, generics), Dexilant DR capsules, esomeprazole DR capsules (Nexium, generics), Nexium DR packet (granules for oral suspension), pantoprazole DR tablets (Protonix, generics), Protonix suspension (granules), lansoprazole DR capsules (Prevacid/Solutabs, generics), omeprazole DR capsules, Prilosec DR suspension, omeprazole/sodium bicarbonate capsules (Zegerid, generics), or omeprazole/sodium bicarbonate packet (Zegerid, generics). 2. Patients < 18 years of age OR patients who have difficulty swallowing tablets/capsules: Approve if the patient has tried two proton pump inhibitors (PPIs). Note: The requested agent would NOT count as a trial of an alternative.	1 year	Yes Authorized generic only		8/22/2023	Yes
Proton Pump Inhibitors (PPIs)	Dexilant and authorized generic	dexlansoprazole delayed-release capsules	1. Approve if the patient has tried five proton pump inhibitors (PPIs). Note: Examples of PPIs include rabeprazole delayed-release (DR) tablets (Aciphex, generics), Aciphex Sprinkle DR capsules or authorized generic, esomeprazole DR capsules (Nexium, generics), Nexium DR packet (granules for oral suspension), pantoprazole DR tablets (Protonix, generics), Protonix suspension (granules), lansoprazole DR capsules (Prevacid, generics), lansoprazole orally disintegrating tablets (Prevacid Solutab, generics), omeprazole DR capsules, omeprazole/sodium bicarbonate capsules (Zegerid, generics), or omeprazole/sodium bicarbonate packet (Zegerid, generics). Note: The requested agent would NOT count as a trial of an alternative. 2. Patients < 18 years of age OR patients who have difficulty swallowing tablets/capsules: Approve if the patient has tried four proton pump inhibitors (PPIs) from the following list, if formulary (or three if three are formulary, or two if two are formulary, or one if one is formulary): 1) rabeprazole sprinkle; 2) an esomeprazole product (esomeprazole DR capsules [Nexium, generics], esomeprazole packet [Nexium granules for oral suspension, generic]); 3) pantoprazole suspension (granules) [Protonix suspension, generic]; 4) a lansoprazole product (lansoprazole DR capsules [Prevacid, generics], lansoprazole oral disintegrating tablets [Prevacid Solutab, generics]); 5) an omeprazole product (omeprazole DR capsules [Prilosec, generics], Prilosec DR suspension). If none are formulary, approve.	1 year	Yes - brand only		7/19/2023	Yes
Proton Pump Inhibitors (PPIs)	Konvomop	omeprazole and sodium bicarbonate oral suspension	1. Approve if the patient has tried five proton pump inhibitors (PPIs). Note: Examples of PPIs include rabeprazole delayed-release (DR) tablets (Aciphex, generics), Aciphex Sprinkle DR capsules or authorized generic, Dexilant DR capsules, esomeprazole DR capsules (Nexium, generics), Nexium DR packet (granules for oral suspension), pantoprazole DR tablets (Protonix, generics), Protonix suspension (granules), lansoprazole DR capsules (Prevacid, generics), lansoprazole orally disintegrating tablets (Prevacid SoluTab, generics), omeprazole DR capsules, omeprazole/sodium bicarbonate capsules (Zegerid, generics), or omeprazole/sodium bicarbonate packet (Zegerid, generics). 2. Patients who have difficulty swallowing tablets/capsules: Approve if the patient has tried four proton pump inhibitors (PPIs) from the following list, if formulary (or three if three are formulary, or two if two are formulary, or one if one is formulary): 1) rabeprazole sprinkle; 2) an esomeprazole product (esomeprazole DR capsules [Nexium, generics], esomeprazole packet [Nexium granules for oral suspension, generic]); 3) pantoprazole suspension (granules) [Protonix suspension, generic]; 4) a lansoprazole product (lansoprazole DR capsules [Prevacid, generics], lansoprazole oral disintegrating tablets [Prevacid Solutab, generics]); 5) an omeprazole product (omeprazole DR capsules [Prilosec, generics], Prilosec DR suspension). If none are formulary, approve.	1 year	Yes		3/3/2023	No
Proton Pump Inhibitors (PPIs)	Nexium capsules	esomeprazole delayed-release capsules	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Proton Pump Inhibitors (PPIs)	Nexium packet (granules for oral suspension) 10 mg, 20 mg, 40 mg packet	esomeprazole delayed-release granules for oral suspension (packet)	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Proton Pump Inhibitors (PPIs)	Nexium packet (granules for oral suspension) 5 mg and 2.5 mg packets	esomeprazole delayed-release granules for oral suspension (packet)	1. Approve if the patient has tried five proton pump inhibitors (PPIs). Note: Examples of PPIs include rabeprazole delayed-release (DR) tablets (Aciphex, generics), Aciphex Sprinkle DR capsules or authorized generic, Dexilant DR capsules, esomeprazole DR capsules (Nexium, generics), pantoprazole DR tablets (Protonix, generics), Protonix suspension (granules), lansoprazole DR capsules (Prevacid, generics), lansoprazole orally disintegrating tablets (Prevacid Solutab, generics), omeprazole DR capsules, Prilosec DR suspension, omeprazole/sodium bicarbonate capsules (Zegerid, generics), or omeprazole/sodium bicarbonate packet (Zegerid, generics). 2. Patients < 18 years of age OR patients who have difficulty swallowing tablets/capsules: Approve if the patient has tried two proton pump inhibitors (PPIs). 3. Patients < 1 year of age: approve if the patient has tried Prilosec DR suspension, if formulary. If Prilosec DR suspension is non-formulary, approve. Note: The requested agent would NOT count as a trial of an alternative.	1 year	Yes		8/22/2023	Yes
Proton Pump Inhibitors (PPIs)	Prevacid	lansoprazole delayed-release (DR) capsules	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Proton Pump Inhibitors (PPIs)	Prevacid SoluTab	lansoprazole orally disintegrating tablets	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	Yes

Formulary Exception Criteria

Therapy Class	Brand Name	Generic Name	Commercial FE Criteria	Approval Duration	2024 NPF Excluded Medication	Continuation of Therapy Required?	Date Last Reviewed	Utilizes Pref Alts to Operationalize Criteria
Proton Pump Inhibitors (PPIs)	Prilosec oral suspension	omeprazole delayed-release oral suspension	<p>1. Approve if the patient has tried five proton pump inhibitors (PPIs). Note: Examples of PPIs include rabeprazole delayed-release (DR) tablets (Aciphex, generics), Aciphex Sprinkle DR capsules or authorized generic, Dexilant DR capsules, esomeprazole DR capsules (Nexium, generics), Nexium DR packet (granules for oral suspension), pantoprazole DR tablets (Protonix, generics), Protonix suspension (granules), lansoprazole DR capsules (Prevacid, generics), lansoprazole orally disintegrating tablets (Prevacid SoluTab, generics), omeprazole DR capsules, omeprazole/sodium bicarbonate capsules (Zegerid, generics), or omeprazole/sodium bicarbonate packet (Zegerid, generics). 2. Patients < 18 years of age OR patients who have difficulty swallowing tablets/capsules: Approve if the patient has tried two proton pump inhibitors (PPIs). 3. Patients < 1 year of age: approve if the patient has tried Nexium DR packet (granules for oral suspension), if formulary. If Nexium DR packet (granules for oral suspension), is non-formulary, approve. Note: The requested agent would NOT count as a trial of an alternative.</p>	1 year	Yes		8/22/2023	Yes
Proton Pump Inhibitors (PPIs)	Protonix	pantoprazole sodium delayed-release (DR) tablets and intravenous (IV) injection	<p>NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required].</p>	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Proton Pump Inhibitors (PPIs)	Protonix oral suspension	pantoprazole delayed-release oral suspension (granules)	<p>NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required].</p>	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Proton Pump Inhibitors (PPIs)	Zegerid capsules	omeprazole/ sodium bicarbonate capsules	<p>Approve if the patient has tried five proton pump inhibitors (PPIs). Note: Examples of PPIs include rabeprazole delayed-release (DR) tablets (Aciphex, generics), Aciphex Sprinkle DR capsules or authorized generic, Dexilant DR capsules, esomeprazole DR capsules (Nexium, generics), Nexium DR packet (granules for oral suspension), pantoprazole DR tablets (Protonix, generics), Protonix suspension (granules), lansoprazole DR capsules, lansoprazole oral disintegrating tablets (Prevacid Solutab, generics), omeprazole DR capsules (Prilosec, generics), or Prilosec DR suspension. Note: The requested agent would NOT count as a trial of an alternative.</p>	1 year	Yes		8/22/2023	Yes
Proton Pump Inhibitors (PPIs)	Zegerid packets	omeprazole/ sodium bicarbonate powder for oral suspension (packets)	<p>Approve if the patient has tried five proton pump inhibitors (PPIs). Note: Examples of PPIs include rabeprazole delayed-release (DR) tablets (Aciphex, generics), Aciphex Sprinkle DR capsules or authorized generics, Dexilant DR capsules, esomeprazole DR capsules (Nexium, generics), Nexium DR packet (granules for oral suspension), pantoprazole DR tablets (Protonix, generics), Protonix suspension (granules), lansoprazole DR capsules, lansoprazole oral disintegrating tablets (Prevacid Solutab, generics), omeprazole DR capsules (Prilosec, generics), or Prilosec DR suspension. Note: The requested agent would NOT count as a trial of an alternative.</p>	1 year	Yes		8/22/2023	Yes
Pulmonary Arterial Hypertension (PAH) - Endothelin Receptor Antagonists	Letairis	ambrisentan tablets	<p>NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required].</p>	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Pulmonary Arterial Hypertension (PAH) - Phosphodiesterase 5 Inhibitors	Adcirca	tadalafil tablets	<p>NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required].</p>	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	Yes
Pulmonary Arterial Hypertension (PAH) - Phosphodiesterase 5 Inhibitors	Liqrev	sildenafil oral suspension 10 mg/mL	<p><u>Pulmonary arterial hypertension World Health Organization Group 1.</u> 1. Direct the patient to sildenafil powder for oral suspension 10 mg/mL (Revatio oral suspension, generics), if formulary. 2. Approve if, according to the prescriber, there is a significant clinical concern (e.g., a significant allergy or serious adverse reaction due to inactive ingredients) such that the patient is unable to use sildenafil powder for oral suspension 10 mg/mL (Revatio oral suspension, generics). 3. If sildenafil powder for oral suspension (10 mg/mL) is non-formulary, approve if the patient meets one of the following (A or B): A. Patient has tried Tadiq, if formulary. If Tadiq is non-formulary, approve; OR Note: This criterion would also be satisfied if the patient tried any other tadalafil product. B. Patient has already been started on a sildenafil product (e.g., sildenafil tablets or suspension, Revatio, or Liqrev).</p>	1 year	Yes		6/5/2023	No
Pulmonary Arterial Hypertension (PAH) - Phosphodiesterase 5 Inhibitors	Tadiq	tadalafil oral suspension	<p><u>Pulmonary arterial hypertension World Health Organization Group 1.</u> 1. Approve if the patient is unable to swallow or has difficulty swallowing tadalafil tablets (Adcirca tablets, Alyq tablets, generics), if formulary. 2. If tadalafil tablets (Adcirca tablets, Alyq tablets, generics) are non-formulary, approve if the patient meets one of the following (A or B): A. Patient has tried sildenafil powder for oral suspension (Revatio oral suspension, generics), if formulary. If sildenafil powder for oral suspension (Revatio oral suspension, generics) is non-formulary approve; OR Note: This criterion would also be satisfied if the patient tried any other sildenafil product. B. Patient has already been started on a tadalafil product (e.g., tadalafil tablets, Adcirca tablets, Alyq, Tadiq).</p>	1 year	Yes	Yes	6/5/2023	No
Respiratory - Corticosteroid Inhalers	Alvesco	ciclesonide inhalation aerosol	<p>1. Approve if the patient has tried four formulary alternatives from the following list (if four are formulary, or three if three are formulary, or two if two are formulary, or one if only one is formulary): a fluticasone inhaler (ArmonAir Dighaler, Arnuity Ellipta, Flovent Diskus, Flovent HFA), a mometasone inhaler (Asmanex HFA, Asmanex Twisthaler), Pulmicort Flexhaler, or Qvar RediHaler. If none are formulary, approve. 2. If the patient has a low inspiratory flow rate and is unable to use a dry powder inhaler, approve if the patient has tried three formulary alternatives from the following list (if three are formulary, or two if two are formulary, or one if only one is formulary): Asmanex HFA, Flovent HFA, or Qvar RediHaler. If none are formulary, approve.</p>	1 year	Yes		7/13/2023	Yes

Formulary Exception Criteria

Therapy Class	Brand Name	Generic Name	Commercial FE Criteria	Approval Duration	2024 NPF Excluded Medication	Continuation of Therapy Required?	Date Last Reviewed	Utilizes Pref Alts to Operationalize Criteria
Respiratory - Corticosteroid Inhalers	Fluticasone propionate HFA	fluticasone propionate HFA	<p>Direct the patient to Flovent HFA (brand), if formulary. If Flovent HFA (brand) is non-formulary:</p> <p>1. Approve if the patient has tried five formulary alternatives from the following list (if five are formulary, or four if four are formulary, or three if three are formulary, or two if two are formulary, or one if only one is formulary): Alvesco, a fluticasone inhaler (ArmonAir Dighaler, Arnuty Ellipta, Flovent Diskus), a mometasone inhaler (Asmanex HFA, Asmanex Twisthaler), Pulmicort Flexhaler, or Qvar RediHaler. If none are formulary, approve.</p> <p>a. If the patient is < 12 years of age, approve if the patient has tried four formulary alternatives from the following list (if four are formulary, or three if three are formulary, or two if two are formulary, or one if only one is formulary): a fluticasone inhaler (ArmonAir Dighaler, Arnuty Ellipta, Flovent Diskus), a mometasone inhaler (Asmanex Twisthaler, Asmanex HFA), Pulmicort Flexhaler, or Qvar RediHaler. If none are formulary, approve.</p> <p>i. If the patient is < 12 years of age and has a low inspiratory flow rate and is unable to use a dry powder inhaler, approve if the patient has tried both formulary alternatives from the following list (if both are formulary or one if one is only formulary): Asmanex HFA AND Qvar RediHaler. If neither are formulary, approve.</p> <p>b. If the patient is < 6 years of age, approve if the patient has tried three formulary alternatives from the following list (if three are formulary, or two if two are formulary, or one if only one is formulary): a fluticasone inhaler (ArmonAir Dighaler, Arnuty Ellipta, Flovent Diskus), a mometasone inhaler (Asmanex Twisthaler, Asmanex HFA), or Qvar RediHaler. If none are formulary, approve.</p> <p>i. If the patient is < 6 years of age and has a low inspiratory flow rate and is unable to use a dry powder inhaler, approve if the patient has tried both formulary alternatives from the following list (if both are formulary or one if only one is formulary): Qvar RediHaler AND Asmanex HFA. If none are formulary, approve.</p> <p>c. If the patient is 4 years of age, approve if the patient has tried three formulary alternatives from the following list (if three are formulary, or two if two are formulary, or one if only one is formulary): Asmanex Twisthaler, a fluticasone inhaler (ArmonAir Dighaler, Flovent Diskus), or Qvar RediHaler. If none are formulary, approve.</p> <p>i. If the patient is 4 years of age and has a low inspiratory flow rate and is unable to use a dry powder inhaler, approve if the patient has tried Qvar RediHaler, if formulary. If Qvar RediHaler is non-formulary, approve.</p> <p>d. If the patient is < 4 years of age: approve.</p> <p>2. If the patient has a low inspiratory flow rate and is unable to use a dry powder inhaler, approve if the patient has tried three formulary alternatives from the following list (if three are formulary, or two if two are formulary, or one if only one is formulary): Alvesco, Asmanex HFA, or Qvar RediHaler. If none are formulary, approve.</p> <p>3. Patients with eosinophilic esophagitis: approve.</p>	1 year	Yes		8/30/2023	Yes
Respiratory - Corticosteroid Inhalers	Pulmicort Flexhaler	budesonide inhalation powder	<p>1. Approve if the patient has tried four formulary alternatives from the following list (if four are formulary, or three if three are formulary, or two if two are formulary, or one if only one is formulary): Alvesco, a fluticasone inhaler (ArmonAir Dighaler, Arnuty Ellipta, Flovent Diskus, Flovent HFA), a mometasone inhaler (Asmanex HFA, Asmanex Twisthaler), or Qvar RediHaler. If none are formulary, approve.</p> <p>a. If the patient is < 12 years of age, approve if the patient has tried three formulary alternatives from the following list (if three are formulary, or two if two are formulary, or one if only one is formulary): a fluticasone inhaler (ArmonAir Dighaler, Arnuty Ellipta, Flovent Diskus, Flovent HFA), a mometasone inhaler (Asmanex Twisthaler, Asmanex HFA), or Qvar RediHaler. If none are formulary, approve.</p> <p>i. If the patient is < 12 years of age and is unable to coordinate breath and actuation with a conventional metered-dose inhaler, approve if the patient has tried three formulary alternatives from the following list (if three are formulary or two if two are formulary or one if only one is formulary): Asmanex Twisthaler, a fluticasone inhaler (ArmonAir Dighaler, Arnuty Ellipta, Flovent Diskus), or Qvar RediHaler. If none are formulary, approve.</p> <p>2. If the patient is unable to coordinate breath and actuation with a conventional metered-dose inhaler, approve if the patient has tried three formulary alternatives from the following list (if three are formulary or two if two are formulary or one if only one is formulary): Asmanex Twisthaler, a fluticasone inhaler (ArmonAir Dighaler, Arnuty Ellipta, Flovent Diskus), or Qvar RediHaler. If none are formulary, approve.</p>	1 year	Yes		7/13/2023	Yes
Respiratory - Corticosteroid Nebulized Solutions	Pulmicort	budesonide respules	<p>NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product.</p> <p>Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required].</p>	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Respiratory - Corticosteroid/Beta-Agonist Combination Inhalers	Airsupra	albuterol and budesonide inhalation aerosol	<p>Approve if the patient meets BOTH of the following (1 AND 2):</p> <p>1. Patient has tried one of a budesonide-formoterol inhaler (Symbicort, Breyna, generics) or Dulera [documentation required], if formulary; AND</p> <p>Note: If none are formulary, this would satisfy criteria #1.</p> <p>2. Patient has tried one albuterol-containing inhaler (or levalbuterol-containing inhaler) taken concomitantly with one single-entity inhaled corticosteroid [documentation required].</p> <p>Note: Albuterol-containing inhalers include ProAir HFA, Proventil HFA, albuterol HFA, Ventolin HFA. Levalbuterol-containing inhalers include Xopenex HFA and levalbuterol HFA.</p> <p>Note: Examples of single-entity inhalers containing corticosteroids: Alvesco, ArmonAir Dighaler, Arnuty Ellipta, Asmanex HFA, Asmanex Twisthaler, Flovent Diskus, Flovent HFA, Pulmicort Flexhaler, Qvar RediHaler.</p>	1 year	Yes		10/27/2023	No
Respiratory - Corticosteroid/Long-Acting Beta-Agonist Combination Inhalers	AirDuo RespiClick	fluticasone propionate/salmeterol inhalation powder	<p>1. Approve if the patient has tried four of the following (if four are formulary, or three if three are formulary, or two if two are formulary, or one if only one is formulary): fluticasone-salmeterol HFA (Advair HFA, authorized generic), fluticasone propionate/salmeterol inhalation powder, Wixela (Advair Diskus, generics), fluticasone-vilanterol powder inhalation (Breo Ellipta, authorized generic), Dulera, fluticasone propionate/salmeterol multidose dry powder inhaler (authorized generic of AirDuo RespiClick), AirDuo Dighaler, or Symbicort. If none are formulary, approve.</p> <p>2. Patients who are unable to coordinate breath and actuation with a metered-dose inhaler (MDI): approve if the patient has tried two of the following (if two are formulary or one if only one is formulary): fluticasone propionate/salmeterol inhalation powder, Wixela (Advair Diskus, generics), fluticasone propionate/salmeterol multidose DPI (authorized generic of AirDuo RespiClick), AirDuo Dighaler, or fluticasone-vilanterol powder inhalation (Breo Ellipta, authorized generic). If none are formulary, approve.</p> <p>3. Patients < 18 years of age: approve if the patient has tried three of the following (if three are formulary, or two if two are formulary, or one if only one is formulary): fluticasone-vilanterol powder inhalation (Breo Ellipta, authorized generic), budesonide-formoterol aerosol (Symbicort, authorized generic), fluticasone-salmeterol HFA (Advair HFA, authorized generic), fluticasone propionate/salmeterol inhalation powder, Wixela (Advair Diskus, generics), fluticasone propionate/salmeterol multidose DPI (authorized generic of AirDuo RespiClick), AirDuo Dighaler, or Dulera. If none are formulary, approve.</p> <p>4. Patients < 18 years of age who are unable to coordinate breath and actuation with a metered-dose inhaler (MDI): approve if the patient has tried one of fluticasone-vilanterol powder inhalation (Breo Ellipta, authorized generic), fluticasone propionate/salmeterol inhalation, Wixela (Advair Diskus, generics) or fluticasone propionate/salmeterol multidose DPI (authorized generic of AirDuo RespiClick), or AirDuo Dighaler, if one is formulary. If none are formulary, approve.</p> <p>Note: Fluticasone propionate-salmeterol inhalation powder, Wixela, and Advair Diskus count as one alternative. Fluticasone propionate/salmeterol multidose DPI (authorized generic of AirDuo RespiClick) and AirDuo Dighaler would count as one alternative. Each product and its authorized generic count as one alternative.</p>	1 year	Yes		6/14/2023	No

Formulary Exception Criteria

Therapy Class	Brand Name	Generic Name	Commercial FE Criteria	Approval Duration	2024 NPF Excluded Medication	Continuation of Therapy Required?	Date Last Reviewed	Utilizes Pref Alts to Operationalize Criteria
Respiratory - Corticosteroid/Long-Acting Beta-Agonist Combination Inhalers	fluticasone propionate/salmeterol HFA	fluticasone propionate/salmeterol HFA	<p>Direct to Advair HFA (brand), if formulary. If Advair HFA (brand) is non-formulary:</p> <p>1. Approve if the patient has tried four of the following, if (four are formulary, or three if three are formulary, or two if two are formulary, or one if only one is formulary): budesonide-formoterol aerosol (Symbicort, authorized generic), Dulera, fluticasone-vilanterol powder inhalation (Breo Ellipta, authorized generic), fluticasone propionate/salmeterol multidose dry powder inhaler (AirDuo RespiClick, authorized generics), AirDuo Digihaler, or fluticasone propionate/salmeterol inhalation powder, Wixela (Advair Diskus, generics). If none are formulary, approve.</p> <p>2. Patients < 18 years of age: approve if the patient has tried three of the following, if three are formulary (if three are formulary, or two if two are formulary, or one if only one is formulary): fluticasone-vilanterol powder inhalation (Breo Ellipta, authorized generic), budesonide-formoterol aerosol (Symbicort, authorized generic), Dulera, fluticasone propionate/salmeterol multidose dry powder inhaler (AirDuo RespiClick, authorized generics), AirDuo Digihaler, or fluticasone propionate/salmeterol inhalation powder, Wixela (Advair Diskus, generics). If none are formulary, approve.</p> <p>3. Patients with a low inspiratory flow rate who are unable to use a dry powder inhaler (DPI): approve if the patient has tried both 1) budesonide-formoterol (Symbicort, authorized generic) and 2) Dulera (if both are formulary or one if only one is formulary). If neither are formulary, approve.</p> <p>Note: Fluticasone propionate-salmeterol inhalation powder, Wixela, and Advair Diskus count as one alternative. Fluticasone propionate-salmeterol multidose dry powder inhaler, AirDuo RespiClick, and AirDuo Digihaler count as one alternative. Each product and its authorized generic count as one alternative.</p>	1 year	Yes		6/14/2023	No
Respiratory - Corticosteroid/Long-Acting Beta-Agonist Combination Inhalers	fluticasone propionate/salmeterol multidose dry powder inhaler	fluticasone propionate/salmeterol inhalation powder (authorized generic to AirDuo RespiClick)	<p>1. Approve if the patient has tried four of the following (if four are formulary, or three if three are formulary, or two if two are formulary, or one if only one is formulary): fluticasone-salmeterol HFA (Advair HFA, authorized generic), fluticasone propionate/salmeterol inhalation powder, Wixela (Advair Diskus, generics), AirDuo RespiClick, AirDuo Digihaler, fluticasone-vilanterol powder inhalation (Breo Ellipta, authorized generic), Dulera or budesonide-formoterol (Symbicort, authorized generic). If none are formulary, approve.</p> <p>2. Patients who are unable to coordinate breath and actuation with a metered-dose inhaler (MDI): approve if the patient has tried two of the following (if two are formulary or one if only one is formulary): fluticasone propionate/salmeterol inhalation powder, Wixela (Advair Diskus, generics), AirDuo RespiClick, AirDuo Digihaler, or fluticasone-vilanterol powder inhalation (Breo Ellipta, authorized generic). If none are formulary, approve.</p> <p>3. Patients < 18 years of age: approve if the patient has tried three of the following (if three are formulary, or two if two are formulary, or one if only one is formulary): fluticasone-vilanterol powder inhalation (Breo Ellipta, authorized generic), budesonide-formoterol aerosol (Symbicort, authorized generic), fluticasone-salmeterol HFA (Advair HFA, authorized generic), fluticasone propionate/salmeterol inhalation powder, Wixela (Advair Diskus, generics), AirDuo RespiClick, AirDuo Digihaler, or Dulera. If none are formulary, approve.</p> <p>4. Patients < 18 years of age who are unable to coordinate breath and actuation with a metered-dose inhaler (MDI): approve if the patient has tried one of fluticasone-vilanterol powder inhalation (Breo Ellipta, authorized generic), fluticasone propionate/salmeterol inhalation powder, Wixela (Advair Diskus, generics), AirDuo RespiClick, or AirDuo Digihaler, if formulary. If neither are formulary, approve.</p> <p>Note: Fluticasone propionate-salmeterol inhalation powder, Wixela, and Advair Diskus count as one alternative. AirDuo RespiClick and AirDuo Digihaler count as one alternative. Each product and its authorized generic count as one alternative.</p>	1 year	Yes		6/14/2023	No
Respiratory - Corticosteroid/Long-Acting Beta-Agonist Combination Inhalers	Fluticasone-vilanterol	fluticasone furoate and vilanterol inhalation powder	<p>Direct the patient to Breo Ellipta (brand), if formulary. If Breo Ellipta (brand) is non-formulary:</p> <p>1. Approve if the patient has tried three of the following (if three are formulary, or two if two are formulary, or one if only one is formulary): fluticasone propionate/salmeterol inhalation powder, Wixela (Advair Diskus, generics), fluticasone-salmeterol HFA (Advair HFA, authorized generic), fluticasone propionate/salmeterol multidose dry powder inhaler (AirDuo RespiClick, authorized generics), AirDuo Digihaler, budesonide-formoterol aerosol (Symbicort, authorized generic), or Dulera. If none are formulary, approve.</p> <p>2. Patients < 12 years of age: Approve if the patient has tried one of the following (if formulary): fluticasone propionate/salmeterol inhalation powder, Wixela (Advair Diskus, generics), Dulera, or budesonide-formoterol aerosol (Symbicort, authorized generic). If none are formulary, approve.</p> <p>3. Patients ≤ 5 years of age: Approve if the patient has tried one of the following (if formulary): fluticasone propionate/salmeterol inhalation powder, Wixela (Advair Diskus, generics) or Dulera. If neither are formulary, approve.</p> <p>4. Patients who are unable to coordinate breath and actuation with a metered-dose inhaler (MDI): approve if the patient has tried one of fluticasone propionate/salmeterol inhalation powder, Wixela (Advair Diskus, generics), fluticasone propionate/salmeterol multidose dry powder inhaler (AirDuo RespiClick, authorized generics), or AirDuo Digihaler, if one is formulary. If neither are formulary, approve.</p> <p>a. Patient < 12 years of age who are unable to coordinate breath and actuation with a metered-dose inhaler (MDI): Approve if the patient has tried fluticasone propionate/salmeterol inhalation powder, Wixela (Advair Diskus, generics). If fluticasone propionate/salmeterol inhalation powder, Wixela (Advair Diskus, generics) are non-formulary, approve.</p> <p>5. Patients with COPD: Approve if the patient has tried both 1) fluticasone propionate/salmeterol inhalation powder, Wixela (Advair Diskus, generics) and 2) budesonide-formoterol aerosol (Symbicort, authorized generics) [if both are formulary or one if only one is formulary]. If none are formulary, approve.</p> <p>6. Patients with COPD who are unable to coordinate breath and actuation with a metered-dose inhaler (MDI): approve if the patient has tried fluticasone propionate/salmeterol inhalation powder, Wixela (Advair Diskus, generics) if formulary. If fluticasone propionate/salmeterol inhalation powder, Wixela (Advair Diskus, generics) are non-formulary, approve.</p> <p>Note: Fluticasone propionate-salmeterol inhalation powder, Wixela, and Advair Diskus count as one alternative. Fluticasone propionate-salmeterol multidose dry powder inhaler, AirDuo RespiClick, and AirDuo Digihaler count as one alternative. Each product and its authorized generic count as one alternative.</p> <p>Note: Fluticasone propionate-salmeterol inhalation powder, Wixela, and Advair Diskus count as one alternative. Fluticasone propionate-salmeterol multidose dry powder inhaler, AirDuo RespiClick, and AirDuo Digihaler count as one alternative.</p>	1 year	Yes		6/13/2023	No
Respiratory - Long-Acting Muscarinic Antagonist (LAMA) Inhalers	Incruse Ellipta	umeclidinium inhalation powder	<p>Approve if the patient has tried, and according to the prescriber, has experienced inadequate efficacy OR significant intolerance with BOTH products from the following list, if formulary (or one if one is formulary): 1) a tiotropium inhaler (Spiriva Respimat or Spiriva HandiHaler), and 2) Tudorza Pressair. If neither are formulary, approve.</p>	1 year	Yes		8/30/2023	No
Respiratory - Long-Acting Muscarinic Antagonist (LAMA) Inhalers	Tudorza Pressair	acclidinium bromide inhalation powder	<p>Approve if the patient has tried, and according to the prescriber, has experienced inadequate efficacy OR significant intolerance with BOTH products from the following list, if formulary (or one if one is formulary): 1) Incruse Ellipta and 2) a tiotropium inhaler (Spiriva HandiHaler or Spiriva Respimat). If neither are formulary, approve.</p>	1 year	Yes		8/30/2023	No
Respiratory Drugs - Other	Daliresp	roflumilast tablets	<p>NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product.</p> <p>Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required].</p>	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Reti Syndrome Agents	Daybue	trofinetide oral solution	<p>See standard <i>Neurology – Daybue Prior Authorization Policy</i> criteria.</p>	1 year	Yes		5/31/2023	No

Formulary Exception Criteria

Therapy Class	Brand Name	Generic Name	Commercial FE Criteria	Approval Duration	2024 NPF Excluded Medication	Continuation of Therapy Required?	Date Last Reviewed	Utilizes Pref Alts to Operationalize Criteria
Rituximab-containing Agents	Riabni	rituximab-arrx intravenous injection	1. Approve if the patient meets BOTH of the following (a and b): a. The patient has tried three of the following, if three are formulary (or one or two of the following, if one or two is formulary): Truxima, Rituxan intravenous, Ruxience; AND Note: If none are formulary, approve. b. Patient cannot continue to use each formulary alternative due to a formulation difference in the inactive ingredient(s) [e.g., differences in stabilizing agent, buffering agent, and/or surfactant] which, according to the prescriber, would result in a significant allergy or serious adverse reaction. 2. If the patient has already been started on or has previously received therapy with Riabni, approve.	1 year	Yes		9/1/2023	Yes
Rituximab-containing Agents	Rituxan	rituximab intravenous injection	1. Approve if the patient meets BOTH of the following (a and b): a. The patient has tried three of the following, if three are formulary (or one or two of the following, if one or two is formulary): Truxima, Riabni, Ruxience; AND Note: If none are formulary, approve. b. Patient cannot continue to use each formulary alternative due to a formulation difference in the inactive ingredient(s) [e.g., differences in stabilizing agent, buffering agent, and/or surfactant] which, according to the prescriber, would result in a significant allergy or serious adverse reaction. 2. If the patient has already been started on or has previously received therapy with Rituxan intravenous, approve.	1 year	Yes		9/1/2023	Yes
Rituximab-containing Agents	Rituxan Hycela	rituximab and hyaluronidase human injection for subcutaneous use	1. Approve if the patient has tried one the following: Rituxan, Truxima, Ruxience, Riabni, but cannot continue to use the product. 2. Approve if, according to the prescriber, cannot use rituximab intravenous due to an inability to obtain IV access. 3. If the patient has already been started on or has previously received therapy with Rituxan Hycela, approve.	1 year	Yes		9/1/2023	No
Rituximab-containing Agents	Truxima	rituximab-abbs intravenous injection	1. Approve if the patient meets BOTH of the following (a and b): a. The patient has tried three of the following, if three are formulary (or one or two of the following, if one or two is formulary): Rituxan intravenous, Riabni, Ruxience; AND Note: If none are formulary, approve. b. Patient cannot continue to use each formulary alternative due to a formulation difference in the inactive ingredient(s) [e.g., differences in stabilizing agent, buffering agent, and/or surfactant] which, according to the prescriber, would result in a significant allergy or serious adverse reaction. 2. If the patient has already been started on or has previously received therapy with Truxima, approve.	1 year	Yes		9/1/2023	Yes
Rosacea Agents (Topical)	Noritate	metronidazole cream 1%	1. Direct the patient to a topical metronidazole product. 2. Approve if, according to the prescriber, there is a significant clinical concern such that the patient is unable to use a generic topical metronidazole agent. Note: Examples of topical metronidazole products include metronidazole 0.75% cream (MetroCream, generics), metronidazole 0.75% or 1% gel (Metrogel, generics), metronidazole 0.75% lotion (MetroLotion, generics).	1 year	Yes		12/27/2022	No
Rosacea Agents (Topical)	Zilxi	minocycline 1.5% topical foam	Approve if the patient has tried and, according to the prescriber, has experienced inadequate efficacy OR significant intolerance with three formulary products (or two if two are formulary or one if one is formulary) from the following list: 1) an azelaic acid product (azelaic acid 15% gel [Finacea 15% gel, generics], Finacea 15% foam, Azelex 20% cream, 2) sodium sulfacetamide 10%/sulfur 5% (Rosula, generics), or 3) a metronidazole product (metronidazole 0.75% or 1% [MetroGel, generics; MetroCream, generics; MetroLotion, generics, Noritate]), or 4) ivermectin cream (Soolantra, generics). If none are formulary, approve. Note: Azelaic acid and Finacea count as one alternative. Note: The metronidazole products count as one alternative.	1 year	Yes		12/13/2023	No
Sedative-Hypnotics and Related Agents	Ambien	zolpidem tablets	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year		MSB Exclusion *This criteria applies only to the NPF	N/A	No
Sedative-Hypnotics and Related Agents	Ambien CR	zolpidem extended-release tablets	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year		MSB Exclusion *This criteria applies only to the NPF	N/A	No
Sedative-Hypnotics and Related Agents	Lunesta	eszopiclone tablets	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year		MSB Exclusion *This criteria applies only to the NPF	N/A	No
Sedative-Hypnotics and Related Agents	Rozerem	ramelteon tablets	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year		MSB Exclusion *This criteria applies only to the NPF	N/A	No
Sedative-Hypnotics and Related Agents	zolpidem 7.5 mg capsules (brand)	zolpidem 7.5 mg capsules	Approve if the patient has tried three of the following agents, if three are formulary (or two if two are formulary, or one if only one is formulary): zolpidem tablets (other strengths) [Ambien, Ambiren CR, generics], eszopiclone tablets (Lunesta, generics), or zaleplon. If none are formulary, approve.	1 year	Yes		7/28/2023	No
Sedative-Hypnotics and Related Agents	Zolpimist	zolpidem oral spray	1. Approve if the patient has tried three of the following agents, if three are formulary (or two if two are formulary, or one if only one is formulary): zolpidem (Ambien, Ambiren CR, generics), eszopiclone tablets (Lunesta, generics), or zaleplon. If none are formulary, approve. 2. Patients who cannot swallow or have difficulties swallowing solid oral dosage forms: approve if the patient has tried Edluar, if formulary. If Edluar is non-formulary, approve. Note: If the patient tried the brand version of a generic equivalent product, then this trial would count towards the requirement.	1 year	Yes		12/3/2023	Yes
Selective Estrogen Receptor Modifiers and Antiestrogens	Osphena	ospemifene tablets	Approve if the patient has tried one vaginal estrogen product from the following list (if one is formulary): estradiol cream (Estrace cream, generics), Femring vaginal ring, Premarin vaginal cream, Estring vaginal ring, estradiol vaginal tablet (e.g., Yuvaferm, Vagifem, generics), or Imvexxy. If none are formulary, approve.	1 year	Yes		1/12/2023	No
Selective Serotonin Reuptake Inhibitors (SSRIs)	citalopram 30 mg capsules	citalopram capsules	1. Direct to citalopram 10 mg or 20 mg tablets. 2. Approve if, according to the prescriber, there is a significant clinical concern such that the patient is unable to use the citalopram 10 mg and/or 20 mg tablets.	1 year	Yes		12/1/2023	No
Selective Serotonin Reuptake Inhibitors (SSRIs)	Viibryd 10/20 mg starter pack	vilazodone tablets	Approve if the patient is unable to use vilazodone tablets (which are not packaged in a starter pack).	1 year	Yes		11/21/2023	No
Selective Serotonin Reuptake Inhibitors (SSRIs)	Zercapli and sertraline 150 mg, 200 mg capsules	sertraline 150 mg, 200 mg capsules	1. Direct the patient to sertraline 50 mg and/or 100 mg tablets. 2. Approve if, according to the prescriber, there is a significant clinical concern such that the patient is unable to use the sertraline 50 mg and/or 100 mg tablet.	1 year	Yes		12/1/2023	No

Formulary Exception Criteria

Therapy Class	Brand Name	Generic Name	Commercial FE Criteria	Approval Duration	2024 NPF Excluded Medication	Continuation of Therapy Required?	Date Last Reviewed	Utilizes Pref Alts to Operationalize Criteria
Selective Serotonin Reuptake Inhibitors (SSRIs)	Celexa	citalopram tablets	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Selective Serotonin Reuptake Inhibitors (SSRIs)	Lexapro	escitalopram oxalate tablets and oral solution	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Selective Serotonin Reuptake Inhibitors (SSRIs)	Pexeva	paroxetine mesylate tablets	1. Approve if the patient has tried and, according to the prescriber has experienced inadequate efficacy OR significant intolerance with four formulary SSRIs from the following list (if four are formulary or three if three are formulary or two if two are formulary, or one if one is formulary): citalopram (Celexa, generics), fluvoxamine (generics) escitalopram (Lexapro, generics), fluoxetine (Prozac, generics), sertraline (Zoloft, generics), paroxetine HCl (Paxil, Paxil CR, generics), vilazodone (Viibryd, generics), or Trintellix. If none are formulary, approve. 2. Patient is currently taking or has taken Pexeva at any time in the past: approve. 3. Suicidal ideation: approve. Note: If the patient tried the brand version of a generic equivalent product, then this trial would count towards the requirement.	1 year	Yes	Yes	1/13/2023	Yes
Selective Serotonin Reuptake Inhibitors (SSRIs)	Prozac	fluoxetine HCl pulvules	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Selective Serotonin Reuptake Inhibitors (SSRIs)	Viibryd (non- starter pack) 10 mg, 20 mg, 40 mg	vilazodone tablets	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Selective Serotonin Reuptake Inhibitors (SSRIs)	Zoloft	sertraline HCl tablets and oral solution	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Serotonin and Norepinephrine Reuptake Inhibitors (SNRIs)	Cymbalta	duloxetine HCl capsules	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Serotonin and Norepinephrine Reuptake Inhibitors (SNRIs)	Drizalma Sprinkle	duloxetine delayed-release capsules	1. Approve if the patient has tried one product from the following list (if one is formulary): duloxetine capsules (Cymbalta, generics), Fetzima, desvenlafaxine succinate extended-release (ER) [Pristiq, generics], venlafaxine ER capsules (Effexor XR, generics), or venlafaxine extended-release tablets. If none are formulary, approve. NOTE: If patient has tried venlafaxine immediate-release, a trial of venlafaxine extended-release is not required. 2. Approve if the patient is unable to swallow, has difficulty swallowing, or requires administration via a nasogastric tube.	1 year	Yes		5/31/2023	No
Serotonin and Norepinephrine Reuptake Inhibitors (SNRIs)	Effexor XR	venlafaxine HCl extended-release capsules	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Serotonin and Norepinephrine Reuptake Inhibitors (SNRIs)	Pristiq	dexvenlafaxine succinate tablets	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Serotonin and Norepinephrine Reuptake Inhibitors (SNRIs)	Venlafaxine besylate ER 112.5 mg (formerly Venbysi XR)	venlafaxine extended-release 112.5 mg tablets	1. Approve if the patient has tried two products from the following list (if two are formulary; or one if one is formulary): desvenlafaxine succinate ER (Pristiq, generics), Fetzima, Drizalma Sprinkle, venlafaxine ER capsules (Effexor XR, generics), duloxetine capsules (Cymbalta, generics), or venlafaxine ER tablets. If none are formulary, approve. NOTE: If patient has tried venlafaxine immediate-release, a trial of venlafaxine extended-release is not required. 2. Approve if the patient is currently taking or has taken venlafaxine besylate ER at any time in the past. 3. Suicidal ideation: approve.	1 year	Yes	Yes	8/30/2023	No
Short-Acting Beta-Agonists (Inhaled)	ProAir Dighaler	albuterol sulfate inhalation powder	1. Approve if the patient has tried one other albuterol containing inhaler. For example, albuterol HFA (ProAir HFA or generics) or albuterol HFA (Proventil HFA or generics). 2. Patients who are unable to coordinate breath and actuation with a metered-dose inhaler (MDI): approve if the patient has tried ProAir Respiclick, if formulary. If ProAir Respiclick is non-formulary, approve.	1 year	Yes		9/5/2023	Yes
Short-Acting Beta-Agonists (Inhaled)	ProAir HFA	albuterol sulfate inhalation aerosol	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Short-Acting Beta-Agonists (Inhaled)	ProAir Respiclick	albuterol sulfate inhalation powder	1. Approve if the patient has tried one other albuterol containing inhaler. For example, albuterol HFA (ProAir HFA or generics) or albuterol HFA (Proventil HFA or generics). 2. Patients who are unable to coordinate breath and actuation with a metered-dose inhaler (MDI): approve if the patient has tried ProAir Dighaler, if formulary. If ProAir Dighaler is non-formulary, approve.	1 year	Yes		9/5/2023	Yes
Short-Acting Beta-Agonists (Inhaled)	Proventil HFA	albuterol sulfate inhalation aerosol	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Short-Acting Beta-Agonists (Inhaled)	Ventolin HFA and authorized generic	albuterol sulfate inhalation aerosol	Approve if the patient has tried one other albuterol containing inhaler. For example, albuterol HFA (ProAir HFA or generics) or albuterol HFA (Proventil HFA or generics).	1 year	Yes		9/5/2023	Yes
Short-Acting Beta-Agonists (Inhaled)	Xopenex HFA and levalbuterol HFA	levalbuterol inhalation aerosol	Approve if the patient has tried one albuterol containing inhaler. For example, albuterol HFA (ProAir HFA or generics) or albuterol HFA (Proventil HFA or generics).	1 year	Yes		9/5/2023	Yes

Formulary Exception Criteria

Therapy Class	Brand Name	Generic Name	Commercial FE Criteria	Approval Duration	2024 NPF Excluded Medication	Continuation of Therapy Required?	Date Last Reviewed	Utilizes Pref Alts to Operationalize Criteria
Sickle Cell Disease Agents	Oxbryta	voxelotor tablets and tablets for oral suspension	Sickle Cell Disease in Patients ≥ 4 Years of Age: 1. Approve if the patient has tried or is currently receiving one hydroxyurea product (hydroxyurea, Droxia, Siklos), if one is formulary. If none are formulary, approve. 2. If, according to the prescriber, the patient is not a candidate for a hydroxyurea product (e.g., a patient who is planning to become pregnant; a pregnant patient; or a patient with an immunosuppressive condition [such as cancer]), approve. 3. Approve if the patient is currently receiving Oxbryta. Note: If the patient has already tried (or is currently taking) a hydroxyurea product, they would not be expected to try another hydroxyurea agent. For example, if the patient has already tried Droxia, the patient would not be required to try Siklos (even if Siklos is the only formulary agent).	1 year	Yes		9/13/2023	No
Sickle Cell Disease Agents	Siklos	hydroxyurea tablets	1. Approve if the patient has tried Droxia, if formulary. If Droxia is non-formulary, approve. 2. If the patient requires Siklos 100 mg or 1,000 mg tablets to achieve a dosage that cannot be achieved with the available strengths of Droxia, approve. 3. If the patient cannot swallow or has difficulty swallowing Droxia capsules, approve.	1 year	Yes		9/13/2023	Yes
Somatostatin Analogs	lanreotide subcutaneous injection	lanreotide subcutaneous injection	Acromegaly and neuroendocrine tumors. Approve if the patient has tried Somatuline Depot, if formulary. If Somatuline Depot is non-formulary, approve if the patient meets (A or B): A. Acromegaly: Approve if the patient has tried Sandostatin LAR Depot, if formulary. If Sandostatin LAR Depot is non-formulary, approve. B. Patients with neuroendocrine tumors: approve if the patient meets the following (i or ii): Note: This includes (but is not limited to) carcinoid tumors, vasoactive intestinal peptide tumors (VIPomas), glucagonomas, gastrinomas, insulinomas. i. Patient has tried Sandostatin LAR Depot, if formulary. If Sandostatin LAR Depot is non-formulary, approve; OR ii. Patient has already been started on therapy with lanreotide subcutaneous injection.	1 year	Yes		3/27/2023	No
Somatostatin Analogs	Sandostatin LAR Depot	octreotide injectable suspension	1. Acromegaly: Approve if the patient has tried one of Somatuline Depot or lanreotide subcutaneous injection, if formulary. If neither are formulary, approve. 2. Patient with neuroendocrine tumors: approve if the patient meets the following (A or B): Note: This includes (but is not limited to) carcinoid tumors, vasoactive intestinal peptide tumors (VIPomas), glucagonomas, gastrinomas, insulinomas. A. Patient has tried one of Somatuline Depot or lanreotide subcutaneous injection, if formulary. If neither are formulary, approve; OR B. Patient has already been started on therapy with Sandostatin LAR. 3. Patient with pheochromocytoma/paraganglioma: approve if the patient meets the following (A or B): A. Patient has tried Somatuline Depot, if formulary. If Somatuline Depot is non-formulary, approve; OR B. Patient has already been started on therapy with Sandostatin LAR. 4. Patient with meningioma; thymoma/thymic carcinoma: approve.	1 year	Yes		3/27/2023	Yes
Somatostatin Analogs	Signifor LAR	pasireotide IM injection	1. Acromegaly: Approve if the patient has tried one of Sandostatin LAR Depot, Somatuline Depot, or lanreotide subcutaneous injection, if one is formulary. If none are formulary, approve. 2. Cushing's Disease: Approve if the patient has tried Signifor (not LAR). If Signifor (not LAR) is non-formulary, approve. 3. Endogenous Cushing's Syndrome – Patient is Awaiting Surgery. Approve if patient has tried Signifor (not LAR), if formulary. If Signifor (not LAR) is non-formulary, approve. 4. Endogenous Cushing's Syndrome – Patient is Awaiting Therapeutic Response After Radiotherapy. Approve if the patient has tried Signifor (not LAR), if formulary. If Signifor (not LAR) is non-formulary, approve.	1 year	Yes		3/27/2023	Yes
Steroid Products (Vaginal)	Intrarosa	prasterone vaginal inserts	1. Approve if the patient has tried one formulary alternative from the following list: Imvexxy, Femring vaginal ring, Premarin Cream, Estring vaginal ring, estradiol 0.01% cream (Estrace cream, generics), or estradiol vaginal tablet (e.g., Yuvafem, Vagifem, generics). If none are formulary, approve. 2. Approve if, according to the prescriber, the patient is at an increased risk of endometrial cancer, stroke, or deep vein thrombosis (DVT).	1 year	Yes		1/12/2023	No
Testosterone Products (Injectable)	Aveed	testosterone undecanoate for intramuscular use	Approve if the patient has tried one of the following injectable testosterone products, if one is formulary: testosterone enanthate injection [generics], testosterone cypionate injection [Depo-Testosterone, generics], or Xyosted. If none are formulary, approve.	1 year	Yes		8/22/2023	Yes
Testosterone Products (Oral)	Kyzatrex	testosterone undecanoate capsules	Approve if the patient has tried both of Jatenzo and Tlando capsules, if formulary (or one if one is formulary). If neither are non-formulary, approve if the patient has tried two forms of topical testosterone (e.g., gel, solution, patches).	1 year	Yes		11/21/2023	No
Testosterone Products (Oral)	Tlando	testosterone undecanoate oral capsules	Approve if the patient has tried both of Kyzatrex capsules and Jatenzo capsules, if formulary (or one if one is formulary). If neither are formulary, approve if the patient has tried two forms of topical testosterone (e.g., gel, solution, patches).	1 year	Yes		11/21/2023	No
Testosterone Products (Topical)	AndroGel	testosterone 1% gel packets and pump, 1.62% (2021)	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Testosterone Products (Topical)	Natesto	testosterone nasal gel	Approve if the patient has tried three other topical testosterone products (e.g., AndroGel 1% or generics, Axiron [generics only], AndroGel 1.62% or generics, Fortesta or generics, Testim or generics, Vogelxo or generics.)	1 year	Yes		8/22/2023	Yes
Testosterone Products (Topical)	Testim	testosterone gel	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Thiazide-like Diuretics	Thalitone 15 mg	chlorthalidone 15 mg tablets	1. Direct the patient to chlorthalidone tablets. Available as 25 mg, 50 mg. 2. Approve if the patient's prescribed dose cannot be obtained with the 25 mg and/or 50 mg strength tablets.	1 year	Yes		12/8/2023	No
Thrombocytopenia agents	Mulpleta	lusutrombopag tablets	<u>Mulpleta is being used pre-procedure and the patient has thrombocytopenia and chronic liver disease.</u> 1. Approve if the patient has tried Doptelet, if formulary. If Doptelet is non-formulary, approve. 2. Approve if the patient has already started a course of therapy with Mulpleta in order to finish the course.	1 month	Yes	Yes	8/22/2023	Yes
Thyroid Supplements	Cytomel	liothyronine sodium tablets	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No

Formulary Exception Criteria

Therapy Class	Brand Name	Generic Name	Commercial FE Criteria	Approval Duration	2024 NPF Excluded Medication	Continuation of Therapy Required?	Date Last Reviewed	Utilizes Pref Alts to Operationalize Criteria
Thyroid Supplements	Synthroid	levothyroxine tablets	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Thyroid Supplements	Thyquidity	levothyroxine sodium oral solution	1. Approve if the patient has tried five formulary levothyroxine products from the following list (if five are formulary or four if four are formulary or three if three are formulary or two if two are formulary or one if one is formulary): levothyroxine (Synthroid, generics), Levoxyl (generics), Unithroid (generics), Euthyrox (generics), or Tirosint capsules [documentation required] . If none are formulary, approve. 2. If the patient cannot swallow or has difficulty swallowing tablets or capsules [documentation required] , approve if the patient has tried both Tirosint oral solution and Ermeza oral solution, if formulary (or one if one is formulary). If neither are formulary, approve.	1 year	Yes		12/1/2023	Yes
Thyroid Supplements	Tirosint and authorized generic	levothyroxine capsules	Approve if the patient has tried five formulary levothyroxine products from the following list (if five are formulary or four if four are formulary or three if three are formulary or two if two are formulary or one if one is formulary): levothyroxine (Synthroid, generics), Levoxyl (generics), Unithroid (generics), Euthyrox (generics), or Tirosint oral solution [documentation required] . If none are formulary, approve.	1 year	Yes		9/15/2023	Yes
Thyroid Supplements	Tirosint-SOL	levothyroxine oral solution	1. Approve if the patient has tried five formulary levothyroxine products from the following list (if five are formulary or four if four are formulary or three if three are formulary or two if two are formulary or one if one is formulary): levothyroxine (Synthroid, generics), Levoxyl (generics), Unithroid (generics), Euthyrox (generics), or Tirosint capsules [documentation required] . If none are formulary, approve. 2. If the patient cannot swallow or has difficulty swallowing tablets or capsules [documentation required] , approve if the patient has tried both Thyquidity oral solution and Ermeza oral solution, if formulary (or one if one is formulary). If neither are formulary, approve.	1 year	Yes		12/1/2023	Yes
Thyroid Supplements - Desiccated Thyroid Supplements	Adthyza	thyroid tablets	1. Approve if the patient has tried one levothyroxine product (e.g., levothyroxine, Synthroid, Levoxyl) AND one other desiccated thyroid product (e.g., Armour Thyroid, NP thyroid). 2. Patient currently receiving Adthyza: Approve if the patient has tried one other desiccated thyroid product (e.g., Armour Thyroid, NP thyroid). Note: Some desiccated thyroid products are currently not available, such as Nature thyroid, WP thyroid, Westroid, and Thyroid tablet, but a previous trial of these would count as a trial of a desiccated thyroid product.	1 year	Yes		4/27/2023	No
Topical Agents for Atopic Dermatitis	Eidel	pimecrolimus cream	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Topical agents for Condyloma acuminatum	Condylox 0.5% topical gel	podofilox 0.5% gel	Approve if the patient has tried two of the following (if two are formulary or one if one is formulary): podofilox 0.5% topical solution, imiquimod cream (Aldara, generics), or Veregen ointment. If none are formulary, approve. Note: If the patient has perianal warts, the patient would only need to try one formulary agent.	1 year	Yes		1/26/2023	No
Topical Corticosteroid-containing Agents – Halobetasol Agents	Lexette and halobetasol propionate 0.05% topical foam	halobetasol propionate topical foam 0.05%	Approve if the patient has tried, and according to the prescriber has experienced inadequate efficacy OR significant intolerance with four generic prescription-strength topical corticosteroid products. Note: Examples of prescription-strength topical corticosteroids products include: halobetasol propionate, betamethasone dipropionate, clobetasol propionate, diflorasone diacetate. NOTE: The products must be chemically unique.	1 year	Yes		2/23/2023	Yes
Topical Corticosteroid-containing Agents – Halobetasol Agents	Ultravate Lotion	halobetasol propionate lotion 0.05%	Approve if the patient has tried, and according to the prescriber has experienced inadequate efficacy OR significant intolerance with four generic prescription-strength topical corticosteroid products. Note: Examples of prescription-strength topical corticosteroids products include: halobetasol propionate, betamethasone dipropionate, clobetasol propionate, diflorasone diacetate. NOTE: The products must be chemically unique.	1 year	Yes		2/23/2023	Yes
Topical Dermatological Drugs - Miscellaneous	Alcortin A	hydrocortisone 2%/ iodoquinol 1%/ aloe 1% gel	Approve if the patient has tried and, according to the prescriber, has experienced inadequate efficacy OR significant intolerance with five single-entity corticosteroid topical agents AND one prescription topical anti-infective agent. Note: Examples of topical corticosteroids include: hydrocortisone cream/lotion/ointment [multiple brand and generic products], betamethasone cream/ointment/lotion [Diprolene, generics], clobetasol cream/gel/lotion [Temovate, Clobex, generics], fluocinonide ointment/cream [Synalar, generics], fluocinonide cream/ointment/gel [generics], mometasone cream/lotion/ointment [Elocon, generics], triamcinolone cream/ointment/lotion [generics]. Note: Examples of prescription topical anti-infectives include: mupirocin 2% cream [Bactroban, generics], mupirocin 2% ointment [Bactroban, generics], Centany ointment, Centany AT ointment, Altanax ointment).	1 year	Yes		1/26/2023	Yes
Topical Dermatological Drugs - Miscellaneous	Clenia Plus and authorized generic	sodium sulfacetamide 9%- sulfur 4.25% suspension	1. Direct the patient to a topical product containing sodium sulfacetamide-sulfur (e.g., generic sodium sulfacetamide-sulfur 9.8%-4.8% topical cleanser, generic sodium sulfacetamide-sulfur 8%-4% topical suspension). 2. Approve if, according to the prescriber, there is a significant clinical concern such that the patient is unable to use a generic topical product containing sodium sulfacetamide/sulfur.	1 year	Yes		6/16/2023	No
Topical Dermatological Drugs - Miscellaneous	Lidoderm	lidocaine 5% patch	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Topical Dermatological Drugs - Miscellaneous	Pliaglis and lidocaine 7% and tetracaine 7% cream (brand)	lidocaine 7% and tetracaine 7% cream	Approve if the patient has tried and cannot use two of the following, if two are formulary (or one if only one is formulary): lidocaine and prilocaine cream (generics), lidocaine cream (generics, multiple strengths), Livixil Pak, DermacinRx Prizopak. If none are formulary, approve.	1 year	Yes		8/25/2023	No
Topical Dermatological Drugs - Miscellaneous	sulfacetamide-sulfur 8-4% cleanser	sulfacetamide-sulfur 8-4% cleanser	1. Direct the patient to a topical product containing sodium sulfacetamide-sulfur (e.g., generic sodium sulfacetamide-sulfur 8%-4% topical suspension). 2. Approve if, according to the prescriber, there is a significant clinical concern such that the patient is unable to use a generic topical product containing sodium sulfacetamide-sulfur.	1 year	Yes		6/16/2023	No
Topical Dermatological Drugs - Miscellaneous	Tazorac 0.1% cream	tazarotene 0.1% cream	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Topical Dermatological Drugs - Miscellaneous	Veregen	sinecatechins ointment 15%	1. Approve if the patient has tried both 1) podofilox topical solution or Condylox gel AND 2) imiquimod 5% cream (Aldara, generics), if formulary. If none are formulary, approve. 2. For perianal warts, approve if the patient has tried both 1) Condylox gel AND 2) imiquimod 5% cream (Aldara, generics), if formulary. If neither are formulary approve.	1 year	Yes		3/27/2023	Yes

Formulary Exception Criteria

Therapy Class	Brand Name	Generic Name	Commercial FE Criteria	Approval Duration	2024 NPF Excluded Medication	Continuation of Therapy Required?	Date Last Reviewed	Utilizes Pref Alts to Operationalize Criteria
Topical Dermatological Drugs - Miscellaneous	Zma Clear	sodium sulfacetamide 9% and sulfur 4.5% suspension	1. Direct the patient to a topical product containing sodium sulfacetamide-sulfur (e.g., generic sodium sulfacetamide-sulfur 9.8%-4.8% topical cleanser, generic sodium sulfacetamide-sulfur 8%-4% topical suspension). 2. Approve if, according to the prescriber, there is a significant clinical concern such that the patient is unable to use a generic topical product containing sodium sulfacetamide-sulfur.	1 year	Yes		6/16/2023	No
Topical Dermatological Drugs - Tazarotene	Tazorac 0.05% cream	tazarotene cream 0.05%	Approve if the patient has tried one of 1) tazarotene 0.1% cream (Tazorac 0.1% cream, generics) or 2) tazarotene gel (Tazorac gel, generics), if one is formulary. If neither are formulary, approve.	1 year	Yes		12/15/2023	No
Topical Dermatological Drugs - Tazarotene	Tazorac gel	tazarotene gel 0.05% and 0.1%	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Topical Diaper Dermatitis Agents	Vusion and miconazole-zinc oxide-petroleum oxide-petroleum	miconazole-zinc oxide-petroleum ointment	Approve if the patient has tried one topical antifungal agent. Note: Examples include: miconazole, clotrimazole, ketoconazole, nystatin.	1 year	Yes		1/1/2023	No
Topical Products - Miscellaneous	Tri-luma cream	fluocinolone acetonide 0.01%/hydroquinone 4%/tretinoin 0.05% cream	Direct the patient to the separate entities: fluocinolone 0.01% cream- hydroquinone 4% cream- tretinoin 0.05% cream.	N/A	Yes		11/30/2023	No
Urinary Tract Analgesic	Pyridium	phenazopyridine tablets	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Ursodiol Products	Reitone	ursodiol capsules 200 mg, 400 mg	1. Approve if the patient has tried generic ursodiol capsules or tablets. 2. Approve, if according to the prescriber, the patient is unable to achieve the appropriate dosage requirement with ursodiol capsules.	1 year	Yes		7/19/2023	No
Vasculitis Agents	Tavneos	avacopan capsules	Anti-Neutrophil Cytoplasmic Autoantibody (ANCA)-Associated Vasculitis. Approve if the patient meets one of the following (1 or 2): 1. Patient meets the following (A, B, and C): A. Patient has granulomatosis with polyangiitis or microscopic polyangiitis; AND Note: Granulomatosis with polyangiitis is also known as Wegener's granulomatosis. B. Patient has active disease; AND Note: This includes patients that have newly diagnosed or relapsed disease. This does not include patients already in remission. C. Patient has tried or is currently taking at least one immunosuppressant. Note: Examples of immunosuppressants include rituximab, methotrexate, azathioprine, or mycophenolate mofetil. 2. Patient has been established on Tavneos for at least 6 months.	1 year	Yes	Yes	4/7/2023	No
Vertigo Agents	Antivert 50 mg tablet and authorized generic meclizine 50 mg	meclizine 50 mg tablet	Patient meets both of the following (i and ii): i. Patient has tried generic 25 mg tablets; AND ii. Patient cannot take generic 25 mg tablets due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction.	1 year	Yes		11/20/2023	No
Vesicular Monoamine Transporter Type 2 (VMAT2) Inhibitors	Xenazine	tetrabenazine tablets	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Vitamin D Analogs (Topical)	Sorilux and authorized generic	calcipotriene foam	1. Approve if the patient has tried calcipotriene solution, if formulary. If calcipotriene solution is non-formulary, approve. 2. Approve if the patient has tried calcipotriene cream or ointment. 3. If the patient is using the requested medication for plaque psoriasis and is between the ages ≥ 4 and < 18 years of age, approve.	1 year	Yes		1/27/2023	No
Wakefulness Agents	Nuvigil	armodafinil tablets	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No
Wakefulness Agents	Provigil	modafinil tablets	NOTE: A multisource Brand product is being requested. The patient should use the preferred bioequivalent generic product. Criteria: Approve if the Brand product is being requested due to a formulation difference in the inactive ingredient(s) [e.g., difference in dyes, fillers, preservatives] between the Brand and the bioequivalent generic product which, per the prescriber, would result in a significant allergy or serious adverse reaction [documentation required] .	1 year	MSB Exclusion *This criteria applies only to the NPF		N/A	No