

PRIOR AUTHORIZATION POLICY

POLICY: Oncology – Iressa Prior Authorization Policy

- Iressa[®] (gefitinib tablets – AstraZeneca)

REVIEW DATE: 09/08/2021; selected revision 01/19/2022

OVERVIEW

Iressa, a tyrosine kinase inhibitor, is indicated for the first-line treatment of patients with metastatic **non-small cell lung cancer (NSCLC)** whose tumors have epidermal growth factor receptor (*EGFR*) exon 19 deletions or exon 21 (L858R) substitution mutations as detected by an FDA-approved test.¹

Guidelines

National Comprehensive Cancer Network (NCCN) guidelines for NSCLC (version 1.2022 – December 7, 2021) recommend testing for sensitizing *EGFR* mutations in patients with metastatic disease.² Patients with sensitizing *EGFR* mutations have a significantly better response to the *EGFR* tyrosine kinase inhibitors (TKIs) [erlotinib, Gilotrif, Iressa, Tagrisso, and Vizimpro]. The most common *EGFR* mutations are exon 19 deletions and exon 21 (L858R) substitution mutations. Other less common mutations that are also sensitive to *EGFR* TKIs include L861Q, G719X, and S768I; these mutations cumulatively account for approximately 10% of all *EGFR* mutations. NCCN recommends the *EGFR* TKIs as first-line treatment for patients with advanced or metastatic NSCLC with *EGFR* exon 19 deletions, exon 21 (L858R) substitution mutations, L861Q, G719X, and S768I.

POLICY STATEMENT

Prior Authorization is recommended for prescription benefit coverage of Iressa. All approvals are provided for the duration noted below.

Automation: None.

RECOMMENDED AUTHORIZATION CRITERIA

Coverage of Iressa is recommended in those who meet the following criteria:

FDA-Approved Indication

1. **Non-Small Cell Lung Cancer (NSCLC).** Approve for 3 years if the patient meets the following criteria (A, B, and C):

A) Patient is ≥ 18 years of age; AND

B) Patient has advanced or metastatic disease; AND

C) Patient has sensitizing *EGFR* mutation-positive non-small cell lung cancer as detected by an approved test.

Note: Examples of sensitizing *EGFR* mutation-positive non-small cell lung cancer include the following: exon 19 deletions, exon 21 (L858R) substitution mutations, L861Q, G719X, and S768I.

CONDITIONS NOT RECOMMENDED FOR APPROVAL

Coverage of Iressa is not recommended in the following situations:

1. Coverage is not recommended for circumstances not listed in the Recommended Authorization Criteria. Criteria will be updated as new published data are available.

REFERENCES

1. Iressa® tablets [prescribing information]. Wilmington, DE: AstraZeneca; May 2021.
 2. The NCCN Non-Small Cell Lung Cancer Clinical Practice Guidelines in Oncology (version 1.2022 – December 7, 2021). © 2021 National Comprehensive Cancer Network, Inc. Available at: <http://www.nccn.org>. Accessed on January 12, 2022.
-